


according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025





according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

Trade name: Ethyl Acrylate 1% PG natural

(Contd. of page 1)

- 2.3 Other hazards
 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

• 3.2 Mixtures • Description: Mixtur	e of substances listed below with nonhazardous additions.	1
· Dangerous compo	nents:	
CAS: 57-55-6 EINECS: 200-338-0	Propylene glycol substance with a Community workplace exposure limit	50-100%
CAS: 140-88-5 EINECS: 205-438-8	Ethyl acrylate ATE: LD50 oral: 1,150 mg/kg LD50 dermal: 1,100 mg/kg LC50/4 h inhalative: 9 mg/l Specific concentration limits: Skin Irrit. 2; H315: $C \ge 5$ % Eye Irrit. 2; H319: $C \ge 5$ % STOT SE 3; H335: $C \ge 5$ % substance with a Community workplace exposure limit	≤2.5%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air and be sure to call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- · Suitable extinguishing agents:
- CO2, powder or alcohol resistant foam.

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information
- Cool endangered receptacles with water spray.

(Contd. on page 3)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

(Contd. of page 2)

Trade name: Ethyl Acrylate 1% PG natural

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles:

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 57-55-6 Propylene glycol

OEL Long-term value: 470* 10** mg/m³, 150* ppm *total vapour and particulates **particulates

CAS: 140-88-5 Ethyl acrylate

- OEL Short-term value: 41 mg/m³, 10 ppm Long-term value: 20 mg/m³, 5 ppm
 - Skin, IOELV, Sens

• Additional information: The lists valid during the making were used as a basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing

(Contd. on page 4)

E-



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

Trade name: Ethyl Acrylate 1% PG natural

(Contd. of page 3)

Wash hands before breaks and at the end of work. · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

9.1 Information on basic physical and	d chemical properties	
General Information		
Physical state	Liquid	
Colour:	According to product specification	
Odour:	According to product specification	
Odour threshold:	Not determined.	
Melting point/freezing point:	-68 °C	
Boiling point or initial boiling point a	nd boiling	
range	Undetermined.	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	2.6 Vol %	
Upper:	12.6 Vol %	
Flash point:	>110 °C	
Auto-ignition temperature:	371 °C	
Decomposition temperature:	Not determined.	
pH	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		
water:	Fully miscible.	
Partition coefficient n-octanol/water	(log value) Not determined.	
Vapour pressure at 20 °C:	0.1 hPa	



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

Trade name: Ethyl Acrylate 1% PG natural

	(Contd. of page
Density and/or relative density	
Density at 20 °C:	1.02-1.05 g/cm ³
Relative density	Not determined.
Refractive Index	
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Liquid
Important information on protection of he	alth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	100.0 %
VOC (EC)	1.00 %
Change in condition	
Evaporation rate	Not determined.
classes Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

١E



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

Trade name: Ethyl Acrylate 1% PG natural

(Contd. of page 5) • 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 80,000 mg/kg (rat)

Dermal LD50 110,000 mg/kg (ATE)

Inhalative LC50/4 h 900 mg/l (ATE)

Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- \cdot Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- [·] 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 7)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

Trade name: Ethyl Acrylate 1% PG natural

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.		
· Transport/Additional information:	Not dangerous according to the above specifications.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation. • Hazard pictograms



· Signal word Warning

• Hazard-determining components of labelling: Ethyl acrylate

(Contd. on page 8)

ÍE.



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

Trade name: Ethyl Acrylate 1% PG natural

(Contd. of page 7)

 Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves. P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label). P321 Dispose of contents/container in accordance with local/regional/national/international P501 regulations. · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II None of the ingredients is listed. · REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. · Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. \cdot Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed. • 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- · Department issuing SDS: Product safety department
- Contact:
- Product Safety Department
- productsafety@adv-bio.com
- Date of previous version: 09.01.2025
- Abbreviations and acronyms:
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 9)

IF



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

(Contd. of page 8)

Trade name: Ethyl Acrylate 1% PG natural

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Skin Sens. 1: Skin sensitisation – Category 1