

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Version number 1 Revision: 24.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Butter Derivatives Type Natural

· Product number: 1475

 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Flavoring Ingredients

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA

· Further information obtainable from:

Product Safety Department productsafety@adv-bio.com

1.4 Emergency telephone number:

Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International)

Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

Lauric acid Butyric acid Caprylic acid

Capi yiic acid

Caproic Acid (Hexanoic Acid)

Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

(Contd. on page 2)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Version number 1 Revision: 24.01.2025

Trade name: Butter Derivatives Type Natural

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 143-07-7 EINECS: 205-582-1	Lauric acid ♦ Eye Dam. 1, H318	≥3-≤10%
	Capric acid ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥0-<10%
CAS: 107-92-6 EINECS: 203-532-3	Butyric acid Acute Tox. 4, H302 ATE: LD50 oral: 1,630 mg/kg	≥0-≤10%
	Caprylic acid ♦ Skin Corr. 1B, H314	≥1-<5%
EINECS: 205-550-7	Caproic Acid (Hexanoic Acid) Skin Corr. 1A, H314; Eye Dam. 1, H318 ATE: LD50 oral: 4,000 mg/kg	≥3-<5%

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or alcohol resistant foam.

(Contd. on page 3)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Version number 1 Revision: 24.01.2025

Trade name: Butter Derivatives Type Natural

(Contd. of page 2)

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- 5.3 Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as a basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Version number 1 Revision: 24.01.2025

Trade name: Butter Derivatives Type Natural

(Contd. of page 3)

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- General Information

· Physical state Solid

Colour: According to product specificationOdour: According to product specification

Odour threshold:
 Melting point/freezing point:
 Not determined.
 Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined.
• Flammability Not determined.

Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.

· Flash point: >110 °C

(Contd. on page 5)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Revision: 24.01.2025 Version number 1

Trade name: Butter Derivatives Type Natural

(Contd. of page 4)

360 °C Auto-ignition temperature:

Decomposition temperature: Not determined. Not applicable.

· Viscosity:

· Kinematic viscosity Not applicable. · Dynamic: Not applicable.

· Solubility

· water: Insoluble.

· Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 174 °C: 1.5 hPa

· Density and/or relative density

· Density: Not determined. · Relative density Not determined.

· Refractive Index

· Vapour density Not applicable. Particle characteristics See section 3.

9.2 Other information

· Appearance:

· Form: Waxy, solid

Important information on protection of health

and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· Solids content: 100.0 %

Change in condition

· Evaporation rate Not applicable.

· Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void Gases under pressure Void Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void

· Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void Oxidising solids Void · Organic peroxides Void Corrosive to metals Void Desensitised explosives Void



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Version number 1 Revision: 24.01.2025

Trade name: Butter Derivatives Type Natural

(Contd. of page 5)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 54,333-326,000 mg/kg

- · Primary irritant effect:
- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 7)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Version number 1 Revision: 24.01.2025

Trade name: Butter Derivatives Type Natural

(Contd. of page 6)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
14.1 UN number or ID number ADR, IMDG, IATA	UN1759
14.2 UN proper shipping name ADR	1759 CORROSIVE SOLID, N.O.S. (CAPROIC AC
IMDG, IATA	Caprylic acid) CORROSIVE SOLID, N.O.S. (CAPROIC AC Caprylic acid)
14.3 Transport hazard class(es)	
ADR	
Class Label	8 (C10) Corrosive substances.
IMDG, IATA Class	8 Corrosive substances.
Label	8
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:	Warning: Corrosive substances. 80 F-A,S-B
Segregation groups	(SGG1) Acids



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Version number 1 Revision: 24.01.2025

Trade name: Butter Derivatives Type Natural

· ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code · IMDG · Limited quantities (LQ) · Excepted quantities (LQ) · Excepted quantities (LQ) · Excepted quantities (EQ) · Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g		(Contd. of page
IMO instruments Not applicable. Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ) Ode: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g E IMDG Limited quantities (LQ) Excepted quantities (EQ) Tode: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN 1759 CORROSIVE SOLID, N.O.S. (CAPROL	· Stowage Category	A
· ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code · IMDG · Limited quantities (LQ) · Excepted quantities (LQ) · Excepted quantities (LQ) · Excepted quantities (EQ) · Transport category 3 - Code: E1 Maximum net quantity per outer packaging: 1000 g - Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g - UN "Model Regulation": UN 1759 CORROSIVE SOLID, N.O.S. (CAPROL	•	
 Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 1759 CORROSIVE SOLID, N.O.S. (CAPROI 	· Transport/Additional information:	7,
Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN 1759 CORROSIVE SOLID, N.O.S. (CAPROI	· ADR	
Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category Tunnel restriction code IMDG Limited quantities (LQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN 1759 CORROSIVE SOLID, N.O.S. (CAPROI	· Limited quantities (LQ)	5 kg
Maximum net quantity per outer packaging: 1000 g Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 1759 CORROSIVE SOLID, N.O.S. (CAPROL	· Excepted quantities (EQ)	Code: E1
 Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 1759 CORROSIVE SOLID, N.O.S. (CAPROI 		
 Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 1759 CORROSIVE SOLID, N.O.S. (CAPROI 		Maximum net quantity per outer packaging: 1000 g
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)		
 Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 1759 CORROSIVE SOLID, N.O.S. (CAPROI 	· Tunnel restriction code	E
 Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 1759 CORROSIVE SOLID, N.O.S. (CAPROI 	· IMDG	
 Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 1759 CORROSIVE SOLID, N.O.S. (CAPROI 	Limited quantities (LQ)	5 kg
Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g **UN "Model Regulation": UN 1759 CORROSIVE SOLID, N.O.S. (CAPROI		
Maximum net quantity per outer packaging: 1000 g • UN "Model Regulation": UN 1759 CORROSIVE SOLID, N.O.S. (CAPROI	,	Maximum net quantity per inner packaging: 30 g
	UN "Model Regulation":	UN 1759 CORROSIVE SOLID, N.O.S. (CAPROI
	•	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

Lauric acid
Butyric acid

Caprylic acid
Caproic Acid (Hexanoic Acid)

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

+F330 IF IN ETES. Killise cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

(Contd. on page 9)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Version number 1 Revision: 24.01.2025

Trade name: Butter Derivatives Type Natural

(Contd. of page 8)

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

· Department issuing SDS: Product safety department

Contact:

Product Safety Department productsafety@adv-bio.com

· Date of previous version: 09.01.2025

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values
Acute Tox. 4: Acute toxicity – Category 4

(Contd. on page 10)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Revision: 24.01.2025 Version number 1

Trade name: Butter Derivatives Type Natural

Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

(Contd. of page 9)