

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 09.01.2025

Product number: CAS Number: 08-95-2 EC number:	nol Natural	\mathcal{O}
CAS Number: 108-95-2 EC number:		\mathcal{O}
Product number: CAS Number: 108-95-2 EC number: 203-632-7	1541	
Index number:		
604-001-00-2 1.2 Relevant iden No further relevant	tified uses of the substance or mixture and u t information available. a substance / the mixture Flavoring Ingredients	
• 1.3 Details of the • Manufacturer/Sup Advanced Biotech 10 Taft Road Totowa, NJ 07512	0	
	v-bio.com	
SECTION 2: H	azards identification	
· Classification acc	of the substance or mixture cording to Regulation (EC) No 1272/2008 skull and crossbones	
Acute Tox. 3	H301 Toxic if swallowed.	
Acute Tox. 3	H311 Toxic in contact with skin.	
Acute Tox. 3	H331 Toxic if inhaled.	
GHS08 P	nealth hazard	
Muta. 2	H341 Suspected of causing genetic defects.	
STOT RE 2	H373 May cause damage to organs through pro	olonged or repeated exposure.
	orrogion	
GHS05 d	orrosion	
GHS05 of Skin Corr. 1B	corrosion H314 Causes severe skin burns and eye dama	ge.




according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 09.01.2025

Trade name: Phenol Natural



- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Com	position/information	on inaredients

- · 3.1 Substances
- CAS No. Description
- CAS: 108-95-2 Phenol
- Identification number(s)
 EC number: 203-632-7
- · Index number: 203-632-7
- Specific concentration limits
- Skin Corr. 1B; H314: $C \ge 3$ %
- Skin Irrit. 2; H315: 1 % \leq C < 3 % Eye Irrit. 2; H319: 1 % \leq C < 3 %

(Contd. on page 3)

ÍE.



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 09.01.2025

(Contd. of page 2)

Trade name: Phenol Natural

· Acute toxicity estimate (ATE) values

LD50 oral: 282 mg/kg

LD50 dermal: 625 mg/kg LC50/4 h inhalative: 3 mg/l

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Use neutralising agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. (Contd. on page 4)

íE



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 09.01.2025

Trade name: Phenol Natural

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

• Information about fire - and explosion protection: Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Please refer to the product specification and/or Certificate of Analysis for product storage requirements. Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 108-95-2 Phenol

OEL Short-term value: 16 mg/m³, 4 ppm Long-term value: 8 mg/m³, 2 ppm

Skin, IOELV

· Additional information: The lists valid during the making were used as a basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately.

- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. of page 3)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 09.01.2025

Trade name: Phenol Natural

(Contd. of page 4) Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemica	I properties
· General Information	Molecular Weight: 94.11 g/mol
· Physical state	Solid
· Colour:	According to product specification
· Odour:	According to product specification
· Odour threshold:	Not determined.
 Melting point/freezing point: 	40.8 °C
Boiling point or initial boiling point and boiling	
range	181.8 °C
· Flammability	Product is not flammable.
 Lower and upper explosion limit 	
Lower:	1.3 Vol %
· Upper:	9.5 Vol %
Flash point:	77.5 °C
Auto-ignition temperature:	595 °C
Decomposition temperature:	Not determined.
pH	Not applicable.
· Viscosity:	
 Kinematic viscosity 	Not applicable.
Dynamic:	Not applicable.
· Solubility	
· water at 20 °C:	82 g/l
 Partition coefficient n-octanol/water (log value 	
Vapour pressure at 20 °C:	0.3 hPa
 Vapour pressure at 50 °C: 	2.8 hPa
 Density and/or relative density 	
· Density at 20 °C:	1.0576 g/cm³
Relative density	Not determined.
· Refractive Index	
· Vapour density	Not applicable.
 Particle characteristics 	See section 3.
	(Contd. on page 6)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 09.01.2025

Trade name: Phenol Natural

	(Contd. of page 5
9.2 Other information	
Appearance:	
Form:	Solid
Important information on protection of he	ealth
and environment, and on safety.	$\overline{\mathcal{A}}$
Ignition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
Organic solvents:	100.0 %
Solids content:	100.0 %
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical has	zard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

IE



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 09.01.2025

Trade name: Phenol Natural

			(Contd. of page 6)
· LD/LC50	values rel	evant for classification:	
ATE (Acu	te Toxicity	y Estimates)	
Oral	LD50	282 mg/kg (ATE)	
Dermal	LD50	625 mg/kg (ATE)	
Inhalative	LC50/4 h	0.5 mg/l	
CAS: 108	-95-2 Pher	nol	
Oral	LD50	282 mg/kg (ATE)	
		317 mg/kg (rat)	
Dermal	LD50	625 mg/kg (ATE)	

· Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.

850 mg/kg (rabbit)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small guantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

(Contd. on page 8)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

(Contd. of page 7)

Trade name: Phenol Natural

Toxic for aquatic organisms

SECTION 13: Disposal considerations

 • 13.1 Waste treatment methods
 • Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	UN1671
14.2 UN proper shipping name ADR IMDG, IATA	1671 PHENOL, SOLID, ENVIRONMENTALL HAZARDOUS PHENOL, SOLID
14.3 Transport hazard class(es)	
ADR	Ò
Class Label	6.1 (T2) Toxic substances. 6.1
IMDG	
Class Label	6.1 Toxic substances. 6.1
· Class · Label	6.1 Toxic substances. 6.1
14.4 Packing group ADR, IMDG, IATA	II



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 09.01.2025

Trade name: Phenol Natural

	(Contd. of page 8)
 • 14.5 Environmental hazards: • Marine pollutant: • Special marking (ADR): 	No Symbol (fish and tree) Symbol (fish and tree)
 • 14.6 Special precautions for user • Hazard identification number (Kemler code): • EMS Number: • Stowage Category 	Warning: Toxic substances.
 14.7 Maritime transport in bulk according to IMO instruments 	Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Excepted quantities (EQ) 	500 g Code: E4 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 500 g
 Transport category Tunnel restriction code 	2 D/E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	500 g Code: E4 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 500 g
· UN "Model Regulation":	UN 1671 PHENOL, SOLID, 6.1, II, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

• Labelling according to Regulation (EC) No 1272/2008

- The substance is classified and labelled according to the CLP regulation.
- Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:
- Phenol
- Hazard statements

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

- H314 Causes severe skin burns and eye damage.
- H341 Suspected of causing genetic defects.
- H373 May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 10)

IE —



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 09.01.2025

Trade name: Phenol Natural

	(Contd. of page 9
H411	Toxic to aquatic life with long lasting effects.
Precautionary	
P260	Do not breathe dusts or mists.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P321	Specific treatment (see on this label).
P303+P361+P	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin wit
	water [or shower].
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contac lenses, if present and easy to do. Continue rinsing.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
F 30 I	regulations.
 Directive 2012 	
	rous substances - ANNEX I Substance is not listed.
· Seveso catego	
H2 ACUTE TO	
E2 Hazardous	to the Aquatic Environment
E2 Hazardous	to the Aquatic Environment antity (tonnes) for the application of lower-tier requirements 50 t
E2 Hazardous	to the Aquatic Environment
E2 Hazardous Qualifying qua Qualifying qua	to the Aquatic Environment antity (tonnes) for the application of lower-tier requirements 50 t antity (tonnes) for the application of upper-tier requirements 200 t
E2 Hazardous Qualifying qua Qualifying qua DIRECTIVE 2	to the Aquatic Environment antity (tonnes) for the application of lower-tier requirements 50 t antity (tonnes) for the application of upper-tier requirements 200 t
E2 Hazardous Qualifying qua Qualifying qua DIRECTIVE 2	to the Aquatic Environment antity (tonnes) for the application of lower-tier requirements 50 t antity (tonnes) for the application of upper-tier requirements 200 t 2011/65/EU on the restriction of the use of certain hazardous substances in electronic equipment – Annex II
E2 Hazardous Qualifying qua Qualifying qua DIRECTIVE 2 electrical and Substance is n	to the Aquatic Environment antity (tonnes) for the application of lower-tier requirements 50 t antity (tonnes) for the application of upper-tier requirements 200 t 2011/65/EU on the restriction of the use of certain hazardous substances in electronic equipment – Annex II
E2 Hazardous Qualifying qua Qualifying qua DIRECTIVE 2 electrical and Substance is n REGULATION Annex I - RE	to the Aquatic Environment antity (tonnes) for the application of lower-tier requirements 50 t antity (tonnes) for the application of upper-tier requirements 200 t 2011/65/EU on the restriction of the use of certain hazardous substances in electronic equipment – Annex II not listed. I (EU) 2019/1148
E2 Hazardous Qualifying qua Qualifying qua DIRECTIVE 2 electrical and Substance is n REGULATION Annex I - RE	a to the Aquatic Environment antity (tonnes) for the application of lower-tier requirements 50 t antity (tonnes) for the application of upper-tier requirements 200 t 2011/65/EU on the restriction of the use of certain hazardous substances in electronic equipment – Annex II not listed. I (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose o er Article 5(3))
E2 Hazardous Qualifying qua Qualifying qua DIRECTIVE 2 electrical and Substance is n REGULATION Annex I - RE licensing und Substance is n	to the Aquatic Environment antity (tonnes) for the application of lower-tier requirements 50 t antity (tonnes) for the application of upper-tier requirements 200 t 2011/65/EU on the restriction of the use of certain hazardous substances in electronic equipment – Annex II not listed. I (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose o er Article 5(3))
E2 Hazardous Qualifying qua Qualifying qua DIRECTIVE 2 electrical and Substance is n REGULATION Annex I - RE licensing und Substance is n	a to the Aquatic Environment antity (tonnes) for the application of lower-tier requirements 50 t antity (tonnes) for the application of upper-tier requirements 200 t 2011/65/EU on the restriction of the use of certain hazardous substances in electronic equipment – Annex II not listed. I (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of er Article 5(3)) not listed. PORTABLE EXPLOSIVES PRECURSORS
E2 Hazardous Qualifying qua Qualifying qua DIRECTIVE 2 electrical and Substance is n REGULATION Annex I - RE licensing und Substance is n Annex II - REF Substance is n	a to the Aquatic Environment antity (tonnes) for the application of lower-tier requirements 50 t antity (tonnes) for the application of upper-tier requirements 200 t 2011/65/EU on the restriction of the use of certain hazardous substances in electronic equipment – Annex II not listed. I (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose o er Article 5(3)) not listed. PORTABLE EXPLOSIVES PRECURSORS
E2 Hazardous Qualifying qua Qualifying qua DIRECTIVE 2 electrical and Substance is n REGULATION Annex I - RE licensing und Substance is n Annex II - REF Substance is n	a to the Aquatic Environment antity (tonnes) for the application of lower-tier requirements 50 t antity (tonnes) for the application of upper-tier requirements 200 t 2011/65/EU on the restriction of the use of certain hazardous substances in electronic equipment – Annex II not listed. I (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose o er Article 5(3)) not listed. PORTABLE EXPLOSIVES PRECURSORS not listed. C) No 273/2004 on drug precursors
E2 Hazardous Qualifying qua Qualifying qua DIRECTIVE 2 electrical and Substance is n REGULATION Annex I - RE licensing und Substance is n Annex II - REF Substance is n Regulation (E Substance is n	a to the Aquatic Environment antity (tonnes) for the application of lower-tier requirements 50 t antity (tonnes) for the application of upper-tier requirements 200 t 2011/65/EU on the restriction of the use of certain hazardous substances in electronic equipment – Annex II not listed. I (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of er Article 5(3)) not listed. PORTABLE EXPLOSIVES PRECURSORS not listed. C) No 273/2004 on drug precursors
E2 Hazardous Qualifying qua Qualifying qua DIRECTIVE 2 electrical and Substance is n REGULATION Annex I - RE licensing und Substance is n Annex II - REF Substance is n Regulation (E Substance is n	a to the Aquatic Environment antity (tonnes) for the application of lower-tier requirements 50 t antity (tonnes) for the application of upper-tier requirements 200 t 2011/65/EU on the restriction of the use of certain hazardous substances i electronic equipment – Annex II not listed. I (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of er Article 5(3)) not listed. PORTABLE EXPLOSIVES PRECURSORS not listed. C) No 273/2004 on drug precursors not listed. EC) No 111/2005 laying down rules for the monitoring of trade between th nd third countries in drug precursors

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

Contact:

Product Safety Department

productsafety@adv-bio.com

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 11)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 09.01.2025

Trade name: Phenol Natural

GHS: Globally Harmonised System of Classification and Labelling of Chemicals	(Contd. of page 10)
EINECS: European Inventory of Existing Commercial Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
ATE: Acute toxicity estimate values	
Acute Tox. 3: Acute toxicity – Category 3	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Muta. 2: Germ cell mutagenicity – Category 2	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category	2

0