

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025





according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

Trade name: Methyl Isovalerate natural

P403+P235 P501	(Contd. of page 1) Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations.
[.] 2.3 Other haza	0

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.1 Substances
 CAS No. Description
 CAS: 556-24-1 Methyl isovalerate
- · Identification number(s)
- EC number: 209-117-3

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

(Contd. on page 3)

⁻⁻⁻⁻⁻



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

Trade name: Methyl Isovalerate natural

(Contd. of page 2)

- Ensure adequate ventilation. • **6.4 Reference to other sections**
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Please refer to the product specification and/or Certificate of Analysis for product storage requirements. Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as a basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Respiratory protection: Not required.
- · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

(Contd. of page 3)

Trade name: Methyl Isovalerate natural

Eye/face protection
 Fightly sealed goggles
 SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties
 • General Information
 Molecular Weight: 116.16 g/mol
 • Physical state
 • Colour:
 According to product specification

According to product specification · Odour: According to product specification · Odour threshold: Not determined. · Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling 116.3 °C range · Flammability Flammable. · Lower and upper explosion limit · Lower: Not determined. · Upper: Not determined. · Flash point: 26 °C Not determined. Decomposition temperature: · pΗ Not determined. · Viscosity: · Kinematic viscosity Not determined. · Dynamic: Not determined. · Solubility · water: Not miscible or difficult to mix. · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure at 20 °C: 19 hPa · Density and/or relative density · Density at 20 °C: 0.882 g/cm3 · Relative density Not determined. · Refractive Index · Vapour density Not determined. • 9.2 Other information · Appearance: · Form: Liquid · Important information on protection of health and environment, and on safety. · Ignition temperature: Not determined. • Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible. · Solvent content: · VOC (EC) 0.00 % Solids content: 0.0 % (Contd. on page 5)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

Trade name: Methyl Isovalerate natural

	(Contd. of page 4
Change in condition Evaporation rate	Not determined.
Information with regard to physical has classes	zard
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

IF



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

(Contd. of page 5)

Trade name: Methyl Isovalerate natural

· 11.2 Information on other hazards

· Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

 14.1 UN number or ID number ADR, IMDG, IATA 	UN2400	
· 14.2 UN proper shipping name		
· ADR	2400 METHYL ISOVALERATE	
· IMDG, IATA	METHYL ISOVALERATE	
 14.3 Transport hazard class(es) ADR 		



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

Trade name: Methyl Isovalerate natural (Contd. of page 6) · Label 3 · IMDG, IATA · Class 3 Flammable liquids. · Label 3 14.4 Packing group · ADR, IMDG, IATA Ш · 14.5 Environmental hazards: Not applicable. · 14.6 Special precautions for user Warning: Flammable liquids. · Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-D Stowage Category В · 14.7 Maritime transport in bulk according to **IMO** instruments Not applicable. · Transport/Additional information: · ADR Limited quantities (LQ) 1L Code: E2 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · Transport category 2 Tunnel restriction code D/E ·IMDG · Limited quantities (LQ) 1L · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · UN "Model Regulation": UN 2400 METHYL ISOVALERATE, 3, II

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008
- The substance is classified and labelled according to the CLP regulation.
- · Hazard pictograms



(Contd. on page 8)

IE



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

Trade name: Methyl Isovalerate natural

.	
· Signal word W	
Hazard statem	
	ole liquid and vapour.
· Precautionary	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sourc No smoking.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hear protection.
P303+P361+P3	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin v water [or shower].
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/internatio regulations.
· Qualifying qua · Qualifying qua	ory P5c FLAMMABLE LIQUIDS antity (tonnes) for the application of lower-tier requirements 5,000 t antity (tonnes) for the application of upper-tier requirements 50,000 t (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
• Qualifying qua • Qualifying qua • REGULATION • DIRECTIVE 2	antity (tonnes) for the application of lower-tier requirements 5,000 t
Qualifying qua Qualifying qua REGULATION DIRECTIVE 2 electrical and Substance is no	antity (tonnes) for the application of lower-tier requirements 5,000 t antity (tonnes) for the application of upper-tier requirements 50,000 t (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 011/65/EU on the restriction of the use of certain hazardous substances electronic equipment – Annex II ot listed.
Qualifying qua Qualifying qua REGULATION DIRECTIVE 2 electrical and Substance is no REGULATION	antity (tonnes) for the application of lower-tier requirements 5,000 t antity (tonnes) for the application of upper-tier requirements 50,000 t (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 011/65/EU on the restriction of the use of certain hazardous substances electronic equipment – Annex II ot listed. (EU) 2019/1148
Qualifying qua Qualifying qua REGULATION DIRECTIVE 2 electrical and Substance is no REGULATION	antity (tonnes) for the application of lower-tier requirements 5,000 t antity (tonnes) for the application of upper-tier requirements 50,000 t (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 011/65/EU on the restriction of the use of certain hazardous substances electronic equipment – Annex II ot listed. (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose
Qualifying qua Qualifying qua REGULATION DIRECTIVE 2 electrical and Substance is no REGULATION Annex I - RES	antity (tonnes) for the application of lower-tier requirements 5,000 t antity (tonnes) for the application of upper-tier requirements 50,000 t (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 011/65/EU on the restriction of the use of certain hazardous substances electronic equipment – Annex II ot listed. (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose er Article 5(3))
Qualifying qua Qualifying qua REGULATION DIRECTIVE 2 electrical and Substance is no REGULATION Annex I - RES licensing under Substance is no	antity (tonnes) for the application of lower-tier requirements 5,000 t antity (tonnes) for the application of upper-tier requirements 50,000 t (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 011/65/EU on the restriction of the use of certain hazardous substances electronic equipment – Annex II ot listed. (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose er Article 5(3))
Qualifying qua Qualifying qua REGULATION DIRECTIVE 2 electrical and Substance is no REGULATION Annex I - RES licensing under Substance is no	antity (tonnes) for the application of lower-tier requirements 5,000 t antity (tonnes) for the application of upper-tier requirements 50,000 t (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 011/65/EU on the restriction of the use of certain hazardous substances electronic equipment – Annex II ot listed. (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose er Article 5(3)) ot listed.
Qualifying qua Qualifying qua REGULATION DIRECTIVE 2 electrical and Substance is no REGULATION Annex I - RES licensing under Substance is no Annex II - REP Substance is no	antity (tonnes) for the application of lower-tier requirements 5,000 t antity (tonnes) for the application of upper-tier requirements 50,000 t (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 011/65/EU on the restriction of the use of certain hazardous substances electronic equipment – Annex II ot listed. (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose er Article 5(3)) ot listed.
Qualifying qua Qualifying qua REGULATION DIRECTIVE 2 electrical and Substance is no REGULATION Annex I - RES licensing under Substance is no Annex II - REP Substance is no	antity (tonnes) for the application of lower-tier requirements 5,000 t antity (tonnes) for the application of upper-tier requirements 50,000 t (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 011/65/EU on the restriction of the use of certain hazardous substances electronic equipment – Annex II ot listed. (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose er Article 5(3)) ot listed. ORTABLE EXPLOSIVES PRECURSORS ot listed. C) No 273/2004 on drug precursors
Qualifying qua Qualifying qua REGULATION DIRECTIVE 2 electrical and Substance is no REGULATION Annex I - RES licensing under Substance is no Annex II - REP Substance is no Regulation (EC Substance is no	antity (tonnes) for the application of lower-tier requirements 5,000 t antity (tonnes) for the application of upper-tier requirements 50,000 t (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 011/65/EU on the restriction of the use of certain hazardous substances electronic equipment – Annex II ot listed. (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose er Article 5(3)) ot listed. ORTABLE EXPLOSIVES PRECURSORS ot listed. C) No 273/2004 on drug precursors
Qualifying qua Qualifying qua REGULATION DIRECTIVE 2 electrical and Substance is no REGULATION Annex I - RES licensing under Substance is no Annex II - REP Substance is no Regulation (EC Substance is no	antity (tonnes) for the application of lower-tier requirements 5,000 t antity (tonnes) for the application of upper-tier requirements 50,000 t (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 011/65/EU on the restriction of the use of certain hazardous substances electronic equipment – Annex II ot listed. (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose er Article 5(3)) ot listed. ORTABLE EXPLOSIVES PRECURSORS ot listed. C) No 273/2004 on drug precursors ot listed. EC) No 111/2005 laying down rules for the monitoring of trade between the d third countries in drug precursors
Qualifying	antity (tonnes) for the application of lower-tier requirements 5,000 t antity (tonnes) for the application of upper-tier requirements 50,000 t (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 011/65/EU on the restriction of the use of certain hazardous substances electronic equipment – Annex II ot listed. (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose er Article 5(3)) ot listed. ORTABLE EXPLOSIVES PRECURSORS ot listed. C) No 273/2004 on drug precursors ot listed. EC) No 111/2005 laying down rules for the monitoring of trade between the d third countries in drug precursors

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Contact:

Product Safety Department productsafety@adv-bio.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 9)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

Trade name: Methyl Isovalerate natural (Contd. of page 8) GHS: Globally Harmonised System of Classification and Labelling of Chemicals GHS: Globally Harmonised System of Classification and Labelling of Chemical EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3