


Printing date 16.01.2024

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 16.01.2024





Printing date 16.01.2024

Version number 1

Revision: 16.01.2024

## Trade name: 2-Acetyl Furan natural

	(Contd. of page 1)
· Hazard statements	
H301 Toxic if swallowed.	
H310 Fatal in contact with skin.	
H332 Harmful if inhaled.	
· Precautionary statements	
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.	
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P321 Specific treatment (see on this label).	
P330 Rinse mouth.	
P361+P364 Take off immediately all contaminated clothing and wash it before reuse.	
P405 Store locked up.	
P501 Dispose of contents/container in accordance with local/regional/nation	nal/international
regulations.	
2.3 Other hazards	
Results of PBT and vPvB assessment	
· <b>PBT:</b> Not applicable.	
vPvB: Not applicable.	

## SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- CAS No. Description CAS: 1192-62-7 2-Acetylfuran • Identification number(s)
- EC number: 214-757-1
- Acute toxicity estimate (ATE) values LD50 oral: 138.2 mg/kg LD50 dermal: 100 mg/kg LC50/4 h inhalative: 1.3 mg/l

# SECTION 4: First aid measures

## · 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

```
• 4.3 Indication of any immediate medical attention and special treatment needed
No further relevant information available.
```

(Contd. on page 3)



Printing date 16.01.2024

Version number 1

Revision: 16.01.2024

## Trade name: 2-Acetyl Furan natural

(Contd. of page 2)

# SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

**6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: Not required.
   Additional information: The lists valid during the making were used as a basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)

GB



Printing date 16.01.2024

Version number 1

Revision: 16.01.2024

## Trade name: 2-Acetyl Furan natural

	(Contd. of page 3)
<ul> <li>Individual protection measures, such a</li> <li>General protective and hygienic measures, keep away from foodstuffs, beverages an Immediately remove all soiled and contain Wash hands before breaks and at the end</li> <li>Respiratory protection: In case of brief exposure or low pollution exposure use self-contained respiratory protection</li> <li>Hand protection</li> </ul>	ures: Ind feed. Ininated clothing d of work. In use respiratory filter device. In case of intensive or longer
Protective gloves	0
Due to missing tests no recommendati preparation/ the chemical mixture. Selection of the glove material should b diffusion and the degradation <b>Material of gloves</b> The selection of the suitable gloves does quality and varies from manufacturer to m	e and resistant to the product/ the substance/ the preparation. ion to the glove material can be given for the product/ the be based on consideration of the penetration times, rates of a not only depend on the material, but also on further marks of hanufacturer.
has to be observed.	determined by the manufacturer of the protective gloves and
The exact break through time has to be	
The exact break through time has to be has to be observed.	
The exact break through time has to be has to be observed. • <b>Eye/face protection</b> Goggles recommend	ded during refilling
The exact break through time has to be on has to be observed. • Eye/face protection Goggles recommended SECTION 9: Physical and chemic	ded during refilling
The exact break through time has to be on has to be observed. • Eye/face protection Goggles recommend SECTION 9: Physical and chemic • 9.1 Information on basic physical and c	ded during refilling ical properties chemical properties
The exact break through time has to be on has to be observed. • Eye/face protection Goggles recommended in the second se	ded during refilling ical properties chemical properties Molecular Weight: 110.11 g/mol
The exact break through time has to be on has to be observed. • Eye/face protection Goggles recommended in the second se	ded during refilling ical properties chemical properties Molecular Weight: 110.11 g/mol Fluid
The exact break through time has to be on has to be observed. • Eye/face protection Goggles recommended in the second se	ded during refilling ical properties chemical properties Molecular Weight: 110.11 g/mol Fluid According to product specification
The exact break through time has to be on has to be observed. • Eye/face protection Goggles recommend SECTION 9: Physical and chemic • 9.1 Information on basic physical and con- • General Information • Physical state • Colour: • Odour:	ded during refilling ical properties chemical properties Molecular Weight: 110.11 g/mol Fluid According to product specification According to product specification
The exact break through time has to be on has to be observed.  • Eye/face protection Goggles recommend  SECTION 9: Physical and chemic  • 9.1 Information on basic physical and content of the second state  • General Information  • Physical state • Colour: • Odour: • Odour threshold:	ded during refilling ical properties chemical properties Molecular Weight: 110.11 g/mol Fluid According to product specification According to product specification Not determined.
The exact break through time has to be on has to be observed. • Eye/face protection Goggles recommended in the second se	ded during refilling <b>ical properties</b> <b>chemical properties</b> Molecular Weight: 110.11 g/mol Fluid According to product specification According to product specification Not determined. 29-30 °C
The exact break through time has to be on has to be observed. • Eye/face protection Goggles recommended in the second se	ded during refilling <b>ical properties</b> <b>chemical properties</b> Molecular Weight: 110.11 g/mol Fluid According to product specification According to product specification Not determined. 29-30 °C d boiling
The exact break through time has to be on has to be observed.  • Eye/face protection Goggles recommend  • SECTION 9: Physical and chemic  • 9.1 Information on basic physical and chemic  • 0 General Information  • Physical state • Colour: • Odour: • Odour: • Odour: • Odour: • Melting point/freezing point: • Boiling point or initial boiling point and range	ded during refilling <b>ical properties</b> <b>chemical properties</b> Molecular Weight: 110.11 g/mol Fluid According to product specification According to product specification Not determined. 29-30 °C d boiling 67 °C
The exact break through time has to be on has to be observed.  • Eye/face protection Goggles recommend  SECTION 9: Physical and chemin  • 9.1 Information on basic physical and concerned  • General Information  • Physical state  • Colour:  • Odour threshold: • Melting point/freezing point: • Boiling point or initial boiling point and range • Flammability	ded during refilling <b>ical properties</b> <b>chemical properties</b> Molecular Weight: 110.11 g/mol Fluid According to product specification According to product specification Not determined. 29-30 °C d boiling
The exact break through time has to be on has to be observed.  • Eye/face protection Goggles recommend  SECTION 9: Physical and chemic  • 9.1 Information on basic physical and chemic  • 0.1 Information on basic physical and chemic  • 0.2 Information • Physical state • Colour: • Odour: • Odour: • Odour threshold: • Melting point/freezing point: • Boiling point or initial boiling point and range • Flammability • Lower and upper explosion limit	ded during refilling <b>ical properties</b> Molecular Weight: 110.11 g/mol Fluid According to product specification According to product specification Not determined. 29-30 °C d boiling 67 °C Not applicable.
The exact break through time has to be on has to be observed.  • Eye/face protection Goggles recommend  SECTION 9: Physical and chemic  • 9.1 Information on basic physical and chemic  • 9.1 Information • Physical state • Colour: • Odour: • Odour: • Odour: • Odour threshold: • Melting point/freezing point: • Boiling point or initial boiling point and range • Flammability • Lower and upper explosion limit • Lower: • Odour: • Dougles the physical boiling point and the physical boiling phys	ded during refilling ical properties Molecular Weight: 110.11 g/mol Fluid According to product specification According to product specification Not determined. 29-30 °C d boiling 67 °C Not applicable. Not determined.
The exact break through time has to be on has to be observed.  • Eye/face protection Goggles recommend  SECTION 9: Physical and chemic  • 9.1 Information on basic physical and chemic  • General Information  • Physical state • Colour: • Odour: • Odour: • Odour threshold: • Melting point/freezing point: • Boiling point or initial boiling point and range • Flammability • Lower and upper explosion limit • Lower: • Upper: • Upper:	ded during refilling ical properties Molecular Weight: 110.11 g/mol Fluid According to product specification According to product specification Not determined. 29-30 °C d boiling 67 °C Not applicable. Not determined. Not determined.
The exact break through time has to be on has to be observed.  • Eye/face protection Goggles recommend  SECTION 9: Physical and chemin  • 9.1 Information on basic physical and chemin  • Odour:  • Odour:  • Odour:  • Odour threshold:  • Melting point/freezing point:  • Boiling point or initial boiling point and range  • Flammability  • Lower and upper explosion limit  • Lower:  • Upper:  • Flash point:	ded during refilling ical properties Molecular Weight: 110.11 g/mol Fluid According to product specification According to product specification Not determined. 29-30 °C d boiling 67 °C Not applicable. Not determined. Not determined. 71 °C
The exact break through time has to be on has to be observed.  • Eye/face protection Goggles recommend  SECTION 9: Physical and chemin  • 9.1 Information on basic physical and chemin  • Odour:  • Odour:  • Odour:  • Odour threshold:  • Melting point/freezing point:  • Boiling point or initial boiling point and range  • Flammability  • Lower and upper explosion limit  • Lower:  • Upper:  • Flash point:  • Decomposition temperature:	ded during refilling         ical properties         Molecular Weight: 110.11 g/mol         Fluid         According to product specification         According to product specification         Not determined.         29-30 °C         d boiling         67 °C         Not applicable.         Not determined.         71 °C         Not determined.         71 °C         Not determined.
The exact break through time has to be on has to be observed. • Eye/face protection Goggles recommend SECTION 9: Physical and chemin • 9.1 Information on basic physical and con- • General Information • Physical state • Colour: • Odour: • Odour threshold: • Melting point/freezing point: • Boiling point or initial boiling point and range • Flammability • Lower and upper explosion limit • Lower: • Upper: • Flash point: • Decomposition temperature: • pH	ded during refilling ical properties Molecular Weight: 110.11 g/mol Fluid According to product specification According to product specification Not determined. 29-30 °C d boiling 67 °C Not applicable. Not determined. Not determined. 71 °C
The exact break through time has to be on has to be observed.  • Eye/face protection Goggles recommend  • SECTION 9: Physical and chemin  • 9.1 Information on basic physical and chemin  • 9.1 Information  • 9.1 Information on basic physical and chemin  • 0 General Information  • 9.1 Information  • 9.1 Information on basic physical and chemin  • 0 General Information  • Physical state  • Colour:  • Odour:  • Odour:  • Odour threshold: • Melting point/freezing point: • Boiling point or initial boiling point and range  • Flammability • Lower and upper explosion limit • Lower: • Upper: • Flash point: • Decomposition temperature: • pH • Viscosity: • Viscosity: • Colour: • Example: • Example: • Colour: • Co	ded during refilling <b>ical properties</b> Molecular Weight: 110.11 g/mol Fluid According to product specification According to product specification Not determined. 29-30 °C d boiling 67 °C Not applicable. Not determined. 71 °C Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.
The exact break through time has to be on has to be observed.  • Eye/face protection Goggles recommend  SECTION 9: Physical and chemin  • 9.1 Information on basic physical and communication  • 9.1 Information  • 9.1 Information on basic physical and communication  • 9.1 Information  • 0.1 Information  • 9.1 Information  • 0.1 Information  • 1.1 Information  • 1.	ded during refilling ical properties Molecular Weight: 110.11 g/mol Fluid According to product specification According to product specification Not determined. 29-30 °C d boiling 67 °C Not applicable. Not determined. Not determined. Not determined. 71 °C Not determined.
The exact break through time has to be on has to be observed.  • Eye/face protection Goggles recommend  SECTION 9: Physical and chemin  • 9.1 Information on basic physical and concerned  • 9.1 Information  • 9.1 Information  • 9.1 Information on basic physical and concerned  • 000000  • 0000000  • 0000000  • 0000000  • 0000000  • 0000000  • 0000000  • 0000000  • 0000000  • 00000000	ded during refilling <b>ical properties</b> Molecular Weight: 110.11 g/mol Fluid According to product specification According to product specification Not determined. 29-30 °C d boiling 67 °C Not applicable. Not determined. 71 °C Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.
The exact break through time has to be on has to be observed.  • Eye/face protection Goggles recommend  SECTION 9: Physical and chemin  • 9.1 Information on basic physical and communication  • 9.1 Information  • 9.1 Information on basic physical and communication  • 9.1 Information  • 0.1 Information  • 9.1 Information  • 0.1 Information  • 1.1 Information  • 1.	ded during refilling ical properties Molecular Weight: 110.11 g/mol Fluid According to product specification According to product specification Not determined. 29-30 °C d boiling 67 °C Not applicable. Not determined. Not determined.
The exact break through time has to be on has to be observed.  • Eye/face protection Goggles recommend  SECTION 9: Physical and chemin  • 9.1 Information on basic physical and concerned  • 9.1 Information  • 9.1 Information  • 9.1 Information on basic physical and concerned  • 000000  • 0000000  • 0000000  • 0000000  • 0000000  • 0000000  • 0000000  • 0000000  • 0000000  • 00000000	ded during refilling ical properties Molecular Weight: 110.11 g/mol Fluid According to product specification According to product specification Not determined. 29-30 °C d boiling 67 °C Not applicable. Not determined. Not determined.



Printing date 16.01.2024

Version number 1

Revision: 16.01.2024

#### Trade name: 2-Acetyl Furan natural (Contd. of page 4) · Vapour pressure: Not determined. Density and/or relative density · Density at 20 °C: 1.098 g/cm<sup>3</sup> · Relative density Not determined. · Refractive Index Not determined. · Vapour density • 9.2 Other information · Appearance: · Form: Solid or liquid · Important information on protection of health and environment, and on safety. · Ignition temperature: Not determined. • Explosive properties: Product does not present an explosion hazard. · Solvent content: · VOC (EC) 0.00 % · Solids content: 100.0 % · Change in condition · Evaporation rate Not determined. · Information with regard to physical hazard classes · Explosives Void · Flammable gases Void · Aerosols Void Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void Desensitised explosives Void

# SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 6)

<sup>-</sup> GB



Printing date 16.01.2024

### Version number 1

Revision: 16.01.2024

## Trade name: 2-Acetyl Furan natural

(Contd. of page 5) • **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

Acute tox	icity	hazard classes as defined in Regulation (EC) No 1272/2008	
Toxic if swallowed.			
⊦atal in co Harmful if	ntact with	skin.	
		evant for classification:	
-	-	/ Estimates)	
Oral	LD50	138 mg/kg (ATE)	
Dermal	LD50	100 mg/kg (ATE)	
Inhalative	LC50/4 h	1.3 mg/l (ATE)	
CAS: 1192	2-62-7 2-A	cetylfuran	
Oral	LD50	138.2 mg/kg (ATE)	
Dermal	LD50	100 mg/kg (ATE)	
Inhalative	LC50/4 h	1.3 mg/l (ATE)	
	ye damag ry or skin	ation Based on available data, the classification criteria are not met. e/irritation Based on available data, the classification criteria are not met. sensitisation Based on available data, the classification criteria are not met. icity Based on available data, the classification criteria are not met.	
Respirato Germ cell Carcinogo Reproduc STOT-sin STOT-rep Aspiratio	enicity Bas stive toxic gle expos eated exp n hazard E	sed on available data, the classification criteria are not met. <b>ity</b> Based on available data, the classification criteria are not met. <b>ure</b> Based on available data, the classification criteria are not met. <b>osure</b> Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. <b>other hazards</b>	
Respirato Germ cell Carcinogo Reproduc STOT-sin STOT-rep Aspiration 11.2 Infor	enicity Bas tive toxic gle expos eated exp n hazard E mation on	ity Based on available data, the classification criteria are not met. ure Based on available data, the classification criteria are not met. osure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.	

# SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 7)

GB -



Printing date 16.01.2024

Version number 1

Revision: 16.01.2024

## Trade name: 2-Acetyl Furan natural

(Contd. of page 6) Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informat	ion
<ul> <li>14.1 UN number or ID number</li> <li>ADR, IMDG, IATA</li> </ul>	UN2810
<ul> <li>14.2 UN proper shipping name</li> <li>ADR</li> </ul>	2810 TOXIC LIQUID, ORGANIC, N.O.S. (2 Acetylfuran)
· IMDG, IATA	TOXIC LIQUID, ORGANIC, N.O.S. (2-Acetylfuran)
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
	2
· Class · Label	6.1 Toxic substances. 6.1
· 14.4 Packing group · ADR, IMDG, IATA	III
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	Νο
· 14.6 Special precautions for user	Warning: Toxic substances.
<ul> <li>Stowage Category</li> <li>Stowage Code</li> </ul>	A SW2 Clear of living quarters.
<ul> <li>14.7 Maritime transport in bulk accordin IMO instruments</li> </ul>	ng to Not applicable.
· Transport/Additional information:	
<ul> <li>ADR</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
	(Contd. on page



Printing date 16.01.2024

Version number 1

Revision: 16.01.2024

## Trade name: 2-Acetyl Furan natural

	(Contd. of page 7)
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2810 TOXIC LIQUID, ORGANIC, N.O.S. (2-ACETYLFURAN), 6.1, III

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- Regulated explosives precursors
- Substance is not listed.
- Regulated poisons

Substance is not listed.

### · Reportable explosives precursors

Substance is not listed.

## Reportable poisons

Substance is not listed.

Labelling according to Regulation (EC) No 1272/2008

- The substance is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms



· Signal word Danger

# · Hazard-determining components of labelling:

- 2-Acetylfuran
- · Hazard statements
- H301 Toxic if swallowed.
- H310 Fatal in contact with skin.
- H332 Harmful if inhaled.
- Precautionary statements
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
- P321 Specific treatment (see on this label).
- P330 Rinse mouth.
- P361+P364 Take off immediately all contaminated clothing and wash it before reuse.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 9)



Printing date 16.01.2024

Version number 1

Revision: 16.01.2024

## Trade name: 2-Acetyl Furan natural

(Contd. of page 8)

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

· Seveso category H2 ACUTE TOXIC

Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t

· Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

Substance is not listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

· Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Product Safety Department productsafety@adv-bio.com Date of previous version: 19.04.2023 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 2: Acute toxicity - Category 2 Acute Tox. 4: Acute toxicity - Category 4