

Printing date 09.10.2024 Version number 1 Revision: 09.10.2024 SECTION 1: Identification of the substance/mixture and of the company/ undertaking 1.1 Product identifier Trade name: Acetaldehyde 50% OS Natural · Product number: 1958 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Flavoring Ingredients 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA · Further information obtainable from: **Product Safety Department**

productsafety@adv-bio.com 1.4 Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS08 health hazard

Muta. 2	H341 Suspected of causing genetic defects.
Carc. 1B	H350 May cause cancer.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- Hazard pictograms



(Contd. on page 2)

Version number 1

Revision: 09.10.2024

Trade name: Acetaldehyde 50% OS Natural

Printing date 09.10.2024

ADVANCED

	(Contd. of page 1)
· Signal word Dan	ger
· Hazard-determin	ing components of labelling:
Acetaldehyde	
· Hazard statemen	its
H225 Highly flamr	nable liquid and vapour.
H302 Harmful if s	wallowed.
H319 Causes ser	
	of causing genetic defects.
H350 May cause	
,	respiratory irritation.
• Precautionary st	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P303+P361+P353	3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
• 2.3 Other hazard	•
· Results of PBT a	ind vPvB assessment
· PBT: Not applicat	ble.
vPvB: Not applica	

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous comport	nents:	
CAS: 75-07-0	Acetaldehyde	≥25-≤50%
EINECS: 200-836-8	Flam. Liq. 1, H224; Muta. 2, H341; Carc. 1B, H350; Acute Tox. 4, H302; Serious eye damage/irritation – Category 2A, H319;	
	STOT SE 3, H335	
	ATE: LD50 oral: 700 mg/kg	
	LD50 dermal: 3,540 mg/kg	
· Additional informat	tion: For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Immediately rinse with water.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

[—] GB

Version number 1

Revision: 09.10.2024

Trade name: Acetaldehyde 50% OS Natural

(Contd. of page 2)

- After swallowing: Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.

 Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)



ADVANCED

Printing date 09.10.2024



Printing date 09.10.2024

Version number 1

Revision: 09.10.2024

(Contd. of page 3)

Trade name: Acetaldehyde 50% OS Natural

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 75-07-0 Acetaldehyde

WEL Short-term value: 92 mg/m³, 50 ppm Long-term value: 37 mg/m³, 20 ppm Carc

· Additional information: The lists valid during the making were used as a basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

GB

Version number 1

Revision: 09.10.2024

Trade name: Acetaldehyde 50% OS Natural

Tightly sealed goggles

(Contd. of page 4)

SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties General Information · Physical state Fluid · Colour: According to product specification · Odour: According to product specification · Odour threshold: Not determined. · Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling Undetermined. range · Flammability Highly flammable. · Lower and upper explosion limit · Lower: 4 Vol % · Upper: 57 Vol % · Flash point: -5 °C 140 °C · Auto-ignition temperature: Decomposition temperature: Not determined. · pH Not determined.

- · Viscosity:
- · Kinematic viscosity
- · Dynamic:
- · Solubility · water:
- · Partition coefficient n-octanol/water (log value) Not determined.
- · Vapour pressure at 20 °C: · Density and/or relative density
- · Density:

· Vapour density

· Appearance: · Form:

• 9.2 Other information

· Ignition temperature:

• Explosive properties:

Solvent content: · Organic solvents:

· VOC (EC)

and environment, and on safety.

· Important information on protection of health

- Relative density
- · Refractive Index
- Not determined.

Liquid

41-45 %

41-45 %

1 hPa

Not determined.

Not determined.

Not determined.

Not determined.

Not miscible or difficult to mix.

Product is not selfigniting.

Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

- (Contd. on page 6)
 - GR





· Eye/face protection



Printing date 09.10.2024

Version number 1

Revision: 09.10.2024

Trade name: Acetaldehyde 50% OS Natural

	(Contd. of page
Change in condition Evaporation rate	Not determined.
Information with regard to physical ha	zard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Harmful if swallowed.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 1,469-1,612 mg/kg (rat)

CAS: 75-07-0 Acetaldehyde

	Oral	LD50	700 mg/kg (ATE)
1			661 mg/kg (rat)
1	Dermal	LD50	3,540 mg/kg (ATE)
1	Inhalative	LC50/4 h	37 mg/l (rat)

(Contd. on page 7)

⁻ GB

Revision: 09.10.2024

(Contd. of page 6)

Trade name: Acetaldehyde 50% OS Natural

· Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met
- · Germ cell mutagenicity Suspected of causing genetic defects.
- · Carcinogenicity May cause cancer.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

 14.1 UN number or ID number ADR, IMDG, IATA 	UN1089	
· 14.2 UN proper shipping name		
· ADR	1089 ACETALDEHYDE solution	

ADVANCED

Printing date 09.10.2024

Version number 1



Printing date 09.10.2024

Version number 1

Revision: 09.10.2024

Trade name: Acetaldehyde 50% OS Natural

	(Contd. of page
	ACETALDEHYDE solution
14.3 Transport hazard class(es)	
ADR	
Class	3 (F1) Flammable liquids.
Label	3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDG, IATA	
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user Hazard identification number (Kemler code):	Warning: Flammable liquids.
EMS Number:	F-E,S-D
Stowage Category	E
14.7 Maritime transport in bulk according to	
IMO instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
Transport category	1
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E3 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 300 ml
UN "Model Regulation":	UN 1089 ACETALDEHYDE SOLUTION, 3, I
	(Contd. on par



Printing date 09.10.2024

Version number 1

Revision: 09.10.2024

Trade name: Acetaldehyde 50% OS Natural

(Contd. of page 8)

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

- Reportable explosives precursors
- None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labelling: Acetaldehyde

· Hazard statements

- H225 Highly flammable liquid and vapour.
- H302 Harmful if swallowed.
- H319 Causes serious eye irritation.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H335 May cause respiratory irritation.
- Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

- Seveso category P5c FLAMMABLE LIQUIDS
- $^{\rm c}$ Qualifying quantity (tonnes) for the application of lower-tier requirements $5{,}000~t$
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

GВ·



Printing date 09.10.2024

Version number 1

Revision: 09.10.2024

Trade name: Acetaldehyde 50% OS Natural

(Contd. of page 9)

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 28
 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

• Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H224 Extremely flammable liquid and vapour.

H302 Harmful if swallowed.

- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- · Department issuing SDS: Product safety department

· Contact:

Product Safety Department productsafety@adv-bio.com

Date of previous version: 26.09.2024

 Abbreviations and acronyms:
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 11)

GB



Printing date 09.10.2024

Version number 1

Revision: 09.10.2024

Trade name: Acetaldehyde 50% OS Natural

VPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 1: Flammable liquids – Category 1 Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A Muta. 2: Germ cell mutagenicity – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 GB

0