

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Version number 1 Revision: 24.01.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Furfuryl Alcohol Synthetic

· Product number: 2104

· CAS Number:

98-00-0

• **EC number:** 202-626-1

· Index number:

603-018-00-2

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Flavoring Ingredients

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Advanced Biotech

10 Taft Road

Totowa, NJ 07512 USA

· Further information obtainable from:

Product Safety Department productsafety@adv-bio.com

1.4 Emergency telephone number:

Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International)

Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS06 skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 2 H330 Fatal if inhaled.



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to the central nervous system, the kidneys, the liver, the respiratory system and the nasal tissue through prolonged or repeated exposure.

Route of exposure: Inhalation.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

(Contd. on page 2)



#### according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Version number 1 Revision: 24.01.2025

**Trade name: Furfuryl Alcohol Synthetic** 

(Contd. of page 1)

STOT SE 3 H335 May cause respiratory irritation.

#### Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS06 GHS08

#### · Signal word Danger

#### · Hazard-determining components of labelling:

Furfuryl alcohol

#### · Hazard statements

H301+H311 Toxic if swallowed or in contact with skin.

H330 Fatal if inhaled. H315 Causes skin irritation.

H319 Causes serious eye irritation.
H351 Suspected of causing cancer.
H335 May cause respiratory irritation.

H373 May cause damage to the central nervous system, the kidneys, the liver, the respiratory

system and the nasal tissue through prolonged or repeated exposure. Route of exposure:

Inhalation.

#### · Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P330 Rinse mouth.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P320 Specific treatment is urgent (see on this label).

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### · 3.1 Substances

· CAS No. Description

CAS: 98-00-0 Furfuryl alcohol Identification number(s) EC number: 202-626-1

· Index number: 603-018-00-2 · Acute toxicity estimate (ATE) values

LD50 oral: 250 mg/kg LD50 dermal: 530 mg/kg LC50/4 h inhalative: 1 mg/l



#### according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Version number 1 Revision: 24.01.2025

Trade name: Furfuryl Alcohol Synthetic

(Contd. of page 2)

### SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

ΙE



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Version number 1 Revision: 24.01.2025

Trade name: Furfuryl Alcohol Synthetic

(Contd. of page 3)

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

#### CAS: 98-00-0 Furfuryl alcohol

OEL Short-term value: 60 mg/m³, 15 ppm Long-term value: 40 mg/m³, 10 ppm

Skin

- · Additional information: The lists valid during the making were used as a basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)



#### according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Revision: 24.01.2025 Version number 1

Trade name: Furfuryl Alcohol Synthetic

· Material of gloves

(Contd. of page 4)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Molecular Weight: 98.1 g/mol General Information

· Physical state Liquid

· Colour: According to product specification · Odour: According to product specification

· Odour threshold: Not determined.

Melting point/freezing point: -31 °C

· Boiling point or initial boiling point and boiling

170 °C (CAS: 98-00-0 Furfuryl alcohol) range

Flammability Not applicable.

· Lower and upper explosion limit

1.8 Vol % (CAS: 98-00-0 Furfuryl alcohol) · Lower: · Upper: 16.3 Vol % (CAS: 98-00-0 Furfuryl alcohol) Flash point: 65 °C (CAS: 98-00-0 Furfuryl alcohol) **Auto-ignition temperature:** 390 °C (CAS: 98-00-0 Furfuryl alcohol)

Decomposition temperature: Not determined.

· pH Not determined.

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

· Solubility

· water: Fully miscible. · Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 0.53 hPa (CAS: 98-00-0 Furfuryl alcohol)

· Vapour pressure at 50 °C: 4.5 hPa

· Density and/or relative density

Density at 20 °C: 1.124-1.148 g/cm<sup>3</sup> Relative density Not determined. · Specific Gravity 1.124 - 1.148 @ 20 °C

· Refractive Index

· Vapour density Not determined.

9.2 Other information

· Appearance:

· Form: Liquid

(Contd. on page 6)



#### according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Version number 1 Revision: 24.01.2025

Trade name: Furfuryl Alcohol Synthetic

(Contd. of page 5)

Important information on protection of health

and environment, and on safety.

· Ignition temperature: Not determined.

**Explosive properties:** Product does not present an explosion hazard.

Solvent content:

100.0 % · Organic solvents: · VOC (EC) 100.00 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void

· Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void

· Substances and mixtures, which emit

flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void Organic peroxides Void · Corrosive to metals Void Desensitised explosives Void

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:	
ATE (Acute Toxicity Estimates)	

, <b>–</b> 1, 10 a		<i>y</i> =0a.co,
Oral	LD50	160 mg/kg (mouse)

(Contd. on page 7)



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Version number 1 Revision: 24.01.2025

Trade name: Furfuryl Alcohol Synthetic

Dermal Inhalative	LD50 LC50/4 h	400 mg/kg (rabbit) 1 mg/l (ATE)	(Contd. of page 6)
CAS: 98-0	0-0 Furfu	yl alcohol	
Oral	LD50	250 mg/kg (ATE)	7.
		160 mg/kg (mouse)	
Dermal	LD50	530 mg/kg (ATE)	
		400 mg/kg (rabbit)	
Inhalative	LC50/4 h	1 mg/l (ATE)	

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

Substance is not listed.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Version number 1 Revision: 24.01.2025

**Trade name: Furfuryl Alcohol Synthetic** 

(Contd. of page 7)

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

ADR, IMDG, IATA	LIN12074
	UN2874
14.2 UN proper shipping name ADR	2874 FURFURYL ALCOHOL
IMDG, IATA	FURFURYL ALCOHOL
14.3 Transport hazard class(es)	. 510 51012 12501152
ADR	
Class	6.1 (T1) Toxic substances.
Label	6.1
IMDG, IATA	
\$ P.	
Class Label	6.1 Toxic substances. 6.1
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Toxic substances.
Hazard identification number (Kemler code	
EMS Number: Stowage Category	F-A,S-A A
Segregation Code	SG17 Stow "separated from" class 5.1
	SG35 Stow "separated from" SGG1-acids
14.7 Maritime transport in bulk according to	
IMO instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1  Maximum net quantity per inner packaging: 30 ml



#### according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Version number 1 Revision: 24.01.2025

**Trade name: Furfuryl Alcohol Synthetic** 

	(Contd. of page 8)
· Transport category · Tunnel restriction code	2
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1  Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per niner packaging: 30 ml
· UN "Model Regulation":	UN 2874 FURFURYL ALCOHOL, 6.1, III

#### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS06 GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

Furfuryl alcohol

· Hazard statements

H301+H311 Toxic if swallowed or in contact with skin.

H330 Fatal if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.
H351 Suspected of causing cancer.
H335 May cause respiratory irritation.

H373 May cause damage to the central nervous system, the kidneys, the liver, the respiratory

system and the nasal tissue through prolonged or repeated exposure. Route of exposure: Inhalation.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P330 Rinse mouth.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P320 Specific treatment is urgent (see on this label).

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category H2 ACUTE TOXIC

(Contd. on page 10)



#### according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.01.2025 Version number 1 Revision: 24.01.2025

Trade name: Furfuryl Alcohol Synthetic

(Contd. of page 9)

- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

Substance is not listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- Contact

Product Safety Department productsafety@adv-bio.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 2: Acute toxicity - Category 2

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2