

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

according to Regulation (Lo) No 1307/2000, Article 31

Printing date 25.01.2025 Version number 1 Revision: 25.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Butyl Mercaptan synthetic

· Product number: 4080

• CAS Number: 109-79-5 • EC number: 203-705-3

1.2 Relevant identified uses of the substance or mixture and uses advised against
No further relevant information available.

- · Application of the substance / the mixture Flavoring Ingredients
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Advanced Biotech 10 Taft Road Totowa. NJ 07512 USA

· Further information obtainable from:

Product Safety Department productsafety@adv-bio.com

1.4 Emergency telephone number:

Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International)

Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Eye Irrit. 2 H319 Causes serious eye irritation.

· Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02 GHS07

· Signal word Danger

(Contd. on page 2)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.01.2025 Version number 1 Revision: 25.01.2025

Trade name: Butyl Mercaptan synthetic

(Contd. of page 1)

· Hazard-determining components of labelling:

1-Butanethiol

· Hazard statements

H225 Highly flammable liquid and vapour. H302+H332 Harmful if swallowed or if inhaled. H319 Causes serious eye irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description

CAS: 109-79-5 1-Butanethiol Identification number(s) EC number: 203-705-3

· Acute toxicity estimate (ATE) values

LD50 oral: 1,500 mg/kg LC50/4 h inhalative: 15 mg/l

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.01.2025 Version number 1 Revision: 25.01.2025

Trade name: Butyl Mercaptan synthetic

(Contd. of page 2)

 \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- **Additional information**

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

7.3 Specific end use(s) No further relevant information available.

IE-



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.01.2025 Version number 1 Revision: 25.01.2025

Trade name: Butyl Mercaptan synthetic

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 109-79-5 1-Butanethiol

OEL Long-term value: 1.8 mg/m³, 0.5 ppm

- · Additional information: The lists valid during the making were used as a basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

• General Information Molecular Weight: 90.19 g/mol

· Physical state Liquid

• Colour: According to product specification
• Odour: According to product specification

(Contd. on page 5)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.01.2025 Version number 1 Revision: 25.01.2025

Trade name: Butyl Mercaptan synthetic

(Contd. of page 4)

• Odour threshold: Not determined. • Melting point/freezing point: -115.7 °C

Boiling point or initial boiling point and boiling

range 97 °C

· Flammability Highly flammable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

· Flash point: 13 °C

• Decomposition temperature: Not determined. • pH Not determined.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

Solubility

· water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 40 hPa

· Density and/or relative density

Density at 20 °C: 0.843 g/cm³ Not determined.

· Refractive Index

· Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Not determined.

· Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

Solvent content:

• Organic solvents: 100.0 % • VOC (EC) 100.00 %

Change in condition

• Evaporation rate Not determined.

· Information with regard to physical hazard

classes

Explosives

Flammable gases

Void

Aerosols

Oxidising gases

Void

Gases under pressure

Void

· Flammable liquids Highly flammable liquid and vapour.

Flammable solids
 Self-reactive substances and mixtures
 Pyrophoric liquids
 Pyrophoric solids
 Void

(Contd. on page 6)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.01.2025 Version number 1 Revision: 25.01.2025

Trade name: Butyl Mercaptan synthetic

	(Contd. of page 5)
Void	
Void	
	Void Void Void Void Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if swallowed or if inhaled.

· LD/LC50 values relevant for classification:					
ATE (Acu	ATE (Acute Toxicity Estimates)				
Oral	LD50	1,500 mg/kg (ATE)			
Inhalative	LC50/4 h	15 mg/l (ATE)			
CAS: 109-	CAS: 109-79-5 1-Butanethiol				
Oral	LD50	1,500 mg/kg (ATE)			
		4.500			

Oral	LD50	1,500 mg/kg (ATE)
		1,500 mg/kg (ATE) 1,500 mg/kg (rat)
Inhalative	LC50/4 h	15 mg/l (ATE)
		4,020 mg/l (rat)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.01.2025 Version number 1 Revision: 25.01.2025

Trade name: Butyl Mercaptan synthetic

· 11.2 Information on other hazards

(Contd. of page 6)

· Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Assessment by list): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA UN2347

· 14.2 UN proper shipping name

2347 BUTYL MERCAPTAN · ADR **BUTYL MERCAPTAN** · IMDG, IATA

· 14.3 Transport hazard class(es)

· ADR



Class 3 (F1) Flammable liquids.

(Contd. on page 8)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.01.2025 Version number 1 Revision: 25.01.2025

Trade name: Butyl Mercaptan synthetic

	(Contd. of page
Label	3
IMDG, IATA	
3	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	Ma
Marine pollutant:	No
14.6 Special precautions for user Hazard identification number (Kemler code	Warning: Flammable liquids.
EMS Number:	۶٫۵۵ F-E,S-D
Stowage Category	В
Segregation Code	SG35 Stow "separated from" SGG1-acids
	SG50 Segregation from foodstuffs as in 7.3.4.2. 7.6.3.1.2 or 7.7.3.6.
	SG57 Stow "separated from" odour-absorbing cargos
14.7 Maritime transport in bulk according t	to
IMO instruments	Not applicable.
Transport/Additional information:	7
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per inner packaging: 50 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2347 BUTYL MERCAPTAN, 3, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

(Contd. on page 9)

(Contd. of page 8)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.01.2025 Version number 1 Revision: 25.01.2025

Trade name: Butyl Mercaptan synthetic

· Hazard pictograms







GHS02 GHS07

· Signal word Danger

· Hazard-determining components of labelling:

1-Butanethiol

· Hazard statements

H225 Highly flammable liquid and vapour.
 H302+H332 Harmful if swallowed or if inhaled.
 H319 Causes serious eye irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

Substance is not listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

· Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.01.2025 Version number 1 Revision: 25.01.2025

Trade name: Butyl Mercaptan synthetic

(Contd. of page 9)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

Contact:

Product Safety Department productsafety@adv-bio.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity - Category 4

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2