

Printing date 15.07.2024 Version number 1 Revision: 15.07.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Grillwood Extract OS Natural
- · Product number: 6203
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Flavoring Ingredients
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA

· Further information obtainable from:

Product Safety Department productsafety@adv-bio.com

1.4 Emergency telephone number:

Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International)

Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

Proprietary FEMA/GRAS flavoring ingredient

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

**Precautionary statements** 

P280 Wear protective gloves / eye protection / face protection.

(Contd. on page 2)



Printing date 15.07.2024 Version number 1 Revision: 15.07.2024

Trade name: Grillwood Extract OS Natural

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

#### · Additional information:

EUH208 Contains Proprietary FEMA/GRAS flavoring ingredient, Proprietary FEMA/GRAS flavoring ingredient, Proprietary FEMA/GRAS Flavoring Ingredient. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

Description: whittie of substances listed below with hormazardous additions.	
· Dangerous components:	
Proprietary FEMA/GRAS flavoring ingredient  → Acute Tox. 3, H301; Acute Tox. 3, H311; → Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Chronic 3, H412  ATE: LD50 oral: 207 mg/kg  LD50 dermal: 300 mg/kg	≥3-<5%
Proprietary FEMA/GRAS flavoring ingredient  Oncome Available Control of the Proprietary FEMA/GRAS flavoring ingredient  Oncome Contr	≥0.1-<1%
Proprietary FEMA/GRAS Flavoring Ingredient  Flam. Liq. 3, H226; Acute Tox. 3, H301; Acute Tox. 2, H330; Carc. 2, H351; Acute Tox. 4, H312; Skin Irrit. 2, H315; Serious eye damage/irritation – Category 2A, H319; STOT SE 3, H335; Aquatic Chronic 3, H412  ATE: LD50 oral: 100 mg/kg  LD50 dermal: 1,100 mg/kg  LC50/4 h inhalative: 1 mg/l	<1%
Proprietary FEMA/GRAS flavoring ingredient  Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317  ATE: LD50 oral: 630 mg/kg	≥0.1-<1%
Proprietary FEMA/GRAS flavoring ingredient  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; STOT RE 2, H373; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Chronic 2, H411  ATE: LD50 oral: 282 mg/kg     LD50 dermal: 625 mg/kg     LC50/4 h inhalative: 3 mg/l  Specific concentration limits: Skin Corr. 1B; H314: C ≥ 3 %     Skin Irrit. 2; H315: 1 % ≤ C < 3 %     Eye Irrit. 2; H319: 1 % ≤ C < 3 %	<0.25%
Proprietary FEMA/GRAS Flavoring Ingredient  Flam. Liq. 2, H225; STOT RE 2, H373; Eye Dam. 1, H318; Skin Sens. 1B, H317  ATE: LD50 oral: 3,000 mg/kg  LD50 dermal: 2,500 mg/kg	≥0.1-<1%



Printing date 15.07.2024 Version number 1 Revision: 15.07.2024

Trade name: Grillwood Extract OS Natural

(Contd. of page 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · **General information:** Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to section 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

· Information about storage in one common storage facility: Not required.

(Contd. on page 4)



Printing date 15.07.2024 Revision: 15.07.2024 Version number 1

Trade name: Grillwood Extract OS Natural

(Contd. of page 3)

- · Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

Ingredients with limit values	that require monitoring	at the workplace:
-------------------------------	-------------------------	-------------------

#### **Proprietary FEMA/GRAS Flavoring Ingredient**

WEL Short-term value: 20 mg/m³, 5 ppm

Long-term value: 8 mg/m<sup>3</sup>, 2 ppm

#### Proprietary FEMA/GRAS flavoring ingredient

WEL Short-term value: 16 mg/m³, 4 ppm

Long-term value: 7.8 mg/m³, 2 ppm

- · Additional information: The lists valid during the making were used as a basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)




Printing date 15.07.2024 Version number 1 Revision: 15.07.2024

**Trade name: Grillwood Extract OS Natural** 

· Eye/face protection

(Contd. of page 4)



### SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

Colour: According to product specificationOdour: According to product specification

• Odour threshold:
• Melting point/freezing point:

Not determined.

Undetermined.

· Boiling point or initial boiling point and boiling

range Undetermined.
• Flammability Not applicable.

Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

· Flash point: 98 °C

Decomposition temperature:pHNot determined.Not determined.

· Viscosity:

Kinematic viscosityDynamic:Not determined.

Solubility

· water: Not miscible or difficult to mix.

Partition coefficient n-octanol/water (log value) Not determined.
 Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C: 0.95-1 g/cm³
 Relative density Not determined.
 Specific Gravity 0.950 – 1.000 @ 20 °C

Refractive Index

· Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• **Explosive properties:** Product does not present an explosion hazard.

Solvent content:

· Organic solvents: 0.8 % · VOC (EC) 0.82 % · Solids content: 0.0 %

(Contd. on page 6)



Printing date 15.07.2024 Version number 1 Revision: 15.07.2024

**Trade name: Grillwood Extract OS Natural** 

	(Conto	d. of page 5)
· Change in condition · Evaporation rate	Not determined.	
Information with regard to physical ha	zard	
classes		
· Explosives	Void	
· Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	
<u> </u>	<del>( )</del>	

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:			
ATE (Acute Toxicity Estimates)			
Oral	LD50	3,796 mg/kg	
Dermal	LD50	7,324 mg/kg	
Inhalative	LC50/4 h	210 mg/l (ATE)	

_			
	Proprieta	ry FEMA/C	RAS flavoring ingredient
7	Oral	LD50	207 mg/kg (ATE)
			207 mg/kg (rat)
		•	

(Contd. on page 7)



Printing date 15.07.2024 Version number 1 Revision: 15.07.2024

**Trade name: Grillwood Extract OS Natural** 

			(Contd. of page 6)
Dermal	LD50	300 mg/kg (ATE)	
		301 mg/kg (rabbit)	

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

· Endocrine disrupting properties	
Proprietary FEMA/GRAS flavoring ingredient	List II

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

### SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA

Void

(Contd. on page 8)



Printing date 15.07.2024 Version number 1 Revision: 15.07.2024

**Trade name: Grillwood Extract OS Natural** 

	(Contd. of page 7)
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according IMO instruments	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

# SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act

· Regulated explosives precursors		
None of the ingredients is listed.	(/,	
· Regulated poisons		
	0 0 0	1 !

Regulated poisons		
	Proprietary FEMA/GRAS flavoring ingredient	Listed
	Proprietary FEMA/GRAS flavoring ingredient	Listed
	Proprietary FEMA/GRAS flavoring ingredient	Listed
CAS: 526-75-0	2,3-xylenol	Listed

# Reportable explosives precursors

None of the ingredients is listed.

# · Reportable poisons

	Proprietary FEMA/GRAS flavoring ingredient	Listed
	Proprietary FEMA/GRAS flavoring ingredient	Listed
	Proprietary FEMA/GRAS flavoring ingredient	Listed
CAS: 526-75-0	2,3-xylenol	Listed

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





Printing date 15.07.2024 Revision: 15.07.2024 Version number 1

Trade name: Grillwood Extract OS Natural

(Contd. of page 8)

· Signal word Danger

· Hazard-determining components of labelling:

Proprietary FEMA/GRAS flavoring ingredient

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

· Precautionary statements

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

Specific treatment (see on this label). P321

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

Proprietary FEMA/GRAS flavoring ingredient

3

3

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Proprietary FEMA/GRAS flavoring ingredient

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

(Contd. on page 10)



Printing date 15.07.2024 Revision: 15.07.2024 Version number 1

Trade name: Grillwood Extract OS Natural

(Contd. of page 9)

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

#### · Department issuing SDS: Product safety department

· Contact:

**Product Safety Department** productsafety@adv-bio.com

Date of previous version: 07.03.2024

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

Muta. 2: Germ cell mutagenicity - Category 2

Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3