


according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2025

Version number 1

Revision: 08.05.2025





according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2025

Version number 1

Revision: 08.05.2025

Trade name: Natural Grillwood Extract WS

	(Contd. of page 1)
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P303+P361+P3	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
[.] 2.3 Other haza	rds

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5	Ethanol	25-50%
EINECS: 200-578-6	substance with a Community workplace exposure limit	
	Proprietary GRAS Ingredient	≥1-≤2.5%
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
	ATE: LD50 oral: 2,500 mg/kg	
· Additional informat	tion: For the wording of the listed hazard phrases refer to section 16	

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air and be sure to call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.
- · Additional information

Cool endangered receptacles with water spray.

(Contd. on page 3)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2025

Version number 1

Revision: 08.05.2025

(Contd. of page 2)

Trade name: Natural Grillwood Extract WS

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 64-17-5 Ethanol

OEL Short-term value: 1000 ppm

· Additional information: The lists valid during the making were used as a basis.

- 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
 General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.

(Contd. on page 4)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2025

Version number 1

Revision: 08.05.2025

Trade name: Natural Grillwood Extract WS

(Contd. of page 3)

• **Respiratory protection:** In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

- Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties			
· General Information			
Physical state	Liquid		
· Colour:	According to product specification		
· Odour:	According to product specification		
· Odour threshold:	Not determined.		
 Melting point/freezing point: 	Undetermined.		
 Boiling point or initial boiling point and bo 	iling		
range	Undetermined.		
· Flammability	Flammable.		
• Lower and upper explosion limit			
· Lower:	3.5 Vol % (CAS: 64-17-5 Ethanol)		
· Upper:	15 Vol % (CAS: 64-17-5 Ethanol)		
· Flash point:	36.1 °C		
 Auto-ignition temperature: 	425 °C (CAS: 64-17-5 Ethanol)		
 Decomposition temperature: 	Not determined.		
· pH	Not determined.		
· Viscosity:			
Kinematic viscosity	Not determined.		
Dynamic:	Not determined.		
		(Contd. on page 5)	

IE –



according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2025

Version number 1

Revision: 08.05.2025

Trade name: Natural Grillwood Extract WS

	(Contd. of page 4)
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log va	
Vapour pressure at 20 °C:	59 hPa (CAS: 64-17-5 Ethanol)
Vapour pressure at 50 °C:	280 hPa
Density and/or relative density	
Density at 20 °C:	0.97229-1.00869 g/cm ³
Relative density	Not determined.
Specific Gravity	0.950-1.000 @ 20 °C
Refractive Index	1.350-1.400 @ 20 °C
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Liquid
Important information on protection of he	alth
and environment, and on safety.	Due doot is mat a stiff and it in t
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
Oskient sententi	explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents:	35.5 %
VOC (EC)	35.49 %
Solids content:	47.4 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haz	zard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

(Contd. on page 6)

ΙE



according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2025

Version number 1

Revision: 08.05.2025

Trade name: Natural Grillwood Extract WS

(Contd. of page 5)

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 193,000 mg/kg

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 7)

ADVANCED Π OTEC в

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2025

Version number 1

Revision: 08.05.2025

Trade name: Natural Grillwood Extract WS

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number ADR, IMDG, IATA	UN1197
14.2 UN proper shipping name ADR IMDG IATA	1197 EXTRACTS, LIQUID EXTRACTS, LIQUID Extracts, liquid
14.3 Transport hazard class(es)	A
ADR	
Class Label	3 (F1) Flammable liquids. 3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids. 30 F-E,S-D A
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
	(Contd. on page



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2025

Version number 1

Revision: 08.05.2025

Trade name: Natural Grillwood Extract WS

	(Contd. of page 7
Transport/Additional information:	
ADR	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	D/E
·IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1197 EXTRACTS, LIQUID, 3, III

SECTION 15: Regulatory information

 15.1 Safety, heal mixture 	th and environmental regulations/legislation specific for the	substance or		
 Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms 				
	C			
GHS02 GHS07				
· Signal word Warn	ing			
 Hazard-determining components of labelling: Proprietary GRAS Ingredient Hazard statements H226 Flammable liquid and vapour. H317 May cause an allergic skin reaction. 				
· Precautionary statements				
	Keep away from heat, hot surfaces, sparks, open flames and other i No smoking.	gnition sources.		
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.			
P303+P361+P353	Avoid breathing dust/fume/gas/mist/vapours/spray. IF ON SKIN (or hair): Take off immediately all contaminated clothing. water [or shower].	. Rinse skin with		
P403+P235 P501	Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/natio regulations.	nal/international		
Directive 2012/18				
	s substances - ANNEX I None of the ingredients is listed.			
	P5c FLAMMABLE LIQUIDS ty (tonnes) for the application of lower-tier requirements 5,000 t			
	······································	(Contd. on page 9)		
		-12		



according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.05.2025

Version number 1

Revision: 08.05.2025

Trade name: Natural Grillwood Extract WS

(Contd. of page 8) • Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t • REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 • DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

· Department issuing SDS: Product safety department

Contact: Product Safety Department

productsafety@adv-bio.com

- Date of previous version: 01.05.2025
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1