US



Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024

Reviewed on 01/16/2024






Printing date 01/16/2024

Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Reviewed on 01/16/2024

Trade name: Isobutyraldehyde natural



- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 78-84-2 Isobutyraldehyde
- Identification number(s)
- **EC number:** 201-149-6

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Continued on page 3)



Printing date 01/16/2024

Trade name: Isobutyraldehyde natural

(Continuation of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: Water with full jet

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

- Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

| 75 ppm · PAC-2: 78 ppm · PAC-3: 470 ppm | · PAC-1: | |
|---|----------|--|
| 78 ppm • PAC-3: | 75 ppm | |
| PAC-3: | · PAC-2: | |
| | 78 ppm | |
| 470 ppm | · PAC-3: | |
| | 470 ppm | |

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Continued on page 4)

-US



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Isobutyraldehyde natural

(Continuation of page 3)

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 78-84-2 Isobutyraldehyde

WEEL Long-term value: 25 ppm

· Additional information: The lists that were valid during the creation were used as a basis.

- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

| · Information on basic physical and chemical properties | | | | | |
|---|------------------------------------|--|--|--|--|
| General Information | Molecular Weight: 72.11 g/mol | | | | |
| Appearance: | | | | | |
| Form: | Liquid | | | | |
| Color: | According to product specification | | | | |
| Odor: | According to product specification | | | | |
| Odor threshold: | Not determined. | | | | |



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Isobutyraldehyde natural

| | (Continuation of page 4 |
|--------------------------------------|--|
| pH-value: | Not determined. |
| Change in condition | |
| Melting point/Melting range: | -65.9 °C (-86.6 °F) |
| Boiling point/Boiling range: | 65 °C (149 °F) |
| Flash point: | -24 °C (-11.2 °F) |
| Flammability (solid, gaseous): | Highly flammable. |
| Auto igniting: | 250 °C (482 °F) |
| Decomposition temperature: | Not determined. |
| Ignition temperature: | Not determined. |
| Danger of explosion: | Product is not explosive. However, formation of explosive air/ vapor mixtures are possible. |
| Explosion limits: | |
| Lower: | 1.6 Vol % |
| Upper: | 11 Vol % |
| Vapor pressure at 20 °C (68 °F): | 187 hPa (140.3 mm Hg) |
| Density at 20 °C (68 °F): | 0.79 g/cm³ (6.59255 lbs/gal) |
| Relative density | Not determined. |
| Vapor density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Not miscible or difficult to mix. |
| Partition coefficient (n-octanol/wat | er): Not determined. |
| Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| Organic solvents: | 100.0 % |
| VOC content: | 100.00 % |
| | 790.0 g/l / 6.59 lb/gal |
| Other information | No further relevant information available. |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

(Continued on page 6)

US



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Isobutyraldehyde natural

(Continuation of page 5)

| Acute t | ation on toxicological effects toxicity: |
|---|---|
| LD/LC5 | 50 values that are relevant for classification: |
| CAS: 78 | '8-84-2 Isobutyraldehyde |
| Oral | LD50 3,350 mg/kg (ATE) |
| | 960 mg/kg (rat) |
| Dermal | LD50 7,130 mg/kg (rabbit) |
| on the o Sensitiz | skin: No irritant effect. eye: No irritating effect. ization: No sensitizing effects known. onal toxicological information: ogenic categories |
| Carcino | International Agency for Research on Cancer |
| Carcino IARC (I | International Agency for Research on Cancer) |
| Carcino IARC (In Substar | nce is not listed. |
| Carcino IARC (I Substar NTP (N | |

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Continued on page 7)



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Isobutyraldehyde natural

(Continuation of page 6)

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

| UN-Number | |
|---|------------------------------------|
| DOT, IMDG, IATA | UN2045 |
| UN proper shipping name | |
| DOT | Isobutyraldehyde |
| IMDG, IATA | ISOBUTYRALDEHYDE |
| Transport hazard class(es) | |
| DOT | |
| | |
| FLAMMAGE LOCUD | |
| | |
| Class | 3 Flammable liquids |
| Label | 3 |
| IMDG, IATA | |
| | |
| | |
| | |
| | |
| Class | 3 Flammable liquids |
| Label | 3 |
| Packing group | |
| DOT, IMDG, IATA | II |
| Environmental hazards: | |
| Marine pollutant: | No |
| Special precautions for user | Warning: Flammable liquids |
| Hazard identification number (Kemler code): | |
| EMS Number: | F-E,S-D |
| Stowage Category Stowage Code | E SW2 Clear of living quarters. |
| | |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Netennlieghle |
| | Not applicable. |
| Transport/Additional information: | |
| DOT | |
| Quantity limitations | On passenger aircraft/rail: 5 L |
| | On cargo aircraft only: 60 L |



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Isobutyraldehyde natural

(Continuation of page 7)

·IMDG

Limited quantities (LQ)

· Excepted quantities (EQ)

1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation":

UN 2045 ISOBUTYRALDEHYDE, 3, II

15 Regulatory information

 $^{\rm \cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\rm \cdot}$ Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

• TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is not listed.

Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

• TLV (Threshold Limit Value)

Substance is not listed.

• NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Continued on page 9)

US -



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Isobutyraldehyde natural

| Hazard pictog | rams (Continuation of page 8) |
|-----------------|---|
| | |
| GHS02 | $\overline{\mathcal{O}}$ |
| Signal word D | anger |
| Hazard statem | |
| H225 Highly fla | ammable liquid and vapor. |
| Precautionary | |
| P210 | Keep away from heat/sparks/open flames/hot surfaces No smoking. |
| P241 | Use explosion-proof electrical/ventilating/lighting/equipment. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P303+P361+P3 | 353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Chemical safe | ety assessment: A Chemical Safety Assessment has not been carried out. |

16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Product Safety Department · Contact: Product Safety Department productsafety@adv-bio.com · Date of preparation / last revision 01/16/2024 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flammable Liquids 2: Flammable liquids – Category 2