

Date of issue: 01/24/2025

Reviewed on 01/24/2025

1 Identification

· Product identifier

- Trade name: Trans-2-Nonenal 1% ETOH natural
- · CAS Number: 18829-56-6 & 2463-53-8 / 64-17-5
- · Other means of identification
- · Product number: 1015
- · EINECS Number: 219-562-5 / 200-578-6
- · Application of the substance / the mixture Flavoring Ingredients

· Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Manufacturer/Supplier: Advanced Biotech 10 Taft Road

Totowa, NJ 07512 USA

- · Information department: Product Safety Department
- productsafety@adv-bio.com · Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification

· Classification of the substance or mixture



Flammable liquids 2 H225 Highly flammable liquid and vapor.



Eve irritation 2A H319 Causes serious eye irritation.

GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



(Continued on page 2)

US



Date of issue: 01/24/2025

CAS: 18829-56-6

EINECS: 219-562-5

Trans-2-Nonenal

Reviewed on 01/24/2025

le name: Trans	s-2-Nonenal 1% ETOH natural	
		(Continuation of page 1)
Signal word D	ander	(continuation of page 1)
Hazard statem		
	mmable liquid and vapor.	
	erious eye irritation.	
Precautionary		
P210		parks, open flames and other ignition sources.
210	No smoking.	parks, open names and other ignition sources.
P241	Use explosion-proof [electrical/ventilat	ing/lighting] equipment
		tely all contaminated clothing. Rinse skin with
0001100111	water [or shower].	tery all contaminated clothing. Turise skin with
D305+D351+D		for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsi	
P403+P235	Store in a well-ventilated place. Keep	
P501		rdance with local/regional/national/international
301	regulations.	allo with local egional hauonal/international
nformation n	ertaining to particular dangers for man	and environment:
Classification		
NFPA ratings		
I FA fauliys	(Scale 0 - 4)	
н	ealth = 2	
	re = 4	
	eactivity = 0	
\checkmark	· · ·	
HMIS-ratings (scale 0 - 4)	
HEALTH 2	lealth = 2	
	Fire = 4	
REACTIVITY 0	Reactivity = 0	
Other hazards		
	Γ and vPvB assessment	
PBT: Not appli		
/PvB: Not app		
	according to (d)(1)(ii) of § 1910.1200	provided by importors or manufactures of
		provided by importers or manufacturers of
precursor prod		
	therwise classified	- the matter second by the strength strength of the second strength of the strength of the second strength of the
		at are not covered by the hazard classes of the
iazara Commi	unications Standard.	
Compositio	n/information on ingredients	
· ·	acterization: Mixtures	
	lixture of the substances listed below with	nonhazardous additions
-		
Dangerous co	-	
CAS: 64-17-5	Ethanol	50-100%
-INECS: 200-5	78-6 🚸 Flammable liquids 2, H225	
		· · · · · · · · · · · · · · · · · · ·

Skin irritation 2, H315; Eye irritation 2A, H319; Specific target organ toxicity (single exposure) 3, H335

US (Continued on page 3)

≤2.5%



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Trans-2-Nonenal 1% ETOH natural

(Continuation of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: No special measures required.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Protective Action Criteria for Chemicals

· PAC-1:

CAS: 64-17-5 Ethanol

· PAC-2:

CAS: 64-17-5 Ethanol

PAC-3:

CAS: 64-17-5 Ethanol

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Continued on page 4)

1,800 ppm

3300* ppm

15000* ppm

US



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Trans-2-Nonenal 1% ETOH natural

(Continuation of page 3)

See Section 13 for disposal information.

7 Handling and storage

 Precautions for safe handling No special precautions are necessary if used correctly.
 Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

• Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 64-17-5 Ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1000 ppm

|A3

• Additional information: The lists that were valid during the creation were used as a basis.

- Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. • Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Continued on page 5)



Date of issue: 01/24/2025

Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Reviewed on 01/24/2025

(Continuation of page 4)

Trade name: Trans-2-Nonenal 1% ETOH natural

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed. • Eve protection: Tightly sealed goggles 9 Physical and chemical properties Information on basic physical and chemical properties · General Information Molecular Weight: 46 g/mol · Physical state Liquid · Color: According to product specification · Odor: According to product specification · Odor threshold: Not determined. · Melting point/Melting range: -114.5 °C (-174.1 °F) Boiling point/Boiling range: 78 °C (172.4 °F) · Flammability: Highly flammable. · Explosion limits: · Lower: 3.5 Vol % · Upper: 15 Vol %

> 16 °C (60.8 °F) 425 °C (797 °F)

> Not determined.

Not applicable.

59 hPa (44.3 mm Hg)

0.813 g/cm3 (6.78449 lbs/gal)

1,000 g/l

- · Flash point:
- Auto igniting:
- · Decomposition temperature:
- pH-value:
- · Viscosity:
- · Kinematic:
- · Dvnamic:
- · Solubility in / Miscibility with
- · Water at 20 °C (68 °F):
- · Partition coefficient (n-octanol/water):
- · Vapor pressure at 20 °C (68 °F):
- · Vapor pressure:
- Density at 20 °C (68 °F):
- · Relative density · Refractive Index
- · Vapor densitv
- · Particle characteristics

(Continued on page 6)



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Trans-2-Nonenal 1% ETOH natural

	(Continuation of page 5
Other information	
Appearance:	
Form:	Liquid
Important information on protection of	
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Solvent content:	
Organic solvents:	99.0 %
VOC content:	99.00 %
	804.9 g/l / 6.72 lb/gal
Change in condition	5 5
Evaporation rate	Not determined.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Interactive effects No interactive effects between components are known.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- CAS: 64-17-5 Ethanol

• NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Continued on page 7)

1

US ·



Date of issue: 01/24/2025

Reviewed on 01/24/2025

(Continuation of page 6)

Trade name: Trans-2-Nonenal 1% ETOH natural

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information · UN-Number · DOT, IMDG, IATA UN1170 · UN proper shipping name · DOT Ethanol solutions ETHANOL SOLUTION (ETHYL ALCOHOL · IMDG SOLUTION) ETHANOL SOLUTION · Transport hazard class(es) DOT Class 3 Flammable liquids (Continued on page 8) US



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Trans-2-Nonenal 1% ETOH natural

	(Continuation of page 7
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	
Environmental hazards: Marine pollutant:	No
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code	
EMS Number:	F-E,S-D
Stowage Category	A
UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

(Continued on page 9)

US ·



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Trans-2-Nonenal 1% ETOH natural

Droposition 64	(Continuation of page
Proposition 65	own to cause cancer:
	redients is listed.
	own to cause reproductive toxicity for females:
	redients is listed.
	own to cause reproductive toxicity for males:
0	redients is listed.
	own to cause developmental toxicity:
CAS: 64-17-5	Ethanol
Carcinogenic	categories
EPA (Environn	nental Protection Agency)
None of the ing	redients is listed.
TLV (Threshol	d Limit Value)
CAS: 64-17-5	Ethanol A:
NIOSH-Ca (Na	tional Institute for Occupational Safety and Health)
None of the ing	redients is listed
GHS label eler Pictograms on symbol on a wh The product is	nents label shall be in the shape of a square set at a point and shall include a black haza ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS).
GHS label eler Pictograms on symbol on a wh The product is	nents label shall be in the shape of a square set at a point and shall include a black haza ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS).
GHS label eler Pictograms on symbol on a wh	nents label shall be in the shape of a square set at a point and shall include a black haza ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams
GHS label eler Pictograms on symbol on a wh The product is Hazard pictog GHS02 GHS Signal word D Hazard statem H225 Highly fla H319 Causes s	nents label shall be in the shape of a square set at a point and shall include a black haza ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams 07 anger ents mmable liquid and vapor. erious eye irritation. statements
GHS label eler Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS Signal word D Hazard statem H225 Highly fla H319 Causes s Precautionary P210	 nents label shall be in the shape of a square set at a point and shall include a black haza ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams 07 anger ents mmable liquid and vapor. erious eye irritation. statements Keep away from heat, hot surfaces, sparks, open flames and other ignition source No smoking.
GHS label eler Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS Signal word D Hazard statem H225 Highly fla H319 Causes s Precautionary P210 P241	 nents label shall be in the shape of a square set at a point and shall include a black haza ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams o7 o7 o7 o7 anger ents mmable liquid and vapor. erious eye irritation. statements Keep away from heat, hot surfaces, sparks, open flames and other ignition source No smoking. Use explosion-proof [electrical/ventilating/lighting] equipment. o53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with a state sta
GHS label eler Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS Signal word D Hazard statem H225 Highly fla H319 Causes s Precautionary P210 P241 P303+P361+P3 P305+P351+P3	 nents label shall be in the shape of a square set at a point and shall include a black haza ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). orams o7 o7 o7 o7 anger ents mmable liquid and vapor. erious eye irritation. statements Keep away from heat, hot surfaces, sparks, open flames and other ignition source No smoking. Use explosion-proof [electrical/ventilating/lighting] equipment. o153 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin wi water [or shower]. o38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.
GHS label eler Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS Signal word D Hazard statem H225 Highly fla H319 Causes s Precautionary P210 P241 P303+P361+P3	 nents label shall be in the shape of a square set at a point and shall include a black haza ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams 07 anger ents mmable liquid and vapor. erious eye irritation. statements Keep away from heat, hot surfaces, sparks, open flames and other ignition source No smoking. Use explosion-proof [electrical/ventilating/lighting] equipment. 853 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin wi water [or shower]. 838 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.



Date of issue: 01/24/2025

Reviewed on 01/24/2025

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3		
H225 Highly flammable liquid and vapor. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Department issuing SDS: Product Safety Department Contact: Product Safety Department product Safety Department product Safety Department products afety@adv-bio.com Date of previous version 01/08/2025 Date of preparation 01/24/2025 Abreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National File Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TV: Threshold Limit Value PEL: Permissible Exposure Limit Rett:: Recommended Exposure Limit	· Relevant phrases	(Continuation of page 9)
H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Department issuing SDS: Product Safety Department Contact: Product Safety Department productsafety@adv-bio.com Date of previous version 01/08/2025 Date of preparation 01/24/2025 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Maritime Code for Dangerous Goods DOT: US Department of Transportation ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic VPWB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Ret: Recommended Exposure Limit Ret: Recommen		
H319 Causes serious eye irritation. H335 May cause respiratory irritation. • Department issuing SDS: Product Safety Department • Contact: Product Safety Department productsafety@adv-bio.com • Date of previous version 01/08/2025 • Date of preparation 01/24/2025 • Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic VPB: very Persistent, Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2A: Serious eye damage/eye irritation – Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3		
H335 May cause respiratory irritation. Department issuing SDS: Product Safety Department Contact: Product Safety Department products Safety Department products Safety Department products afety@adv-bio.com Date of previous version 01/08/2025 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic VPW: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Plammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3		
 Contact: Product Safety Department productsafety@adv-bio.com Date of previous version 01/08/2025 Date of preparation 01/24/2025 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association IEINECS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety NOSH: Noccupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3 		
 Contact: Product Safety Department productsafety@adv-bio.com Date of previous version 01/08/2025 Date of previous version 01/24/2025 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IEINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEE: Permissible Exposure Limit REL: Recommended Exposure Limit REMISCH Recommended Exposure Limit REMISCH Recommended Exposure Limit REMISCH Recommended Exposure Limit REMISCH Recomended Exposure Limit REMISCH Recommended	· Department issuing SDS: Product Safety Department	
productsafety@adv-bio.com Date of previous version 01/08/2025 Date of preparation 01/24/2025 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic VP4B: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3		
 Date of previous version 01/08/2025 Date of preparation 01/24/2025 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bloaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Kin irritation 2: Skin corrosion/irritation - Category 2 Skin irritation 2: Serious eye damage/eye irritation - Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) - Category 3 	Product Safety Department	
 Date of preparation 01/24/2025 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3 		
 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin intration 2: Skin corrosion/irritation – Category 2 Skin intration 2: Skin corrosion/irritation – Category 2 Skin intration 2: Skin corrosion/irritation – Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3 	 Date of previous version 01/08/2025 	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3		
International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3	Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINECS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3	ADR: Accord relatif au transport international des marchandises dangereuses par route (EL International Carriage of Dangerous Goods by Road)	Iropean Agreement Concerning the
IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3	IMDG: International Maritime Code for Dangerous Goods	
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2A	DOT: US Department of Transportation	
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Eye irritation 2A: Serious eye damage/eye irritation – Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3		
NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Eye irritation 2A: Serious eye damage/eye irritation – Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3	ELINCS: European List of Notified Chemical Substances	
HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Eye irritation 2A: Serious eye damage/eye irritation – Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3		
VOC: Volatile Organic Compounds (USA, ÉU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Eye irritation 2A: Serious eye damage/eye irritation – Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3		
vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Eye irritation 2A: Serious eye damage/eye irritation – Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3	VOC: Volatile Organic Compounds (USA, EU)	
NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Eye irritation 2A: Serious eye damage/eye irritation – Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3		
OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Eye irritation 2A: Serious eye damage/eye irritation – Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3		
PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Eye irritation 2A: Serious eye damage/eye irritation – Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3	OSHA: Occupational Safety & Health	
REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Eye irritation 2A: Serious eye damage/eye irritation – Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3		
Flammable liquids 2: Flammable liquids – Category 2 Skin irritation 2: Skin corrosion/irritation – Category 2 Eye irritation 2A: Serious eye damage/eye irritation – Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3		
Eye irritation 2A: Serious eye damage/eye irritation – Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3	Flammable liquids 2: Flammable liquids – Category 2	
Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3	Skin irritation 2: Skin corrosion/irritation – Category 2 Eve irritation 24: Serious eve damage/eve irritation – Category 24	
	Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure)	re) – Category 3
		-0.
		- 0.
		- 0,
		- 0,
		- 0,
		- 0,
		- 0,
		- 0
		- 0