

Printing date 01/16/2024

Reviewed on 01/16/2024

nting date 01/16/2024	Reviewed on 01/16/202
Identification	
Product identifier	
Trade name: Furfuryl Alcohol Natur	al
Product number: 1022	
CAS Number:	
98-00-0	
EC number: 202-626-1	
Index number:	
603-018-00-2	<u></u>
Application of the substance / the n Details of the supplier of the safety	
issued. Advanced Biotech makes NC NOT LIMITED TO, ANY IMPLIED PARTICULAR PURPOSE OR COU responsible for determining whether suitable for user's method of use or a application of an Advanced Biotech p and control, it is essential that the use	Safety Data Sheet (SDS) is believed to be correct as of the da WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BL WARRANTY OF MERCHANTABILITY OR FITNESS FOR JRSE OF PERFORMANCE OR USAGE OF TRADE. User the Advanced Biotech product is fit for a particular purpose ar pplication. Given the variety of factors that can affect the use ar product, some of which are uniquely within the user's knowledger evaluate the Advanced Biotech product to determine whether ble for user's method of use or application.
Information department:	
Product Safety Department productsafety@adv-bio.com Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) &	& 1-352-323-3500 (International) ring normal business hours: 1-973-339-6242
	/
Hazard(s) identification	
Classification of the substance or n	nixture
\wedge	
GHS06 Skull and crossbone	S
Aquita Taviaitu - Oral 2	H301 Toxic if swallowed.
Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3	H301 Toxic in swallowed. H311 Toxic in contact with skin.
Acute Toxicity - Inhalation 2	H330 Fatal if inhaled.
GHS08 Health hazard	
Carcinogenicity 2	H351 Suspected of causing cancer.
	ated Exposure H373 May cause damage to the central nervou system, the kidneys, the liver, th respiratory system and the nasal tissu through prolonged or repeated exposure



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Furfuryl Alcohol Natural

e name: Furfuryl Alcohol Natural	
	(Continuation of page 1)
GHS07	\mathcal{O}
Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposure 3	H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.
Flammable Liquids 4 GHS label elements Pictograms on label shall be in the shape of a squ symbol on a white background with a red frame suffi The substance is classified and labeled according to Hazard pictograms	
GHS06 GHS07 GHS08 Signal word Danger	
Hazard-determining components of labeling: Furfuryl alcohol Hazard statements H227 Combustible liquid.	
H301+H311 Toxic if swallowed or in contact with skiH330Fatal if inhaled.H315Causes skin irritation.H319Causes serious eye irritation.H351Suspected of causing cancer.H335May cause respiratory irritation.H373May cause damage to the central nerv	in. vous system, the kidneys, the liver, the respiratory rolonged or repeated exposure. Route of exposure:
P260Do not breathe dust/fume/gas/miP301+P310If swallowed: Immediately call a p	
P320present and easy to do. ContinueP320Specific treatment is urgent (seeP361+P364Take off immediately all contamirP405Store locked up.	
Classification system: NFPA ratings (scale 0 - 4)	
Health = 2 Fire = 2 Reactivity = 0	
\checkmark	

– US -



Printing date 01/16/2024

Reviewed on 01/16/2024

(Continuation of page 2)

Trade name: Furfuryl Alcohol Natural

· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE2Fire = 2REACTIVITY0Reactivity = 0

· Other hazards

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Substances
 CAS No. Description
- CAS: 98-00-0 Furfuryl alcohol
- · Identification number(s)
- EC number: 202-626-1
- · Index number: 603-018-00-2

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

(Continued on page 4)

US



Printing date 01/16/2024

(Continuation of page 3)

Trade name: Furfuryl Alcohol Natural

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
• Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
• Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
· Protective Action Criteria for Chemicals
· PAC-1:
15 ppm
PAC-2:
42 ppm
PAC-3:
250 ppm

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements. Please refer to the product specification and/or Certificate of Analysis for product storage requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

(Continued on page 5)



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Furfuryl Alcohol Natural

(Continuation of page 4)

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

Control parameters

Components with limit values that require monitoring at the workplace:

CAS: 98-00-0 Furfuryl alcohol

PEL Long-term value: 200 mg/m³, 50 ppm

REL Short-term value: 60 mg/m³, 15 ppm Long-term value: 40 mg/m³, 10 ppm Skin TLV Long-term value: 0.2 ppm

Skin, A3

• Additional information: The lists that were valid during the creation were used as a basis.

· Exposure controls

Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.

Avoid contact with the even

- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

(Continued on page 6)



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Furfuryl Alcohol Natural

(Continuation of page 5)

nformation on basic physical and o	chemical properties
General Information	Molecular Weight: 98.1 g/mol
Appearance: Form:	Liquid
Color:	According to product specification
Odor:	According to product specification
Odor threshold:	Not determined.
oH-value:	Not determined.
Change in condition	
Melting point/Melting range: Boiling point/Boiling range:	-31 °C (-23.8 °F)
••••••	170 °C (338 °F)
Flash point:	65 °C (149 °F)
Flammability (solid, gaseous):	Not applicable.
Auto igniting:	390 °C (734 °F)
Decomposition temperature:	Not determined.
gnition temperature:	Not determined.
Danger of explosion:	Not determined.
Explosion limits:	
Lower:	1.8 Vol %
Upper:	16.3 Vol %
Vapor pressure at 20 °C (68 °F):	0.53 hPa (0.4 mm Hg)
Vapor pressure at 50 °C (122 °F):	4.5 hPa (3.4 mm Hg)
Density at 20 °C (68 °F): Specific Gravity	1.124-1.148 g/cm³ (9.37978-9.58006 lbs/gal) 1.124 - 1.148 @ 20 °C (34 - 34.1 @ 68 °F)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Organic solvents: VOC content:	100.0 %
voc content:	100.00 % 1,124-1,148 g/l / 9.38-9.58 lb/gal

10 Stability and reactivity

· Reactivity No further relevant information available.

(Continued on page 7)

US



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Furfuryl Alcohol Natural

(Continuation of page 6)

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · **Conditions to avoid** No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	160 mg/kg (mouse)
Dermal	LD50	400 mg/kg (rabbit)
Inhalative	LC50/4 h	1 mg/l (ATE)

CAS: 98-00-0 Furfuryl alcohol

		•
Oral	LD50	250 mg/kg (ATE)
		160 mg/kg (mouse)
Dermal	LD50	160 mg/kg (mouse) 530 mg/kg (ATE) 400 mg/kg (rabbit)
		400 mg/kg (rabbit)
Inhalative	LC50/4 h	1 mg/l (ATE)

· Primary irritant effect:

· on the skin: No irritant effect.

- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

2B

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Continued on page 8)

-ι



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Furfuryl Alcohol Natural

(Continuation of page 7)

· Additional ecological information:

- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

	UN2874	
DOT, IMDG, IATA	011/28/4	
UN proper shipping name	Furfuryl alcohol	
IMDG, IATA	FURFURYLALCOHOL	
Transport hazard class(es)		
DOT		
Class Label	6.1 Toxic substances 6.1	
IMDG, IATA		
Class	6.1 Toxic substances	
Label	6.1	
Packing group		
DOT, IMDG, IATA	III	
Environmental hazards:	Not applicable.	



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Furfuryl Alcohol Natural

	(Continuation of page 8
 Special precautions for user Hazard identification number (Kemler code): 	Warning: Toxic substances
EMS Number:	F-A,S-A
Stowage Category	A
Segregation Code	SG17 Stow "separated from" class 5.1 SG35 Stow "separated from" SGG1-acids
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 2874 FURFURYL ALCOHOL, 6.1, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

(Continued on page 10)

US -



Printing date 01/16/2024

Trade name: Furfuryl Alcohol Natural

(Continuation	of page	9)
---------------	---------	----

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

• TLV (Threshold Limit Value)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed. • GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling:

Furfuryl alcohol

- H227 Combustible liquid.
- H301+H311 Toxic if swallowed or in contact with skin.
- H330 Fatal if inhaled.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H351 Suspected of causing cancer.
- H335 May cause respiratory irritation.
- H373 May cause damage to the central nervous system, the kidneys, the liver, the respiratory system and the nasal tissue through prolonged or repeated exposure. Route of exposure: Inhalation.

Precautionary statements

- P210Keep away from heat/sparks/open flames/hot surfaces. No smoking.P260Do not breathe dust/fume/gas/mist/vapors/spray.P301+P310If swallowed: Immediately call a poison center/doctor.
- P330 Rinse mouth.

```
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
```

- P320 Specific treatment is urgent (see on this label).
- P361+P364 Take off immediately all contaminated clothing and wash it before reuse. P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Continued on page 11)



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Furfuryl Alcohol Natural

(Continuation of page 10)

 Department issuing SDS: Product Safety Department Contact: Product Safety Department productsafety@adv-bio.com Date of preparation / last revision 01/16/2024 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par rounternational Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) 	oute (European Agreement Concerning t
 Product Safety Department productsafety@adv-bio.com Date of preparation / last revision 01/16/2024 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par rounternational Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) 	oute (European Agreement Concerning
 productsafety@adv-bio.com Date of preparation / last revision 01/16/2024 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par rol International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) 	oute (European Agreement Concerning t
 Date of preparation / last revision 01/16/2024 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par rounternational Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) 	oute (European Agreement Concerning t
Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par ro International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)	oute (European Agreement Concerning t
ADR: Accord relatif au transport international des marchandises dangereuses par ro International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)	oute (European Agreement Concerning t
International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)	ute (European Agreement Concerning t
IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)	
DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)	
EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)	
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)	
NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	
Flammable Liquids 4: Flammable liquids – Category 4	
Acute Toxicity - Oral 3: Acute toxicity – Category 3	
Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2	
Carcinogenicity 2: Carcinogenicity – Category 2	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (sing Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (r	le exposure) – Category 3 repeated exposure) – Category 2
(/)»	