

Printing date 01/16/2024

Reviewed on 01/10/2023





Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: Ethyl Butyrate natural (Continuation of page 1) · Hazard pictograms GHS07 GHS02 · Signal word Warning · Hazard statements H226 Flammable liquid and vapor. H319 Causes serious eye irritation. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. P241 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store in a well-ventilated place. Keep cool. P403+P235 P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: NFPA ratings (scale 0 - 4) Health = 2Fire = 3Reactivity = 0 · HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 2 FIRE 3 Fire = 3 REACTIVITY 0 Reactivity = 0 · Other hazards Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable. 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 105-54-4 Ethyl butyrate
- · Identification number(s)
- EC number: 203-306-4

4 First-aid measures

Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.

(Continued on page 3)

US



Printing date 01/16/2024

Reviewed on 01/10/2023

(Continuation of page 2)

Trade name: Ethyl Butyrate natural

- · After skin contact: Immediately rinse with water.
- After eye contact:
- Rinse opened eve for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information
- Cool endangered receptacles with water spray.
- Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- · PAC-1:
- Substance is not listed.
- PAC-2:
- Substance is not listed.
- PAC-3:
- Substance is not listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.

(Continued on page 4)



Printing date 01/16/2024

(Continuation of page 3)

Trade name: Ethyl Butyrate natural

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
- \cdot Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as a basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

(Continued on page 5)

US



Printing date 01/16/2024

· Eye protection:

Reviewed on 01/10/2023

Trade name: Ethyl Butyrate natural

(Continuation of page 4)



Tightly sealed goggles

Information on basic physical and	chemical properties
General Information	Molecular Weight: 116.16 g/mol
Appearance:	
Form: Color:	Liquid According to product specification
Odor:	According to product specification
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-93 °C (-135.4 °F)
Boiling point/Boiling range:	121 °C (249.8 °F)
Flash point:	24 °C (75.2 °F)
Flammability (solid, gaseous):	Flammable.
Auto igniting:	460 °C (860 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 15 °C (59 °F):	13.33 hPa (10 mm Hg)
Density at 20 °C (68 °F):	0.875-0.885 g/cm³ (7.30188-7.38533 lbs/gal)
Specific Gravity	.875 - 0.885 @ 20 °C (33.6 - 33.6 @ 68 °F)
Relative density	Not determined.
Vapor density Evaporation rate	Not determined. Not determined.
Solubility in / Miscibility with	
Water at 20 °C (68 °F):	6.2 g/l
Partition coefficient (n-octanol/wat	t er): Not determined.
Viscosity:	
Dynamic: Kinematic:	Not determined.



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: Ethyl Butyrate natural

		(Continuation of page 5)
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- CAS: 105-54-4 Ethyl butyrate
- Oral LD50 13,000 mg/kg (rat)
- Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

(Continued on page 7)

US



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: Ethyl Butyrate natural

(Continuation of page 6)

· Additional ecological information:

- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information · UN-Number · DOT, IMDG, IATA UN1180 · UN proper shipping name DOT Ethyl butyrate · IMDG, IATA ETHYL BUTYRATE · Transport hazard class(es) · DOT · Class 3 Flammable liquids · Label 3 · IMDG, IATA · Class **3** Flammable liquids · Label 3 · Packing group DOT, IMDG, IATA Ш · Environmental hazards: • Marine pollutant: No (Continued on page 8) US



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: Ethyl Butyrate natural

	(Continuation of page 7
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	: 30
EMS Number:	F-E,S-D
Stowage Category	A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1180 ETHYL BUTYRATE, 3, III

15 Regulatory information · Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara · Section 355 (extremely hazardous substances): Substance is not listed. Section 313 (Specific toxic chemical listings): Substance is not listed. · TSCA (Toxic Substances Control Act): ACTIVE · Hazardous Air Pollutants Substance is not listed. · Proposition 65 · Chemicals known to cause cancer: Substance is not listed. · Chemicals known to cause reproductive toxicity for females: Substance is not listed. · Chemicals known to cause reproductive toxicity for males: Substance is not listed. Chemicals known to cause developmental toxicity: Substance is not listed. · Carcinogenic categories · EPA (Environmental Protection Agency) Substance is not listed. (Continued on page 9)

US



Printing date 01/16/2024

Trade name: Ethyl Butyrate natural

	(Continuation of page 8
TLV (Threshold	I Limit Value)
Substance is no	t listed.
NIOSH-Ca (Nat	ional Institute for Occupational Safety and Health)
Substance is no	t listed.
symbol on a whi	abel shall be in the shape of a square set at a point and shall include a black hazard te background with a red frame sufficiently wide to be clearly visible. s classified and labeled according to the Globally Harmonized System (GHS).
▲ ▲	
JAL T	
GHS02 GHS0	17
Signal word Wa	
Hazard stateme	
	e liquid and vapor.
	erious eye irritation.
Precautionary	
P210 P241	Keep away from heat/sparks/open flames/hot surfaces No smoking. Use explosion-proof electrical/ventilating/lighting/equipment.
	53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
1 303 1 301 1 3	water/shower.
P305+P351+P3	38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, it
	present and easy to do. Continue rinsing.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/internationa regulations.
	reouauous –

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- Contact: Product Safety Department productsafety@adv-bio.com
- · Date of preparation / last revision 01/16/2024
- Abbreviations and acronyms:
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent

(Continued on page 10)

[–] U



Printing date 01/16/2024

Reviewed on 01/10/2023

(Continuation of page 9)

Trade name: Ethyl Butyrate natural

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A