

Date of issue: 02/06/2025

Reviewed on 02/06/2025

#### 1 Identification

#### · Product identifier


- <sup>·</sup> Trade name: 2-Heptanone Natural
- · CAS Number:
- 110-43-0
- · Other means of identification
- · Product number: 1068
- **EC number:** 203-767-1
- · Index number: 606-024-00-3
- · Application of the substance / the mixture Flavoring Ingredients

#### · Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

- Manufacturer/Supplier:
   Advanced Biotech
   10 Taft Road
   Totowa, NJ 07512 USA
- Information department: Product Safety Department productsafety@adv-bio.com
- Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

#### 2 Hazard(s) identification



Flammable liquids 3

H226 Flammable liquid and vapor.

GHS07

Acute toxicity - oral 4 H302 Harmful if swallowed.

Acute toxicity - inhalation 4 H332 Harmful if inhaled.

#### **GHS** label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Continued on page 2)

- US



Date of issue: 02/06/2025

Reviewed on 02/06/2025

# Trade name: 2-Heptanone Natural





Date of issue: 02/06/2025

#### Reviewed on 02/06/2025

#### Trade name: 2-Heptanone Natural

(Continuation of page 2)

#### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- CAS No. Description CAS: 110-43-0 Heptan-2-one

· Identification number(s)

- EC number: 203-767-1
- · Index number: 606-024-00-3

#### 4 First-aid measures

#### · Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

#### Ensure adequate ventilation.

(Continued on page 4)



Date of issue: 02/06/2025

Reviewed on 02/06/2025

(Continuation of page 3)

#### Trade name: 2-Heptanone Natural

· PAC-1:

150 ppm

· PAC-2:

670 ppm

PAC-3:

1000\*

4000\* ppm

#### • Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### 7 Handling and storage

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
   Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Control parameters

• Components with limit values that require monitoring at the workplace:

#### CAS: 110-43-0 Heptan-2-one

PEL Long-term value: 465 mg/m<sup>3</sup>, 100 ppm

REL Long-term value: 465 mg/m<sup>3</sup>, 100 ppm

TLV Long-term value: 50 ppm

· Additional information: The lists that were valid during the creation were used as a basis.

- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Continued on page 5)



Date of issue: 02/06/2025

#### Trade name: 2-Heptanone Natural

(Continuation of page 4)

#### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

#### • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

#### • Eye protection:



Tightly sealed goggles

Information on basic physical and chemic	al properties	
General Information	Molecular Weight: 114.19 g/mol	
Physical state	Liquid	
Color:	According to product specification	
Odor:	According to product specification	
Odor threshold:	Not determined.	
Melting point/Melting range:	-35 °C (-31 °F)	
Boiling point/Boiling range:	151 °C (303.8 °F)	
Flammability:	Flammable.	
Explosion limits:		
Lower:	1 Vol %	
Upper:	5.5 Vol %	
Flash point:	42.9 °C (109.2 °F)	
Auto igniting:	533 °C (991.4 °F)	
Decomposition temperature:	Not determined.	
pH-value:	Not determined.	
Viscosity:		
Kinematic:	Not determined.	
Dynamic:	Not determined.	
Solubility in / Miscibility with		
Water at 20 °C (68 °F):	4.3 g/l	
Partition coefficient (n-octanol/water):	Not determined.	
Vapor pressure at 20 °C (68 °F):	3.466 hPa (2.6 mm Hg)	
Vapor pressure at 50 °C (122 °F):	22 hPa (16.5 mm Hg)	
Density at 20 °C (68 °F):	0.812-0.822 g/cm³ (6.77614-6.85959 lbs/gal)	



Date of issue: 02/06/2025

Reviewed on 02/06/2025

#### **Trade name: 2-Heptanone Natural**

	(Continuation of page 5
Relative density	Not determined.
Specific Gravity	0.812 - 0.822 @ 20 °C (33.5 - 33.5 @ 68 °F)
Refractive Index	
Vapor density	Not determined.
Particle characteristics	Not applicable.
Other information	
Appearance:	
Form:	Liquid
Important information on protection of health	
and environment, and on safety.	
Ignition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of
	explosive air/vapor mixtures are possible.
Organic solvents:	100.0 %
VOC content:	100.00 %
	812-822 g/l / 6.78-6.86 lb/gal
Change in condition	
Evaporation rate	Not determined.

#### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

· LD/LC50 values that are relevant for classification:           ATE (Acute Toxicity Estimate)           Oral         LD50         1,600 mg/kg (ATE)           Inhalative         LC50/4 h         11 mg/l (ATE)           CAS: 110-43-0 Heptan-2-one            Oral         LD50         1,600 mg/kg (ATE)           Inhalative         LD50         1,600 mg/kg (rat)           Dermal         LD50         12,600 mg/kg (rabbit)           Inhalative         LC50/4 h         11 mg/l (ATE)           · Primary irritant effect:         .           · on the skin: No irritant effect.         .           · on the eye: No irritating effect.         .	ATE (Acute Toxicity Estimate)           Oral         LD50         1,600 mg/kg (ATE)           Inhalative         LC50/4 h         11 mg/l (ATE)           CAS: 110-43-0 Heptan-2-one           Oral         LD50         1,600 mg/kg (ATE)           1,670 mg/kg (rat)         1,670 mg/kg (rat)           Dermal         LD50         12,600 mg/kg (rabbit)           Inhalative         LC50/4 h         11 mg/l (ATE)	
Oral         LD50         1,600 mg/kg (ATE)           Inhalative         LC50/4 h         11 mg/l (ATE)           CAS: 110-43-0 Heptan-2-one           Oral         LD50         1,600 mg/kg (ATE)           1,670 mg/kg (rat)         1,670 mg/kg (rat)           Dermal         LD50         12,600 mg/kg (rabbit)           Inhalative         LC50/4 h         11 mg/l (ATE)           • Primary irritant effect:           • on the skin: No irritant effect.	Oral         LD50         1,600 mg/kg (ATE)           Inhalative         LC50/4 h         11 mg/l (ATE)           CAS: 110-43-0 Heptan-2-one           Oral         LD50         1,600 mg/kg (ATE)           1,670 mg/kg (rat)         1,670 mg/kg (rat)           Dermal         LD50         12,600 mg/kg (rabbit)           Inhalative         LC50/4 h         11 mg/l (ATE)	
Inhalative         LC50/4 h         11 mg/l (ATE)           CAS: 110-43-0 Heptan-2-one         Image: Complex of the period of the perio	Inhalative         LC50/4 h         11 mg/l (ATE)           CAS: 110-43-0 Heptan-2-one           Oral         LD50         1,600 mg/kg (ATE)           1,670 mg/kg (rat)         1,670 mg/kg (rat)           Dermal         LD50         12,600 mg/kg (rabbit)           Inhalative         LC50/4 h         11 mg/l (ATE)	
CAS: 110-43-0 Heptan-2-one           Oral         LD50         1,600 mg/kg (ATE)           1,670 mg/kg (rat)         1,670 mg/kg (rat)           Dermal         LD50         12,600 mg/kg (rabbit)           Inhalative         LC50/4 h         11 mg/l (ATE)           • Primary irritant effect:         • on the skin: No irritant effect.	CAS: 110-43-0 Heptan-2-one           Oral         LD50         1,600 mg/kg (ATE)           1,670 mg/kg (rat)         1,670 mg/kg (rat)           Dermal         LD50         12,600 mg/kg (rabbit)           Inhalative         LC50/4 h         11 mg/l (ATE)	
Oral         LD50         1,600 mg/kg (ATE)           1,670 mg/kg (rat)         1,670 mg/kg (rat)           Dermal         LD50         12,600 mg/kg (rabbit)           Inhalative         LC50/4 h         11 mg/l (ATE)           Primary irritant effect:         on the skin: No irritant effect.	Oral         LD50         1,600 mg/kg (ATE)           1,670 mg/kg (rat)         1,670 mg/kg (rat)           Dermal         LD50         12,600 mg/kg (rabbit)           Inhalative         LC50/4 h         11 mg/l (ATE)	
Dermal       LD50       1,670 mg/kg (rat)         Inhalative       LC50/4 h       12,600 mg/kg (rabbit)         Inhalative       LC50/4 h       11 mg/l (ATE)         • Primary irritant effect:       • on the skin: No irritant effect.	DermalLD501,670 mg/kg (rat)InhalativeLC50/4 h11 mg/l (ATE)	
Dermal       LD50       12,600 mg/kg (rabbit)         Inhalative       LC50/4 h       11 mg/l (ATE)         • Primary irritant effect:       • on the skin: No irritant effect.	Dermal LD50 12,600 mg/kg (rabbit) Inhalative LC50/4 h 11 mg/l (ATE)	
Inhalative LC50/4 h 11 mg/l (ATE) · Primary irritant effect: · on the skin: No irritant effect.	Inhalative LC50/4 h 11 mg/l (ATE)	
Primary irritant effect: on the skin: No irritant effect.		
• on the skin: No irritant effect.		
	Primary irritant effect:	
• on the eye: No irritating effect.		
· Sensitization: No sensitizing effects known.		



Date of issue: 02/06/2025

#### Reviewed on 02/06/2025

(Continuation of page 6)

#### Trade name: 2-Heptanone Natural

- Additional toxicological information:
- · Interactive effects No interactive effects between components are known.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

#### • NTP (National Toxicology Program)

Substance is not listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

#### · Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

· UN-Number	
· DOT, IMDG, IATA	UN1110
· UN proper shipping name	
DOT	n-Amyl methyl ketone
· IMDG, IATA	n-AMYL METHYL KETONE



Date of issue: 02/06/2025

Reviewed on 02/06/2025

#### Trade name: 2-Heptanone Natural

	(Continuation of page 7
Transport hazard class(es)	
DOT	
FLAMAREE (19,19)	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	
Environmental hazards:	
Marine pollutant:	No
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 30 ml
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	: 30
EMS Number:	F-E,S-D
Stowage Category	A
UN "Model Regulation":	UN 1110 N-AMYL METHYL KETONE, 3, III

#### 15 Regulatory information

 $^{\rm \cdot}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\rm \cdot}$  Sara

#### · Section 355 (extremely hazardous substances):

Substance is not listed.

(Continued on page 9)

US ·

٦



# Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 02/06/2025

Reviewed on 02/06/2025

Trade name: 2-Heptanone Natural	
(Continuation of page	8)
Section 313 (Specific toxic chemical listings):	
Substance is not listed.	7
· TSCA (Toxic Substances Control Act):	5
ACTIVE	
· Hazardous Air Pollutants	٦
Substance is not listed.	$\neg$
· Proposition 65	-
· Chemicals known to cause cancer:	ן ר
Substance is not listed.	
· Chemicals known to cause reproductive toxicity for females:	<b>-</b>
Substance is not listed.	$\neg$
• Chemicals known to cause reproductive toxicity for males:	<b>ゴ</b>
Substance is not listed.	$\neg$
· Chemicals known to cause developmental toxicity:	<b>╡</b>
Substance is not listed.	-1
Carcinogenic categories     EPA (Environmental Protection Agency)     Substance is not listed.     TLV (Threshold Limit Value)     Substance is not listed.     NIOSH-Ca (National Institute for Occupational Safety and Health)     Substance is not listed.	
Substance is not listed.	
<ul> <li>GHS label elements         Pictograms on label shall be in the shape of a square set at a point and shall include a black hazar symbol on a white background with a red frame sufficiently wide to be clearly visible.         The substance is classified and labeled according to the Globally Harmonized System (GHS).     </li> <li>Hazard pictograms         GHS02 GHS07     </li> </ul>	<sup>-</sup> d
· Signal word Warning	
<ul> <li>Hazard-determining components of labeling: Heptan-2-one</li> <li>Hazard statements H226 Flammable liquid and vapor. H302+H332 Harmful if swallowed or if inhaled.</li> <li>Precautionary statements</li> </ul>	
P210       Keep away from heat, hot surfaces, sparks, open flames and other ignition source No smoking.         P241       Use explosion-proof [electrical/ventilating/lighting] equipment.         P261       Avoid breathing dust/fume/gas/mist/vapors/spray         P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with	

water [or shower].

(Continued on page 10)



Date of issue: 02/06/2025

Reviewed on 02/06/2025

#### Trade name: 2-Heptanone Natural

	(Our line of an all
P403+P235 P501	Continuation of page) Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/internation
	regulations. assessment: A Chemical Safety Assessment has not been carried out.
Chemical Sale	y assessment. A Chemical Salety Assessment has not been carried out.
16 Other inform	
16 Other inform	
	n is based on our present knowledge. However, this shall not constitute a guarantee fo duct features and shall not establish a legally valid contractual relationship.
	suing SDS: Product Safety Department
<ul> <li>Contact: Product Safety</li> </ul>	Department
productsafety@	
	us version 01/08/2025
	ation 02/06/2025
Abbreviations     ADR: Accord relation	and acronyms: f au transport international des marchandises dangereuses par route (European Agreement Concerning th
International Carria	ge of Dangerous Goods by Road)
	Maritime Code for Dangerous Goods ent of Transportation
IATA: International	Air Transport Association
EINECS: European CAS: Chemical Abs	Inventory of Existing Commercial Chemical Substances stracts Service (division of the American Chemical Society)
NFPA: National Fire	e Protection Association (USA)
	/laterials Identification System (USA) nic Compounds (USA, EU)
LC50: Lethal conce	ntration, 50 percent
LD50: Lethal dose, PBT: Persistent, Bi	boaccumulative and Toxic
	nt and very Bioaccumulative stitute for Occupational Safety
OSHA: Occupation	
TLV: Threshold Lim PEL: Permissible E	
REL: Recommende	d Exposure Limit
	3: Flammable liquids – Category 3 4: Acute toxicity – Category 4
	/ / P