

Printing date 01/16/2024 Reviewed on 01/16/2024

### 1 Identification

· Product identifier

· Trade name: Butyl Acetate Natural

· Product number: 1156

• CAS Number: 123-86-4 • EC number: 204-658-1 • Index number:

607-025-00-1

· Application of the substance / the mixture Flavoring Ingredients

· Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Manufacturer/Supplier:

Advanced Biotech 10 Taft Road Totowa. NJ 07512 USA

Information department:

Product Safety Department productsafety@adv-bio.com

· Emergency telephone number:

Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International)

Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 3

H226 Flammable liquid and vapor.



Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Continued on page 2)

(Continuation of page 1)



# Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024 Reviewed on 01/16/2024

Trade name: Butyl Acetate Natural

· Hazard pictograms



GHS02 GHS07

- Signal word Warning
- · Hazard-determining components of labeling:

n-Butyl acetate

· Hazard statements

H226 Flammable liquid and vapor.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

NFPA ratings (scale 0 - 4)



Health = 0 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0
 Fire = 3
 Reactivity = 0

- Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## 3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

CAS: 123-86-4 n-Butyl acetate ldentification number(s)
EC number: 204-658-1
Index number: 607-025-00-1

- US



Printing date 01/16/2024 Reviewed on 01/16/2024

**Trade name: Butyl Acetate Natural** 

(Continuation of page 2)

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**Protective Action Criteria for Chemicals** 

| 1 Totalita Action Official for Officialicals |  |
|--|--|
| · PAC-1:                                     |  |
| 5 ppm  |  |
| · PAC-2:                                     |  |
| 200 ppm                                      |  |
| · PAC-3:                                     |  |
| 3000* ppm                                    |  |
|  |  |



Printing date 01/16/2024 Reviewed on 01/16/2024

Trade name: Butyl Acetate Natural

(Continuation of page 3)

# 7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

No special requirements.

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

### · Components with limit values that require monitoring at the workplace:

## CAS: 123-86-4 n-Butyl acetate

PEL Long-term value: 710 mg/m³, 150 ppm REL Short-term value: 950 mg/m³, 200 ppm Long-term value: 710 mg/m³, 150 ppm

TLV Short-term value: 150 ppm Long-term value: 50 ppm

- · Additional information: The lists that were valid during the creation were used as a basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

(Continued on page 5)



Printing date 01/16/2024 Reviewed on 01/16/2024

**Trade name: Butyl Acetate Natural** 

· Material of gloves

(Continuation of page 4)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

| · Information on basic physical and c | hemical properties   |
|---------------------------------------|--|
| General Information                   | Molecular Weight: 116.16 g/mol   |
| · Appearance:                         |  |
| Form:                                 | Liquid   |
| Color:                                | According to product specification   |
| · Odor:<br>· Odor threshold:          | According to product specification  Not determined.  |
| · pH-value:                           | 5  |
| •                                     | 3  |
| Change in condition                   | T0 00 ( 40 4 0 0F)   |
| Melting point/Melting range:          | -76 °C (-104.8 °F)   |
| Boiling point/Boiling range:          | 124-128 °C (255.2-262.4 °F)  |
| · Flash point:                        | 27 °C (80.6 °F)  |
| · Flammability (solid, gaseous):      | Flammable.   |
| · Auto igniting:                      | 370 °C (698 °F)  |
| Decomposition temperature:            | Not determined.  |
| · Ignition temperature:               | Not determined.  |
| · Danger of explosion:                | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
| · Explosion limits:                   |  |
| Lower:                                | 1.2 Vol %  |
| Upper:                                | 7.5 Vol %  |
| · Vapor pressure at 20 °C (68 °F):    | 10.7 hPa (8 mm Hg)   |
| · Vapor pressure at 50 °C (122 °F):   | 55 hPa (41.3 mm Hg)  |
| · Density at 20 °C (68 °F):           | 0.876-0.886 g/cm³ (7.31022-7.39367 lbs/gal)  |
| · Relative density `                  | Not determined.  |
| · Vapor density                       | Not determined.  |
| · Evaporation rate                    | Not determined.  |
| · Solubility in / Miscibility with    |  |
| Water at 20 °C (68 °F):               | 5 g/l  |
|                                       | (Continued on page 6)  |



Printing date 01/16/2024 Reviewed on 01/16/2024

**Trade name: Butyl Acetate Natural** 

(Continuation of page 5)

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic at 20 °C (68 °F): 0.7 mPas
Kinematic: Not determined.
Organic solvents: 100.0 %

876-886 g/l / 7.31-7.39 lb/gal

· Other information No further relevant information available.

100.00 %

# 10 Stability and reactivity

- · **Reactivity** No further relevant information available.
- · Chemical stability

**VOC** content:

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| ſ | · LD/LC50  | values tha | t are relevant for classification: |
|---|------------|------------|------------------------------------|
|   | CAS: 123-  | -86-4 n-Bu | tyl acetate                        |
| Ī | Oral       | LD50       | 13,100 mg/kg (rat)                 |
|   | Dermal     | LD50       | >5,000 mg/kg (rabbit)              |
| İ | Inhalative | LC50/4 h   | >21 mg/l (rat)                     |

- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:
- · Carcinogenic categories

| IARC (International Agency for Research on Ca |
|---|
|---|

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

7\



Printing date 01/16/2024 Reviewed on 01/16/2024

Trade name: Butyl Acetate Natural

(Continuation of page 6)

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

### 14 Transport information

- · UN-Number
- · DOT, IMDG, IATA UN1123
- · UN proper shipping name
- · DOT

**Butyl** acetates

· IMDG, IATA

**BUTYL ACETATES** 

- · Transport hazard class(es)
- · DOT



· Class · Label

3 Flammable liquids

3

(Continued on page 8)



Printing date 01/16/2024 Reviewed on 01/16/2024

**Trade name: Butyl Acetate Natural** 

(Continuation of page 7)

· IMDG, IATA



Class 3 Flammable liquids

· Label 3

· Packing group

· DOT, IMDG, IATA

Environmental hazards:

· Marine pollutant: No

· Special precautions for user Warning: Flammable liquids

Hazard identification number (Kemler code): 30

· EMS Number: F-E,S-D

· Stowage Category A

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· DOT

· **Quantity limitations** On passenger aircraft/rail: 60 L

On cargo aircraft only: 220 L

· IMDG

· Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 1123 BUTYL ACETATES, 3, III

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

**ACTIVE** 

· Hazardous Air Pollutants

Substance is not listed.

(Continued on page 9)



Printing date 01/16/2024 Reviewed on 01/16/2024

**Trade name: Butyl Acetate Natural** 

(Continuation of page 8)

#### · Proposition 65

#### · Chemicals known to cause cancer:

Substance is not listed.

### · Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

### · Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

#### · Chemicals known to cause developmental toxicity:

Substance is not listed.

#### · Carcinogenic categories

#### · EPA (Environmental Protection Agency)

Substance is not listed.

### · TLV (Threshold Limit Value)

Substance is not listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

#### · GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The substance is classified and labeled according to the Globally Harmonized System (GHS).

#### Hazard pictograms





GHS02 GHS07

### · Signal word Warning

### · Hazard-determining components of labeling:

n-Butyl acetate

### **Hazard statements**

H226 Flammable liquid and vapor.

H336 May cause drowsiness or dizziness.

## **Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

- US



Printing date 01/16/2024 Reviewed on 01/16/2024

Trade name: Butyl Acetate Natural

(Continuation of page 9)

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- · Contact:

**Product Safety Department** productsafety@adv-bio.com

- · Date of preparation / last revision 01/16/2024
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

 ${\bf EINECS: European\ Inventory\ of\ Existing\ Commercial\ Chemical\ Substances}$ CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Flammable Liquids 3: Flammable liquids – Category 3

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3