

Date of issue: 02/06/2025

Reviewed on 02/06/2025

1 Identification

· Product identifier

- [•] Trade name: 2-Methyl Butyl Acetate natural
- · CAS Number:
- 624-41-9
- · Other means of identification
- · Product number: 1158
- **EC number:** 210-843-8
- Index number: 607-130-00-2
- · Application of the substance / the mixture Flavoring Ingredients

· Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

- Manufacturer/Supplier:
 Advanced Biotech
 10 Taft Road
 Totowa, NJ 07512 USA
- Information department: Product Safety Department productsafety@adv-bio.com
- Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification

· Classification of the substance or mixture



Flammable liquids 3 H226 Flammable liquid and vapor.

GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Warning

(Continued on page 2)

[–] US



Date of issue: 02/06/2025

Trade name: 2-Methyl Butyl Acetate natural

	(Continuation of page 1)
azard statem	
1226 Flammab	le liquid and vapor.
Precautionary	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241 P280	Use explosion-proof [electrical/ventilating/lighting] equipment. Wear protective gloves/protective clothing/eye protection/face protection/hearing
P303+P361+P3	protection. 53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P403+P235 P501	Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international
001	regulations.
nformation pe	rtaining to particular dangers for man and environment:
Classification	
NFPA ratings	
<u> </u>	
	ealth = 0
	re = 2
	eactivity = 0
HMIS-ratings (scale 0 - 4)
HEALTH 0 H	
	lealth = 0
	ire = 2 Reactivity = 0
REACTIVITY 0 F	eactivity – 0
Other hazards	
	and vPvB assessment
PBT: Not applie	
/PvB: Not appl	icable
	according to (d)(1)(ii) of § 1910.1200
The SDS issue	er does not object to the classifications provided by importers or manufacturers of
precursor produ	
	herwise classified
	dverse physical or health effects known that are not covered by the hazard classes of the
	inications Standard.
_	
Compositio	n/information on ingredients
Chemical char	acterization: Substances
CAS No. Desc	ription
	2-Methylbutyl acetate
dentification .	

- · Identification number(s)
- EC number: 210-843-8
- · Index number: 607-130-00-2

4 First-aid measures

· Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.

(Continued on page 3)



Date of issue: 02/06/2025

Reviewed on 02/06/2025

Trade name: 2-Methyl Butyl Acetate natural

(Continuation of page 2)

- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

- Protective Action Criteria for Chemicals
- · PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

• Precautions for safe handling No special precautions are necessary if used correctly. • Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Continued on page 4)



Date of issue: 02/06/2025

Reviewed on 02/06/2025

Trade name: 2-Methyl Butyl Acetate natural

(Continuation of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Please refer to the product specification and/or Certificate of Analysis for product storage requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 624-41-9 2-Methylbutyl acetate

TLV Short-term value: 100 ppm

Long-term value: 50 ppm

· Additional information: The lists that were valid during the creation were used as a basis.

- Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

(Continued on page 5)



Date of issue: 02/06/2025

Reviewed on 02/06/2025

Trade name: 2-Methyl Butyl Acetate natural

(Continuation of page 4)

Information on basic physical and chemic	cal properties	
General Information		
Physical state	Liquid	
Color:	According to product specification	
Odor:	According to product specification Not determined.	
Odor threshold:		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range: Flammability:	141 °C (285.8 °F)	
Explosion limits:	Flammable.	
Lower:	Not determined.	
Lower: Upper:	Not determined.	
Flash point:	38.8 °C (101.8 °F)	
Decomposition temperature:	Not determined.	
pH-value:	Not determined.	
Viscosity:	Not dotorninod.	
Kinematic:	Not determined.	
Dynamic:	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/water):	Not determined.	
Vapor pressure:	Not determined.	
Vapor pressure:	-	
Density at 20 °C (68 °F):	0.877 g/cm³ (7.31857 lbs/gal)	
Relative density	Not determined.	
Refractive Index		
Vapor density	Not determined.	
Particle characteristics	Not applicable.	
Other information		
Appearance:		
Form:	Liquid	
Important information on protection of he and environment, and on safety.	alth	
Ignition temperature:	Not determined.	
Danger of explosion:	Product is not explosive. However, formation of	
	explosive air/vapor mixtures are possible.	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Change in condition		

10 Stability and reactivity

• Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

• Possibility of hazardous reactions No dangerous reactions known.

(Continued on page 6)



Date of issue: 02/06/2025

Reviewed on 02/06/2025

Trade name: 2-Methyl Butyl Acetate natural

(Continuation of page 5)

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Interactive effects No interactive effects between components are known.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Continued on page 7)



Date of issue: 02/06/2025

Reviewed on 02/06/2025

Trade name: 2-Methyl Butyl Acetate natural

(Continuation of page 6)

• Uncleaned packagings:
 • Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN1104
UN proper shipping name	
DOT	Amyl acetates
IMDG, IATA	AMYL ACETATES
Transport hazard class(es)	
DOT	
RAMMEE ICCP	\mathcal{O}
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	111
Environmental hazards: Marine pollutant:	No
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
рот	
Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
V	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code) EMS Number:	: 30 F-E,S-D



Date of issue: 02/06/2025

Reviewed on 02/06/2025

(Continuation of page 7)

Trade name: 2-Methyl Butyl Acetate natural

· Stowage Category	A	

· UN "Model Regulation":

· Section 355 (extremely hazardous substances):

UN 1104 AMYL ACETATES, 3, III

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

······································	
Substance is not listed.	
· Section 313 (Specific toxic chemical listings):	
Substance is not listed.	
· TSCA (Toxic Substances Control Act):	
ACTIVE	
· Hazardous Air Pollutants	
Substance is not listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
Substance is not listed.	
· Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
· Chemicals known to cause reproductive toxicity for males:	
Substance is not listed.	
· Chemicals known to cause developmental toxicity:	
Substance is not listed.	
· Carcinogenic categories	
EPA (Environmental Protection Agency)	
Substance is not listed.	
· TLV (Threshold Limit Value)	
Substance is not listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	

Substance is not listed.

· GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms

GHS02

· Signal word Warning

(Continued on page 9)



Date of issue: 02/06/2025

Trade name: 2-Methyl Butyl Acetate natural

(Continuation of	page 8)
------------------	---------

	(continuation of page o)
 Hazard stateme 	nts
H226 Flammable	e liquid and vapor.
 Precautionary s 	tatements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P35	3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Chemical safety	assessment: A Chemical Safety Assessment has not been carried out

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- Contact:
 Product Safe

Product Safety Department productsafety@adv-bio.com

- Date of previous version 01/08/2025
- Date of preparation 02/06/2025
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable liquids 3: Flammable liquids – Category 3