

Printing date 01/16/2024

Reviewed on 01/16/2024





Printing date 01/16/2024

Reviewed on 01/16/2024

### Trade name: Acetyl propionyl natural

(Continuation of page 1) GHS07 Sensitization - Skin 1B H317 May cause an allergic skin reaction. **GHS** label elements Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS05 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: 2.3-Pentanedione Hazard statements H225 Highly flammable liquid and vapor. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H373 May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P210 P260 Do not breathe dust/fume/gas/mist/vapors/sprav. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. P310 P321 Specific treatment (see on this label). P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: Exposure may cause a serious lung disease (called bronchiolitis obliterans). The damage to the lungs can be permanent, severe and can lead to death. Individuals exposed to Acetyl Propionyl who have persistent cough and/or shortness of breath should see a physician immediately and evaluated for lung disease. Employers should provide exposed employees with lung function tests and respiratory health questionnaires before beginning to work with Acetyl Propionyl and at least every six months thereafter. A licensed physician should review the tests to look for decreases in lung function over time. · Classification system: NFPA ratings (scale 0 - 4) Health = 3 Fire = 3Reactivity = 0



Printing date 01/16/2024

Reviewed on 01/16/2024

(Continuation of page 2)

#### Trade name: Acetyl propionyl natural

#### · HMIS-ratings (scale 0 - 4)

 HEALTH
 \*3
 Health = \*3

 FIRE
 3
 Fire = 3

 REACTIVITY 0
 Reactivity = 0

#### · Other hazards

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- CAS No. Description CAS: 600-14-6 2,3-Pentanedione
- Identification number(s)
- EC number: 209-984-8

#### 4 First-aid measures

#### · Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- · Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Continued on page 4)



Printing date 01/16/2024

Reviewed on 01/16/2024

#### Trade name: Acetyl propionyl natural

(Continuation of page 3)

	sonal precautions, protective equipment and emergency procedures Int respiratory protective device.
	ar protective equipment. Keep unprotected persons away.
	<b>ironmental precautions:</b> Do not allow to enter sewers/ surface or ground water.
/let	hods and material for containment and cleaning up:
	orb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
	neutralizing agent.
	pose contaminated material as waste according to section 13.
	ure adequate ventilation.
	erence to other sections
	Section 7 for information on safe handling.
	Section 8 for information on personal protection equipment.
	Section 13 for disposal information.
Prot	tective Action Criteria for Chemicals
PAC	C-1:
Sub	stance is not listed.
PAC	2-2:
Sub	stance is not listed.
PAC	2-3:
Sub	stance is not listed.

#### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
   Protect against electrostatic charges.
   Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as a basis.

(Continued on page 5)

<sup>-</sup> US



Printing date 01/16/2024

Reviewed on 01/16/2024

### Trade name: Acetyl propionyl natural

(Continuation of page 4) · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. · Penetration time of glove material The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles 9 Physical and chemical properties · Information on basic physical and chemical properties **General Information** Molecular Weight: 100.12 g/mol · Appearance: Form: Liquid Color: According to product specification

 · Odor:
 According to product specification

 · Odor threshold:
 Not determined.

 · pH-value:
 Not determined.

 · Change in condition
 -52 °C (-61.6 °F)

 Boiling point/Boiling range:
 -52 °C (230-233.6 °F)

(Continued on page 6)

US



Printing date 01/16/2024

Reviewed on 01/16/2024

#### Trade name: Acetyl propionyl natural

	(Continuation of page 5
Flash point:	16 °C (60.8 °F)
Flammability (solid, gaseous):	Highly flammable.
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
Explosion limits: Lower: Upper:	Not determined. Not determined.
Vapor pressure:	Not determined.
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	0.96 g/cm³ (8.0112 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water at 20 °C (68 °F):	60 g/l
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity: Dynamic: Kinematic: VOC content:	Not determined. Not determined. 0.00 % 0.0 g/l / 0.00 lb/gal
Other information	No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

	rmation on the toxicity	n toxicological effects /:		
· LD/LC50 values that are relevant for classification:				
CAS	5: 600-14-0	6 2,3-Pentanedione		
Onel	LD50	3,000 mg/kg (ATE)		
Oral				



Printing date 01/16/2024

Reviewed on 01/16/2024

(Continuation of page 6)

#### Trade name: Acetyl propionyl natural

Dermal	LD50	2,500 mg/kg (ATE)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- Substance is not listed.

#### · NTP (National Toxicology Program)

Substance is not listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

(Continued on page 8)



Printing date 01/16/2024

Reviewed on 01/16/2024

### Trade name: Acetyl propionyl natural

(Continuation of page 7)

Transport information	
UN-Number DOT, IMDG, IATA	UN1224
UN proper shipping name DOT IMDG, IATA	Ketones, liquid, n.o.s. (Proprietary GRAS Ingredient) KETONES, LIQUID, N.O.S. (Proprietary GRAS Ingredient)
Transport hazard class(es)	
DOT	
Class Label	3 Flammable liquids
	5
IMDG, IATA	8
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code): EMS Number: Stowage Category	33 F-E,S-D B
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml



Printing date 01/16/2024

Reviewed on 01/16/2024

(Continuation of page 8)

Trade name: Acetyl propionyl natural

· UN "Model Regulation":

UN 1224 KETONES, LIQUID, N.O.S. (PROPRIETARY GRAS INGREDIENT), 3, II

# 15 Regulatory information

 $^{\rm \cdot}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\rm \cdot}$  Sara

<ul> <li>Section 355 (extremely hazardous substances)</li> </ul>	):
--	----

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

ACTIVE

Hazardous Air Pollutants

Substance is not listed.

· Proposition 65

• Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

#### **GHS** label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Danger

(Continued on page 10)

<sup>-</sup> US



Printing date 01/16/2024

#### Trade name: Acetyl propionyl natural

	nining components of labeling:
2,3-Pentanedio	ne
Hazard statem	ents
	mmable liquid and vapor.
	erious eye damage.
	e an allergic skin reaction.
	se damage to the respiratory system through prolonged or repeated exposure. Route : Inhalation.
Precautionary	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P303+P361+P3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin wi water/shower.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
Chemical safet	ty assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Product Safety Department
- · Contact:

Product Safety Department

productsafety@adv-bio.com

- · Date of preparation / last revision 01/16/2024
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flammable Liquids 2: Flammable liquids – Category 2 Eye Damage 1: Serious eye damage/eye irritation - Category 1 Sensitization - Skin 1B: Skin sensitisation - Category 1B Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2