

Printing date 01/16/2024

Reviewed on 11/08/2023





Printing date 01/16/2024

Reviewed on 11/08/2023

Trade name: Ethyl lactate natural



3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 97-64-3 Ethyl lactate
- Identification number(s)
- EC number: 202-598-0

(Continued on page 3)



Printing date 01/16/2024

Trade name: Ethyl lactate natural

(Continuation of page 2)

US

· Index number: 607-129-00-7

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available. • Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

| Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. |
|--|
| • Environmental precautions: Do not allow to enter sewers/ surface or ground water. |
| · Methods and material for containment and cleaning up: |
| Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. |
| Dispose contaminated material as waste according to section 13. |
| Ensure adequate ventilation. |
| Reference to other sections |
| See Section 7 for information on safe handling. |
| See Section 8 for information on personal protection equipment. |
| See Section 13 for disposal information. |
| Protective Action Criteria for Chemicals |
| PAC-1: |
| Substance is not listed. |
| · PAC-2: |
| Substance is not listed. |
| (Continued on page 4) |



Printing date 01/16/2024

Reviewed on 11/08/2023

(Continuation of page 3)

Trade name: Ethyl lactate natural

PAC-3:

Substance is not listed.

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
 Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as a basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Continued on page 5)

– ús



Printing date 01/16/2024

Reviewed on 11/08/2023

Trade name: Ethyl lactate natural

(Continuation of page 4)

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

| General Information | chemical properties |
|---|---|
| | Molecular Weight: 118.13 g/mol |
| Appearance: | |
| Form: | Liquid |
| Color: | According to product specification |
| · Odor: | According to product specification Not determined. |
| Odor threshold: | |
| · pH-value: | 4 |
| Change in condition | |
| Melting point/Melting range: | -25 °C (-13 °F) |
| Boiling point/Boiling range: | 154 °C (309.2 °F) |
| Flash point: | 47 °C (116.6 °F) |
| Flammability (solid, gaseous): | Flammable. |
| Auto igniting: | 400 °C (752 °F) |
| Decomposition temperature: | Not determined. |
| Ignition temperature: | Not determined. |
| Danger of explosion: | Product is not explosive. However, formation of explosive ai vapor mixtures are possible. |
| Explosion limits: | |
| Lower: | 1 Vol % |
| Upper: | 17 Vol % |
| Vapor pressure at 20 °C (68 °F): | 2 hPa (1.5 mm Hg) |
| Density at 20 °C (68 °F): | 1.03 g/cm³ (8.59535 lbs/gal) |
| Relative density | Not determined. |
| Vapor density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Not miscible or difficult to mix. |
| Partition coefficient (n-octanol/wa | ter): Not determined. |
| · Viscosity: Dynamic at 20 °C (68 °F): | 2.8 mPas |

- US



Printing date 01/16/2024

Reviewed on 11/08/2023

Trade name: Ethyl lactate natural

| | | (Continuation of page 5) |
|----------------------------|--|--------------------------|
| Kinematic: VOC content: | Not determined. 0.00 % 0.0 g/l / 0.00 lb/gal | Û |
| · Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 97-64-3 Ethyl lactate

Oral LD50 2,500 mg/kg (ATE)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

(Continued on page 7)

JS



Printing date 01/16/2024

Reviewed on 11/08/2023

(Continuation of page 6)

Trade name: Ethyl lactate natural

· Additional ecological information:

· General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

| Transport information | | |
|--|--------------------------------|-----------------|
| · UN-Number · DOT, IMDG, IATA | UN1192 | |
| · UN proper shipping name · DOT · IMDG, IATA | Ethyl lactate ETHYL LACTATE | |
| Transport hazard class(es) DOT | | |
| · Class · Label | 3 Flammable liquids 3 | |
| · IMDG, IATA | | |
| · Class · Label | 3 Flammable liquids 3 | |
| · Packing group · DOT, IMDG, IATA | Ŭ | |
| | (Co | ntinued on page |



Printing date 01/16/2024

Reviewed on 11/08/2023

Trade name: Ethyl lactate natural

| | (Continuation of page 7) |
|--|--|
| · Environmental hazards: · Marine pollutant: | No |
| Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category | Warning: Flammable liquids 30 F-E,S-D A |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · Transport/Additional information: | |
| · DOT · Quantity limitations | On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L |
| IMDG Limited quantities (LQ) Excepted quantities (EQ) | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| · UN "Model Regulation": | UN 1192 ETHYL LACTATE, 3, III |

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

| Section 355 (extremely hazardous substances): |
|---|
|---|

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

• Chemicals known to cause developmental toxicity:

Substance is not listed.

(Continued on page 9)

US



Printing date 01/16/2024

Trade name: Ethyl lactate natural

(Continuation of page 8)

Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

• TLV (Threshold Limit Value)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed. • GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: Ethyl lactate
- · Hazard statements
- H226 Flammable liquid and vapor.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- Precautionary statements
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see on this label).
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Product Safety Department

· Contact:

- Product Safety Department
- productsafety@adv-bio.com
- Date of preparation / last revision 01/16/2024

(Continued on page 10)



Printing date 01/16/2024

Reviewed on 11/08/2023

Trade name: Ethyl lactate natural

| | (Continuation of page 9) |
|---|--|
| Abbreviations and acronyms: | |
| ADR: Accord relatif au transport international des marchandises | dangereuses par route (European Agreement Concerning the |
| International Carriage of Dangerous Goods by Road) | |
| IMDG: International Maritime Code for Dangerous Goods | |
| DOT: US Department of Transportation | |
| IATA: International Air Transport Association | |
| EINECS: European Inventory of Existing Commercial Chemical Su | bstances |
| CAS: Chemical Abstracts Service (division of the American Chemi | cal Society) |
| NFPA: National Fire Protection Association (USA) | |
| HMIS: Hazardous Materials Identification System (USA) | |
| VOC: Volatile Organic Compounds (USA, EU) | |
| LC50: Lethal concentration, 50 percent | |
| LD50: Lethal dose, 50 percent | |
| PBT: Persistent, Bioaccumulative and Toxic | |
| vPvB: very Persistent and very Bioaccumulative | |
| NIOSH: National Institute for Occupational Safety | |
| OSHA: Occupational Safety & Health | |
| TLV: Threshold Limit Value | |
| PEL: Permissible Exposure Limit | |
| REL: Recommended Exposure Limit | |
| Flammable Liquids 3: Flammable liquids – Category 3 | |
| Skin Irritation 2: Skin corrosion/irritation – Category 2 | |
| Eye Damage 1: Serious eye damage/eye irritation – Category 1 | |
| | |