

Date of issue: 01/24/2025

Reviewed on 01/08/2025





Date of issue: 01/24/2025

Reviewed on 01/08/2025

Trade name: Ethyl Acetate natural



(Continued on page 3)



Date of issue: 01/24/2025

Reviewed on 01/08/2025

Trade name: Ethyl Acetate natural

(Continuation of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description Proprietary FEMA/GRAS Flavoring Ingredient
- · Identification number(s)
- EC number: 205-500-4
- · Index number: 607-022-00-5

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

Protective Action Criteria for Chemicals

· PAC-1:

1,200 ppm

(Continued on page 4)

IS -



Date of issue: 01/24/2025

Reviewed on 01/08/2025

(Continuation of page 3)

Trade name: Ethyl Acetate natural

· PAC-2:

1,700 ppm

· PAC-3:

10000** ppm

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

· Components with limit values that require monitoring at the workplace:

Proprietary FEMA/GRAS Flavoring Ingredient

- PEL Long-term value: 1400 mg/m³, 400 ppm
- REL Long-term value: 1400 mg/m³, 400 ppm
- TLV Long-term value: 400 ppm

• Additional information: The lists that were valid during the creation were used as a basis.

- · Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Continued on page 5)



Date of issue: 01/24/2025

Trade name: Ethyl Acetate natural

(Continuation of page 4)

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and chemic	
General Information	Molecular Weight: 88.11 g/mol
Physical state	Liquid
Color:	According to product specification
Odor:	According to product specification
Odor threshold:	Not determined.
 Melting point/Melting range: 	-83.57 °C (-118.4 °F)
Boiling point/Boiling range:	77-78 °C (170.6-172.4 °F)
Flammability:	Highly flammable.
Explosion limits:	
· Lower:	2.1 Vol %
· Upper:	11.5 Vol %
Flash point:	-4 °C (24.8 °F)
· Auto igniting:	460 °C (860 °F)
 Decomposition temperature: 	Not determined.
pH-value:	Not determined.
· Viscosity:	
Kinematic:	Not determined.
[·] Dynamic at 20 °C (68 °F):	0.44 mPas
 Solubility in / Miscibility with 	
· Water at 20 °C (68 °F):	79 g/l
Partition coefficient (n-octanol/water):	Not determined.
· Vapor pressure at 20 °C (68 °F):	97 hPa (72.8 mm Hg)
· Vapor pressure at 50 °C (122 °F):	360 hPa (270 mm Hg)
Density at 20 °C (68 °F):	0.897-0.907 g/cm ³ (7.48547-7.56892 lbs/gal)



Date of issue: 01/24/2025

Reviewed on 01/08/2025

Trade name: Ethyl Acetate natural

	(Continuation of page 5
Relative density	Not determined.
· Refractive Index	
· Vapor density	Not determined.
Particle characteristics	Not applicable.
· Other information	
· Appearance:	
Form:	Liquid
· Important information on protection of h	ealth
and environment, and on safety.	
Ignition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of
•	explosive air/vapor mixtures are possible.
· Organic solvents:	100.0 %
· VOC content:	100.00 %
	897-907 g/l / 7.49-7.57 lb/gal
· Change in condition	
· Evaporation rate	Not determined.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

Proprietary FEMA/GRAS Flavoring Ingredient

Oral LD50 5,620 mg/kg (rabbit)

Inhalative LC50/4 h 1,600 mg/l (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:
- · Interactive effects No interactive effects between components are known.
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

Substance is not listed.

(Continued on page 7)

[–] ÚS



Date of issue: 01/24/2025

Reviewed on 01/08/2025

(Continuation of page 6)

Trade name: Ethyl Acetate natural

• NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN1173	
UN proper shipping name		
DOT	Ethyl acetate	
IMDG, IATA	ETHYL ACETATE	



Date of issue: 01/24/2025

Reviewed on 01/08/2025

Trade name: Ethyl Acetate natural

	(Continuation of page 7
Transport hazard class(es)	
DOT	
3	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
V	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	
Environmental hazards:	
Marine pollutant:	No
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ООТ	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
Hazardous substance:	5000 lbs, 2270 kg
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code) EMS Number:	: 33 F-E,S-D
Stowage Category	В
UN "Model Regulation":	UN 1173 ETHYL ACETATE, 3, II
on model Regulation :	UN THIS EINTLAGETATE, 3, 11

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

(Continued on page 9)

— US –



Date of issue: 01/24/2025

Reviewed on 01/08/2025

rade name: Ethy	/I Acetate natural
	(Continuation of page 8)
· Section 313 (Specific toxic chemical listings):
Substance is r	not listed.
· TSCA (Toxic	Substances Control Act):
ACTIVE	
· Hazardous Ai	r Pollutants
Substance is r	
· Proposition 6	
•	own to cause cancer:
Substance is r	
· Chemicals kn	own to cause reproductive toxicity for females:
Substance is r	
	own to cause reproductive toxicity for males:
Substance is r	
	own to cause developmental toxicity:
Substance is r	not listed.
· Carcinogenic	categories
	mental Protection Agency)
Substance is r	
· TLV (Thresho	Id Limit Value)
Substance is r	
	ational Institute for Occupational Safety and Health)
Substance is r	
· GHS label ele	
Pictograms or symbol on a w	n label shall be in the shape of a square set at a point and shall include a black hazard hite background with a red frame sufficiently wide to be clearly visible. e is classified and labeled according to the Globally Harmonized System (GHS). grams
· Signal word [
Proprietary FE Hazard stater H225 Highly fla H319 Causes	ammable liquid and vapor. serious eye irritation. se drowsiness or dizziness.
P241	No smoking. Use explosion-proof [electrical/ventilating/lighting] equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

(Continued on page 10)

US



Date of issue: 01/24/2025

Reviewed on 01/08/2025

Trade name: Ethyl Acetate natural

	(Continuation of page 9)
P303+P361+P353 li	f on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
V	vater [or shower].
P305+P351+P338 li	f in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
p	present and easy to do. Continue rinsing.
P405 S	Store locked up.
P501 E	Dispose of contents/container in accordance with local/regional/national/international
r	egulations.
	sessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Product Safety Department · Contact: **Product Safety Department** productsafety@adv-bio.com Date of previous version 06/07/2023 Date of preparation 01/24/2025 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flammable liquids 2: Flammable liquids - Category 2 Eye irritation 2A: Serious eye damage/eye irritation - Category 2A Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) - Category 3

us –