

Date of issue: 04/17/2025 Reviewed on 04/17/2025

## 1 Identification

· Product identifier

· Trade name: Rum Ether Type Natural

· Other means of identification

· Product number: 1206

· Application of the substance / the mixture Flavoring Ingredients

## · Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Manufacturer/Supplier:

Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA

## · Information department:

Product Safety Department productsafety@adv-bio.com

Emergency telephone number:

Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International)

Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

## 2 Hazard(s) identification

Classification of the substance or mixture



GHS02 Flame

Flammable liquids 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Carcinogenicity 1B H350 May cause cancer.



GHS07

Eye irritation 2A H319 Causes serious eye irritation.

· GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Continued on page 2)



Date of issue: 04/17/2025 Reviewed on 04/17/2025

Trade name: Rum Ether Type Natural

· Hazard pictograms

(Continuation of page 1)







GHS02 GHS07 GH

## · Signal word Danger

## · Hazard-determining components of labeling:

Acetaldehyde

#### · Hazard statements

H226 Flammable liquid and vapor. H319 Causes serious eye irritation.

H350 May cause cancer.

## · Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

## · Information pertaining to particular dangers for man and environment:

- Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 3 Reactivity = 0

## · HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

#### Other hazards

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

#### Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

US

25-50%



# Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 04/17/2025 Reviewed on 04/17/2025

Trade name: Rum Ether Type Natural

(Continuation of page 2)

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.
- Dangerous components:

## 4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Protective Action Criteria for Chemicals

CAS: 64-17-5   Ethanol	1,800 ppm
CAS: 75-07-0 Acetaldehyde	45 ppm
CAS: 64-19-7 Acetic acid	5 ppm

(Continued on page 4)



Date of issue: 04/17/2025 Reviewed on 04/17/2025

Trade name: Rum Ether Type Natural

	(0
CAS: 105-37-3 Ethyl propionate	(Continuation of page 6.3 ppm
α-Furfuraldehyde	2.0 ppm
CAS: 141-78-6 Ethyl acetate	1,200 ppn
CAS: 67-56-1 Methanol	530 ppm
CAS: 67-64-1 acetone	200 ppm
CAS: 79-09-4 Propanoic acid	15 ppm
CAS: 79-20-9 Methyl acetate	250 ppm
CAS: 107-18-6 allyl alcohol	0.09 ppm
CAS: 109-94-4 Ethyl formate	100 ppm
PAC-2:	
CAS: 64-17-5 Ethanol	3300* ppr
CAS: 75-07-0 Acetaldehyde	270 ppm
CAS: 64-19-7 Acetic acid	35 ppm
CAS: 105-37-3 Ethyl propionate	69 ppm
α-Furfuraldehyde	10 ppm
CAS: 141-78-6 Ethyl acetate	1,700 ppr
CAS: 67-56-1 Methanol	2100 ppm
CAS: 67-64-1 acetone	3200* ppr
CAS: 79-09-4 Propanoic acid	86 mg/m3
CAS: 79-20-9 Methyl acetate	1,700 ppr
CAS: 107-18-6 allyl alcohol	1.7 ppm
CAS: 109-94-4 Ethyl formate	1,300 ppr
· PAC-3:	
CAS: 64-17-5 Ethanol	15000* ppm
CAS: 75-07-0 Acetaldehyde	840 ppm
CAS: 64-19-7 Acetic acid	250 ppm
CAS: 105-37-3 Ethyl propionate	410 ppm
α-Furfuraldehyde	50 ppm
CAS: 141-78-6 Ethyl acetate	10000** ppr
CAS: 67-56-1 Methanol	7200 ppm
CAS: 67-64-1 acetone	5700* ppm
CAS: 79-09-4 Propanoic acid	510 mg/m3
CAS: 79-20-9 Methyl acetate	10000* ppm
CAS: 107-18-6 allyl alcohol	13 ppm
CAS: 109-94-4 Ethyl formate	8000* ppm

## Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

## 7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

(Continued on page 5)



Date of issue: 04/17/2025 Reviewed on 04/17/2025

Trade name: Rum Ether Type Natural

Open and handle receptacle with care.

(Continuation of page 4)

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### **CAS: 64-17-5 Ethanol**

PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1900 mg/m³, 1000 ppm TLV | Short-term value: 1880 mg/m³, 1000 ppm

- · Additional information: The lists that were valid during the creation were used as a basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eves.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

#### **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to

(Continued on page 6)



Date of issue: 04/17/2025 Reviewed on 04/17/2025

Trade name: Rum Ether Type Natural

(Continuation of page 5)

be checked prior to the application.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Physical state Liquid

Color: According to product specificationOdor: According to product specification

Odor threshold:
 Melting point/Melting range:
 Boiling point/Boiling range:
 Flammability:
 Not determined.
 Undetermined.
 Flammable.

· Explosion limits:

• **Lower:** 3.5 Vol % • **Upper:** 15 Vol %

Flash point:
 Auto igniting:
 Decomposition temperature:
 pH-value:

25.4 °C (77.7 °F)
425 °C (797 °F)
Not determined.
Not determined.

· Viscosity:

Kinematic: Not determined. Dynamic: Not determined.

Solubility in / Miscibility with

· Water: Not miscible or difficult to mix.

Partition coefficient (n-octanol/water):
Vapor pressure at 20 °C (68 °F):
Vapor pressure at 50 °C (122 °F):
Not determined.
59 hPa (44.3 mm Hg)
280 hPa (210 mm Hg)

Density at 20 °C (68 °F): 0.95-0.98 g/cm³ (7.92775-8.1781 lbs/gal)

· Relative density Not determined.

· Refractive Index

Vapor densityParticle characteristicsNot determined.Not applicable.

Other information

· Appearance:

· Form: Liquid

· Important information on protection of health

and environment, and on safety.

• **Ignition temperature:** Product is not selfigniting.

Danger of explosion: Product is not explosive. However, formation of

explosive air/vapor mixtures are possible.

(Continued on page 7)



Date of issue: 04/17/2025 Reviewed on 04/17/2025

Trade name: Rum Ether Type Natural

(Continuation of page 6)

· Solvent content:

• Organic solvents: 30.5 %
• Water: 70.0 %
• VOC content: 30.54 %

290.1-299.3 g/l / 2.42-2.5 lb/gal

· Solids content:

0.0 %

· Change in condition

· Evaporation rate Not determined.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Interactive effects No interactive effects between components are known.
- Carcinogenic categories

· IARC (Interna	tional Agency for Research on Cancer)	
CAS: 64-17-5	Ethanol	1
CAS: 75-07-0	Acetaldehyde	2B
4	α-Furfuraldehyde	3

## · NTP (National Toxicology Program)

CAS: 75-07-0 Acetaldehyde

## · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

US

R



Date of issue: 04/17/2025 Reviewed on 04/17/2025

Trade name: Rum Ether Type Natural

(Continuation of page 7)

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

## 14 Transport information

- · UN-Number
- · DOT, IMDG, IATA UN1197
- · UN proper shipping name
- · DOT, IATA

Extracts, liquid

3

· IMDG

EXTRACTS, LIQUID

- · Transport hazard class(es)
- · DOT



· Class 3 Flammable liquids

· Label

(Continued on page 9)



Date of issue: 04/17/2025 Reviewed on 04/17/2025

Trade name: Rum Ether Type Natural

(Continuation of page 8)

· IMDG, IATA



3 Flammable liquids

· Label 3

· Packing group

· DOT, IMDG, IATA Ш

· Environmental hazards: Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· DOT

 Quantity limitations On passenger aircraft/rail: 60 L

On cargo aircraft only: 220 L

· IMDG

· Limited quantities (LQ) 5L

Code: E1 Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· Special precautions for user Warning: Flammable liquids

· Hazard identification number (Kemler code): 30 · EMS Number: F-E,S-D

Stowage Category

· UN "Model Regulation": UN 1197 EXTRACTS, LIQUID, 3, III

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 355 (	extremely	hazardous	substances):
-----------------	-----------	-----------	--------------

CAS: 107-18-6 allyl alcohol

Section 313 (Specific toxic chemical listings):

CAS: 75-07-0 Acetaldehyde CAS: 67-56-1 Methanol

CAS: 107-18-6 allyl alcohol

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

Hazardous Air Pollutants

CAS: 75-07-0 Acetaldehyde

CAS: 67-56-1 Methanol

(Continued on page 10)



Date of issue: 04/17/2025 Reviewed on 04/17/2025

Trade name: Rum Ether Type Natural

(Continuation of page 9)

## · Proposition 65

#### · Chemicals known to cause cancer:

CAS: 75-07-0 Acetaldehyde

## · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

## · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### Chemicals known to cause developmental toxicity:

CAS: 64-17-5 Ethanol CAS: 67-56-1 Methanol

#### Carcinogenic categories

· EPA (Enviro	onmental Protection Agency)	
CAS: 75-07-0	0 Acetaldehyde	B2
CAS: 67-64-	1 acetone	I
,	nold Limit Value)	
CAS: 64-17-	5 Ethanol	A3
CAS: 75-07-0	0 Acetaldehyde	A3
	α-Furfuraldehyde	A3
CAS: 67-64-	1 acetone	A4
CAS: 107-18	3-6 allyl alcohol	A4

## · NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 75-07-0 Acetaldehyde

#### GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

## **Hazard pictograms**







GHS02 GHS07 GHS08

## · Signal word Danger

#### · Hazard-determining components of labeling:

Acetaldehyde

#### · Hazard statements

H226 Flammable liquid and vapor.

H319 Causes serious eye irritation.

H350 May cause cancer.

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

(Continued on page 11)



Date of issue: 04/17/2025 Reviewed on 04/17/2025

Trade name: Rum Ether Type Natural

(Continuation of page 10)

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapor.

- Department issuing SDS: Product Safety Department
- · Contact:

Product Safety Department productsafety@adv-bio.com

- Date of previous version 01/24/2025
- Date of preparation 04/17/2025
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable liquids 2: Flammable liquids – Category 2 Flammable liquids 3: Flammable liquids – Category 3

Eye irritation 2A: Serious eye damage/eye irritation - Category 2A

Carcinogenicity 1B: Carcinogenicity - Category 1B