

| ate of issue: 02/14/2025 | Reviewed on 02/14/2025 |
|--|---|
| 1 Identification | |
| · Product identifier | |
| Trade name: Heptyl Acetate natural CAS Number: 112-06-1 Other means of identification | |
| Product number: 1233 EC number: 203-932-8 Application of the substance / the mixture Flavoring In | gredients |
| Details of the supplier of the safety data sheet DISCLAIMER: The information in this Safety Data Sheet issued. Advanced Biotech makes NO WARRANTIES, E NOT LIMITED TO, ANY IMPLIED WARRANTY OF PARTICULAR PURPOSE OR COURSE OF PERFO responsible for determining whether the Advanced Biot suitable for user's method of use or application. Given th application of an Advanced Biotech product, some of w and control, it is essential that the user evaluate the Adv is fit for a particular purpose and suitable for user's method Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA Information department: Product Safety Department | XPRESSED OR IMPLIED, INCLUDING, BUT MERCHANTABILITY OR FITNESS FOR A RMANCE OR USAGE OF TRADE. User is ech product is fit for a particular purpose and e variety of factors that can affect the use and hich are uniquely within the user's knowledge anced Biotech product to determine whether it |
| Forductsafety@adv-bio.com Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (I Email: responders@infotrac.net & During normal busines | nternational) s hours: 1-973-339-6242 |
| 2 Hazard(s) identification | |
| · Classification of the substance or mixture | |
| Flammable liquids 4 H227 Combustible liquid. | |
| GHS label elements Pictograms on label shall be in the shape of a square s symbol on a white background with a red frame sufficient. The substance is classified and labeled according to the original word pictograms. Not Applicable Signal word Warning Hazard statements H227 Combustible liquid. | ly wide to be clearly visible. |
| · Precautionary statements | , open flames and other ignition sources. No |
| P210 Keep away from heat, hot surfaces, sparks | |
| P210 Keep away from heat, hot surfaces, sparks smoking. P280 Wear protective gloves/protective clothing/ey P370+P378 In case of fire: Use CO2, powder or water sp | e protection/face protection/hearing protection. ray to extinguish. |
| P210 Keep away from heat, hot surfaces, sparks smoking. P280 Wear protective gloves/protective clothing/ey P370+P378 In case of fire: Use CO2, powder or water sp P403 Store in a well-ventilated place. | |



Date of issue: 02/14/2025

Reviewed on 02/14/2025

(Continuation of page 1)

Trade name: Heptyl Acetate natural

- · Information pertaining to particular dangers for man and environment:
- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



· Other hazards

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

- Chemical characterization: Substances
- · CAS No. Description
- CAS: 112-06-1 Heptyl acetate
- · Identification number(s)
- · EC number: 203-932-8

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• Special hazards arising from the substance or mixture No further relevant information available. (Continued on page 3)

US



Date of issue: 02/14/2025

Reviewed on 02/14/2025

Trade name: Heptyl Acetate natural

(Continuation of page 2)

- Advice for firefighters
- Protective equipment: No special measures required.
- · Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- Protective Action Criteria for Chemicals

· PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

• Reference to other sections

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

• Precautions for safe handling No special precautions are necessary if used correctly.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as a basis.
- Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.

(Continued on page 4)

US



Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 02/14/2025

Trade name: Heptyl Acetate natural

(Continuation of page 3)

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• **Penetration time of glove material** The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

| Information on basic physical and chemic General Information | |
|---|---|
| · Physical state | Liquid |
| · Color: | According to product specification |
| · Odor: | According to product specification |
| · Odor threshold: | Not determined. |
| • Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | 192 °C (377.6 °F) |
| · Flammability: | Not applicable. |
| · Explosion limits: | |
| · Lower: | Not determined. |
| · Upper: | Not determined. |
| Flash point: | 67.8 °C (154 °F) |
| Decomposition temperature: | Not determined. |
| · pH-value: | Not determined. |
| · Viscosity: | |
| · Kinematic: | Not determined. |
| · Dynamic: | Not determined. |
| Solubility in / Miscibility with | |
| · Water: | Not miscible or difficult to mix. |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Vapor pressure: | Not determined. |
| · Vapor pressure: | |
| · Density at 20 °C (68 °F): | 0.867-0.877 g/cm³ (7.23512-7.31857 lbs/gal) |
| · Relative density | Not determined. |
| · Specific Gravity | 0.867–0.877 @ 20 °C (33.6–33.6 @ 68 °F) |
| · Refractive Index | |
| · Vapor density | Not determined. |
| Particle characteristics | Not applicable. |



Date of issue: 02/14/2025

Reviewed on 02/14/2025

Trade name: Heptyl Acetate natural

| | | (Continuation of page 4) |
|-------------------------------------|-----------------------|--------------------------|
| Other information | | |
| Appearance: | | |
| Form: | Liquid | |
| Important information on protection | on of health | |
| and environment, and on safety. | | |
| Ignition temperature: | Not determined. | |
| Danger of explosion: | Not determined. | |
| VOC content: | 0.00 % | |
| | 0.0 g/l / 0.00 lb/gal | |
| Change in condition | 5 0 | |
| Evaporation rate | Not determined. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 112-06-1 Heptyl acetate

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

Primary irritant effect:

- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:
- · Interactive effects No interactive effects between components are known.
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

(Continued on page 6)

JS -



Date of issue: 02/14/2025

Reviewed on 02/14/2025

(Continuation of page 5)

Trade name: Heptyl Acetate natural

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- **Mobility in soil** No further relevant information available.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Assessment by list): hazardous for water

- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

| · UN-Number · DOT, ADN, IMDG, IATA | Not Regulated |
|--|--|
| · UN proper shipping name · DOT, ADN, IMDG, IATA | Not Regulated |
| Transport hazard class(es) | |
| · DOT, ADN, IMDG, IATA · Class | Not Regulated |
| Packing group DOT, IMDG, IATA | Not Regulated |
| Environmental hazards: Marine pollutant: | Νο |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code | t II of Not applicable. |
| Transport/Additional information: | Not dangerous according to the above specifications. |



Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 02/14/2025

Reviewed on 02/14/2025

(Continuation of page 6)

Trade name: Heptyl Acetate natural

· Special precautions for user

• UN "Model Regulation":

Not applicable. Not Regulated

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

| · Section 355 (extremely hazardous substances): |
|--|
| Substance is not listed. |
| · Section 313 (Specific toxic chemical listings): |
| Substance is not listed. |
| · TSCA (Toxic Substances Control Act): |
| ACTIVE |
| · Hazardous Air Pollutants |
| Substance is not listed. |
| · Proposition 65 |
| · Chemicals known to cause cancer: |
| Substance is not listed. |
| Chemicals known to cause reproductive toxicity for females: |
| Substance is not listed. |
| Chemicals known to cause reproductive toxicity for males: |
| Substance is not listed. |
| · Chemicals known to cause developmental toxicity: |
| Substance is not listed. |
| · Carcinogenic categories |
| · EPA (Environmental Protection Agency) |
| Substance is not listed. |
| · TLV (Threshold Limit Value) |
| Substance is not listed. |
| • NIOSH-Ca (National Institute for Occupational Safety and Health) |
| Substance is not listed. |
| GHS label elements Pictograms on label shall be in the shape of a square set at a point and shall include a black haz symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Not Applicable Signal word Warning Hazard statements H227 Combustible liquid. Precautionary statements Pictograms (Pictograms (Pictograms)) Pictograms (Pictograms) Pictograms) Pictograms (Pictograms) Pictograms) Pictograms (Pictograms) Pictograms (Pictograms) Pictograms (Pictograms) Pictograms (Pictograms) Pictograms (Pictograms) Pictograms) Picto |
| P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. |

- smoking. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. (Continued on page 8) P280



Date of issue: 02/14/2025

Reviewed on 02/14/2025

Trade name: Heptyl Acetate natural

(Continuation of page 7) P370+P378 In case of fire: Use CO2, powder or water spray to extinguish. P403 Store in a well-ventilated place. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- Contact: Product Safety Department productsafety@adv-bio.com
- Date of previous version 01/08/2025
- Date of preparation 02/14/2025
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Flammable liquids 4: Flammable liquids Category 4