

Date of issue: 01/24/2025

Reviewed on 01/08/2025





Date of issue: 01/24/2025

e :	(Continuation of page	ge 1
· Signal word W		
 Hazard stateme 		
H227 Combustil		
H315 Causes sl	kin irritation.	
H319 Causes so	erious eye irritation.	
· Precautionary	statements	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition source	ces
	No smoking.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hea	rinc
1 200	protection.	
	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lense	in in
F303+F331+F3		з, I
000,0040	present and easy to do. Continue rinsing.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P403	Store in a well-ventilated place.	
P501	Dispose of contents/container in accordance with local/regional/national/internation	ona
	regulations.	
	rtaining to particular dangers for man and environment:	
Classification	system:	
NFPA ratings (
HMIS-ratings (s	eactivity = 0	
	scale 0 - 4)	
HEALTH 2 H	lealth = 2	
FIRE 2	ire = 2	
REACTIVITY 0 R	Reactivity = 0	
• Other hazards		
Results of PBT	and vPvB assessment	
PBT: Not applic		
vPvB: Not appli		
	according to (d)(1)(ii) of § 1910.1200	
	er does not object to the classifications provided by importers or manufacturers	so
precursor produ		
	herwise classified	
	dverse physical or health effects known that are not covered by the hazard classes of	the
Hazard Commu	inications Standard.	
0		
	n/information on ingredients	
Chemical chara	acterization: Substances	
CAS No. Descr	iption	
CAS: 589-98-0		
Identification n		
EC number: 20		
	(Continued on pag	ge 3



Date of issue: 01/24/2025

Reviewed on 01/08/2025

Trade name: 3-Octanol natural

(Continuation of page 2)

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- Protective Action Criteria for Chemicals
- · PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling No special precautions are necessary if used correctly.

· Information about protection against explosions and fires: No special measures required.

(Continued on page 4)



Date of issue: 01/24/2025

Trade name: 3-Octanol natural

(Continuation of page 3)

Reviewed on 01/08/2025

- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:
- Please refer to the product specification and/or Certificate of Analysis for product storage requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as a basis.
- Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

(Continued on page 5)



Date of issue: 01/24/2025

Reviewed on 01/08/2025

Trade name: 3-Octanol natural

(Continuation of page 4)

nformation on basic physical and chemica General Information Physical state Color: Odor threshold: Melting point/Melting range: Colling point/Boiling range: Cammability: Explosion limits: Cower: Ipper: Clash point:	Molecular Weight: 130.23 g/mol Liquid According to product specification According to product specification Not determined. -45 °C (-49 °F) 176 °C (348.8 °F) Not applicable. Not determined. Not determined. 70 °C (158 °F)
Color: Odor: Odor threshold: Melting point/Melting range: Boiling point/Boiling range: Clammability: Explosion limits: Sower: Ipper: Clash point:	According to product specification According to product specification Not determined. -45 °C (-49 °F) 176 °C (348.8 °F) Not applicable. Not determined. Not determined.
Odor: Odor threshold: Melting point/Melting range: Boiling point/Boiling range: Tammability: Explosion limits: Iower: Ipper: Tash point:	According to product specification Not determined. -45 °C (-49 °F) 176 °C (348.8 °F) Not applicable. Not determined. Not determined.
Door threshold: Melting point/Melting range: Boiling point/Boiling range: Tammability: Explosion limits: ower: Ipper: Tash point:	Not determined. -45 °C (-49 °F) 176 °C (348.8 °F) Not applicable. Not determined. Not determined.
Aelting point/Melting range: Boiling point/Boiling range: Tammability: Explosion limits: ower: Ipper: Tash point:	-45 °C (-49 °F) 176 °C (348.8 °F) Not applicable. Not determined. Not determined.
Boiling point/Boiling range: Tammability: Explosion limits: ower: Ipper: Tash point:	176 °C (348.8 °F) Not applicable. Not determined. Not determined.
lammability: Explosion limits: ower: Ipper: lash point:	Not applicable. Not determined. Not determined.
xplosion limits: ower: lpper: lash point:	Not determined. Not determined.
ower: Ipper: Iash point:	Not determined.
lpper: lash point:	Not determined.
lash point:	
	70 °C (158 °F)
• • •	
ecomposition temperature:	Not determined.
H-value:	Not determined.
/iscosity:	
linematic:	Not determined.
Dynamic:	Not determined.
olubility in / Miscibility with	
Vater:	Not miscible or difficult to mix.
artition coefficient (n-octanol/water):	Not determined.
apor pressure:	Not determined.
apor pressure:	
ensity at 20 °C (68 °F):	0.82 g/cm³ (6.8429 lbs/gal)
Relative density	Not determined.
Refractive Index	
/apor density	Not determined.
Particle characteristics	Not applicable.
Other information	
ppearance:	
orm:	Liquid
nportant information on protection of heal	
nd environment, and on safety.	
gnition temperature:	Not determined.
anger of explosion:	Not determined.
OC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
change in condition	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.

(Continued on page 6)



Date of issue: 01/24/2025

Reviewed on 01/08/2025

Trade name: 3-Octanol natural

(Continuation of page 5)

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 589-98-0 3-Octanol

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >5,000 mg/kg (rabbit)

- Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Interactive effects No interactive effects between components are known.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Assessment by list): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

(Continued on page 7)



Date of issue: 01/24/2025

Trade name: 3-Octanol natural

(Continuation of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

Transport information	
· UN-Number	
· DOT, ADN, IMDG, IATA	Not Regulated
· UN proper shipping name	
· DOT, ADN, IMDG, IATA	Not Regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
Class	Not Regulated
Packing group	
DOT, IMĎĞ, IATA	Not Regulated
Environmental hazards:	
Marine pollutant:	No
Transport in bulk according to Annex	ll of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· Special precautions for user	Not applicable.
UN "Model Regulation":	Not Regulated

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

• Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

ACTIVE

Hazardous Air Pollutants

Substance is not listed.

(Continued on page 8)

US



Date of issue: 01/24/2025

Reviewed on 01/08/2025

Trade name: 3-Octanol natural

Proposition 65	(Continuation of page 7)
•	own to cause cancer:
Substance is no	
Substance is no	own to cause reproductive toxicity for females:
	own to cause reproductive toxicity for males:
Substance is no	
	own to cause developmental toxicity:
Substance is no	ot listed.
Carcinogenic o	categories
EPA (Environn	nental Protection Agency)
Substance is no	ot listed.
TLV (Threshole	d Limit Value)
Substance is no	ot listed.
NIOSH-Ca (Nat	tional Institute for Occupational Safety and Health)
Substance is	
symbol on a wh The substance	nents label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS).
GHS label elen Pictograms on symbol on a wh The substance	nents label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS).
GHS label elen Pictograms on symbol on a wh	nents label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS).
GHS label elen Pictograms on symbol on a wh The substance Hazard pictogr GHS07 Signal word W Hazard statem H227 Combusti H315 Causes s H319 Causes s	nents label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams 'arning ents ible liquid. kin irritation. erious eye irritation.
GHS label elen Pictograms on symbol on a wh The substance Hazard pictogr GHS07 Signal word W Hazard statem H227 Combusti H315 Causes s H319 Causes s	nents label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams 'arning ents ible liquid. kin irritation. erious eye irritation.
GHS label elen Pictograms on symbol on a wh The substance Hazard pictogr GHS07 Signal word W Hazard statem H227 Combusti H315 Causes s H319 Causes s Precautionary P210	nents label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams 'arning ents ble liquid. kin irritation. erious eye irritation. statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
GHS label elen Pictograms on symbol on a wh The substance Hazard pictogr GHS07 Signal word W Hazard statem H227 Combusti H315 Causes s H319 Causes s Precautionary	nents label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams arning ents ible liquid. kin irritation. erious eye irritation. statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection/hearing
GHS label elen Pictograms on symbol on a wh The substance Hazard pictogr GHS07 Signal word W Hazard statem H227 Combusti H315 Causes s H319 Causes s Precautionary P210 P280	nents label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams 'arning ents ible liquid. kin irritation. erious eye irritation. statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
GHS label elen Pictograms on symbol on a wh The substance Hazard pictogr GHS07 Signal word W Hazard statem H227 Combusti H315 Causes s H319 Causes s Precautionary P210 P280 P305+P351+P3 P332+P313	nents label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams 'arning ents ible liquid. kin irritation. erious eye irritation. statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. 38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention.
GHS label elen Pictograms on symbol on a wh The substance Hazard pictogr GHS07 Signal word W Hazard statem H227 Combusti H315 Causes s H319 Causes s Precautionary P210 P280 P305+P351+P3 P332+P313 P403	nents label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams 'arning ents ble liquid. kin irritation. erious eye irritation. statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. Store in a well-ventilated place.
GHS label elen Pictograms on symbol on a wh The substance Hazard pictogr GHS07 Signal word W Hazard statem H227 Combusti H315 Causes s H319 Causes s Precautionary P210 P280 P305+P351+P3 P332+P313 P403 P501	nents label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams 'arning ents ible liquid. kin irritation. erious eye irritation. statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. 38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention.

(Continued on page 9)



Date of issue: 01/24/2025

Reviewed on 01/08/2025

Trade name: 3-Octanol natural

(Continuation of page 8)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product Safety Department

Contact: Product Safety Department productsafety@adv-bio.com

- Date of previous version 01/10/2023
- Date of preparation 01/24/2025
- Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable liquids 4: Flammable liquids - Category 4 Skin irritation 2: Skin corrosion/irritation - Category 2 Eye irritation 2A: Serious eye damage/eye irritation - Category 2A