

Printing date 01/16/2024

Reviewed on 12/05/2023





Printing date 01/16/2024

Reviewed on 12/05/2023

Trade name: Methanol natural

(Continuation of page 1)	
Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and the visual organs.	
GHS label elements	
Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms	
GHS02 GHS06 GHS08	
· Signal word Danger	
 Hazard-determining components of labeling: Methanol 	
· Hazard statements	
H225 Highly flammable liquid and vapor.	
H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.	
H370 Causes damage to the central nervous system and the visual organs.	
· Precautionary statements	
P210 Keep away from heat/sparks/open flames/hot surfaces No smoking.	
P260 Do not breathe dust/fume/gas/mist/vapors/spray.	
P301+P310 If swallowed: Immediately call a poison center/doctor.	
P321 Specific treatment (see on this label).	
P330 Rinse mouth.	
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
P361+P364 Take off immediately all contaminated clothing and wash it before reuse.	
P405 Store locked up.	
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = 4 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH *2 Health = *2	
FIRE 4 FIRE 4 REACTIVITY 0	
Other hazards	
Results of PBT and vPvB assessment	
• PBT: Not applicable.	
vPvB: Not applicable.	

(Continued on page 3)

US



Printing date 01/16/2024

Reviewed on 12/05/2023

Trade name: Methanol natural

(Continuation of page 2)

3 Composition/information on ingredients

· Chemical characterization: Substances

• CAS No. Description CAS: 67-56-1 Methanol

· Identification number(s)

- EC number: 200-659-6
- · Index number: 603-001-00-X

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
 CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Continued on page 4)

⁻ US



Printing date 01/16/2024

Reviewed on 12/05/2023

(Continuation of page 3)

Trade name: Methanol natural

Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

• **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

Protective Action Criteria for Chemicals

- PAC-1:
- 530 ppm
- · PAC-2:
- 2,100 ppm

· PAC-3:

7200* ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Com	Components with limit values that require monitoring at the workplace:		
CAS:	67-56-1 Methanol		
PEL	Long-term value: 260 mg/m³, 200 ppm		
	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin		
	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI		
	(Continued on page 5)		



Printing date 01/16/2024

Trade name: Methanol natural

	(Continuation of page 4)		
Ingredients with biological lim	it values:		
CAS: 67-56-1 Methanol			
BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (back	ground, nonspecific)		
· ·	ts that were valid during the creation were used as a basis.		
	is that were valid during the creation were used as a basis.		
Exposure controls			
Personal protective equipmen			
General protective and hygien			
Keep away from foodstuffs, beve Immediately remove all soiled ar			
Wash hands before breaks and			
Store protective clothing separat			
Avoid contact with the eyes and			
Breathing equipment:			
In case of brief exposure or low	w pollution use respiratory filter device. In case of intensive or longer		
	ive device that is independent of circulating air.		
Protection of hands:			
M			
Protective gloves			
Due to missing tests no recompreparation/ the chemical mixtur Selection of the glove material diffusion and the degradation	permeable and resistant to the product/ the substance/ the preparation. nmendation to the glove material can be given for the product/ the e. should be based on consideration of the penetration times, rates of		
Material of gloves The selection of the suitable glo quality and varies from manufact	ves does not only depend on the material, but also on further marks of turer to manufacturer.		
Penetration time of glove mate			
	as to be determined by the manufacturer of the protective gloves and		
has to be observed.			
Eye protection:			
Tightly sealed goggles	3		
Physical and chemical p	roperties		
Information on basic physical General Information	and chemical properties Molecular Weight: 32 g/mol		
Appearance:			
Form: Liquid			
	J I I I		
Color: Odor:	According to product specification According to product specification		

(Continued on page 6)



Printing date 01/16/2024

Reviewed on 12/05/2023

Trade name: Methanol natural

	(Continuation of page 5	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	-98 °C (-144.4 °F) 64.7 °C (148.5 °F)	
· Flash point:	11 °C (51.8 °F)	
· Flammability (solid, gaseous):	Highly flammable.	
· Auto igniting:	455 °C (851 °F)	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Not determined.	
[.] Danger of explosion:	Product is not explosive. However, formation of explosive vapor mixtures are possible.	
· Explosion limits: Lower: Upper:	5.5 Vol % 44 Vol %	
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)	
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	0.793 g/cm³ (6.61759 lbs/gal) Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with Water: 	Fully miscible.	
· Partition coefficient (n-octanol/water):	Not determined.	
Viscosity: Dynamic: Kinematic: Organic solvents: VOC content:	Not determined. Not determined. 100.0 % 100.00 % 793.0 g/l / 6.62 lb/gal	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.

(Continued on page 7)

US



Printing date 01/16/2024

Reviewed on 12/05/2023

Trade name: Methanol natural

(Continuation of page 6) • Hazardous decomposition products: No dangerous decomposition products known.

Acute toxicity: • LD/LC50 values that are relevant for classification:			
		ity Estimate)	
Oral	LD50	100 mg/kg (ATE)	
Dermal	LD50	300 mg/kg (ATE)	
Inhalative	LC50/4	h 3 mg/l (ATE)	
CAS: 67-	56-1 Meth	hanol	
Oral	LD50	100 mg/kg (ATE)	
		5,628 mg/kg (rat)	
Dermal	LD50	300 mg/kg (ATE)	
		15,800 mg/kg (rabbit)	
Inhalative	LC50/4	h 3 mg/l (ATE)	
	irritant ef	,	
Primary i on the sl on the ey Sensitiza	kin: No irr /e: No irrit ation: No	,	
Primary i on the sl on the ey Sensitiza Addition Carcinog	<pre>kin: No irr /e: No irrit ation: No al toxicol genic cate</pre>	fect: itant effect. tating effect. sensitizing effects known. logical information:	
Primary i on the sl on the ey Sensitiza Addition Carcinog IARC (Int	kin: No irrit ye: No irrit ation: No al toxicol genic cate ternation	fect: itant effect. tating effect. sensitizing effects known. logical information: egories al Agency for Research on Cancer)	
Primary i on the sl on the ey Sensitiza Addition Carcinog IARC (Int Substanc	kin: No irri (e: No irrif ation: No al toxicol genic cate ternation fe is not lis	fect: itant effect. tating effects. sensitizing effects known. logical information: egories al Agency for Research on Cancer) sted.	
Primary i on the sl on the ey Sensitiza Addition Carcinog IARC (Int Substanc	kin: No irri (e: No irrif ation: No al toxicol genic cate ternation fe is not lis	fect: itant effect. tating effect. sensitizing effects known. logical information: egories al Agency for Research on Cancer)	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Continued on page 8)

US



Printing date 01/16/2024

(Continuation of page 7)

Trade name: Methanol natural


• Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.





Printing date 01/16/2024

Reviewed on 12/05/2023

Trade name: Methanol natural

	(Continuation of page
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	
EMS Number:	F-E,S-D
Stowage Category	В
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
Hazardous substance:	5000 lbs, 2270 kg
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
- · · · /	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1230 METHANOL, 3 (6.1), II

15 Regulatory information

- $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara
- · Section 355 (extremely hazardous substances):
- Substance is not listed.
- · Section 313 (Specific toxic chemical listings):
- Substance is listed.
- TSCA (Toxic Substances Control Act):
- ACTIVE
- · Hazardous Air Pollutants
- Substance is listed.
- · Proposition 65
- · Chemicals known to cause cancer:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males:
- Substance is not listed.
 - · Chemicals known to cause developmental toxicity:
 - Substance is listed.

US

⁽Continued on page 10)



Printing date 01/16/2024

Trade name: Methanol natural

(Continuation	of page 9)
---------------	------------

Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

• TLV (Threshold Limit Value)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed. • GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: Methanol

· Hazard statements

H225	Highly flammable	liquid and vapor
IZZŪ		

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H370 Causes damage to the central nervous system and the visual organs.

· Precautionary statements

	12	C I I		ames/hot surfaces.	NI I.t.
P210		$y_{2}y_{1}$ trom heat/c	enarke/onan tia	ampe/not elirtarpe	- No emokind
L L L U		vav 110111 116au s	Nai N3/UNCI i Ila		- INU SITIUKITU.

- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P301+P310 If swallowed: Immediately call a poison center/doctor.
- P321 Specific treatment (see on this label).
- P330 Rinse mouth.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P361+P364Take off immediately all contaminated clothing and wash it before reuse.P405Store locked up.P501Dispose of contents/container in accordance with local/regional/national/international
regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Department issuing SDS:** Product Safety Department

· Contact:

- Product Safety Department
- productsafety@adv-bio.com
- Date of preparation / last revision 01/16/2024

(Continued on page 11)



Printing date 01/16/2024

Reviewed on 12/05/2023

Trade name: Methanol natural

	(Continuation of page 10)
Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises of International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Su CAS: Chemical Abstracts Service (division of the American Chemi NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 3: Acute toxicity – Category 3 Specific Target Organ Toxicity - Single Exposure 1: Specific target	ubstances ical Society)
REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2	organ toxicity (single exposure) – Category 1 us –
X O	