

Date of issue: 01/24/2025

Reviewed on 01/08/2025

1 Identification

· Product identifier


- · Trade name: Acetaldehyde Natural
- · CAS Number:
- 75-07-0
- · Other means of identification
- · Product number: 1248
- **EC number:** 200-836-8
- · Index number: 605-003-00-6
- · Application of the substance / the mixture Flavoring Ingredients

· Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

- Manufacturer/Supplier:
 Advanced Biotech
 10 Taft Road
 Totowa, NJ 07512 USA
- Information department: Product Safety Department productsafety@adv-bio.com
- **Emergency telephone number:** Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification





Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/08/2025

• otaldohydo Nati Trade ~

	(Continuation of page 1
Eye irritat	ion 2A H319 Causes serious eye irritation.
	arget organ toxicity (single exposure) 3 H335 May cause respiratory irritation.
symbol or	ns on label shall be in the shape of a square set at a point and shall include a black hazard n a white background with a red frame sufficiently wide to be clearly visible. tance is classified and labeled according to the Globally Harmonized System (GHS).
	ictograms
GHS02	GHS07 GHS08
Signal w	ord Danger
	etermining components of labeling:
Acetaldeh	nyde tatements
	remely flammable liquid and vapor.
	mful if swallowed.
	ises serious eye irritation.
	spected of causing genetic defects.
	/ cause cancer.
	/ cause respiratory irritation.
	onary statements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources
	No smoking.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
2303+P3	61+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
2305+P3	51+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, in present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internationa regulations.
nformati	on pertaining to particular dangers for man and environment:
	ation system: ings (scale 0 - 4)
	Health = 2
4	Fire = 4
2	Reactivity = 0
HMIS-rat	ings (scale 0 - 4)
HEALTH FIRE	 Health = 2 Fire = 4
REACTIVITY	
Other ha	zards
Results o	of PBT and vPvB assessment
	applicable.
	t applicable.
	(Continued on page 3



Reviewed on 01/08/2025

(Continuation of page 2)

Trade name: Acetaldehyde Natural

Date of issue: 01/24/2025

Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

• **Hazards not otherwise classified** There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 75-07-0 Acetaldehyde
- · Identification number(s)
- EC number: 200-836-8
- · Index number: 605-003-00-6

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture No further relevant information available.

- Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Continued on page 4)

JS



Date of issue: 01/24/2025

Reviewed on 01/08/2025

rade name: Acetaldehyde Natural

Trade name: Acetaldehyde Natural	
 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface Methods and material for contain Absorb with liquid-binding material (Dispose contaminated material as v Ensure adequate ventilation. Protective Action Criteria for Che 	ment and cleaning up: (sand, diatomite, acid binders, universal binders, sawdust). waste according to section 13.
· PAC-1:	
45 ppm	
· PAC-2:	
270 ppm	
· PAC-3:	
840 ppm	
• Reference to other sections See Section 7 for information on sat See Section 8 for information on pe See Section 13 for disposal informa	rsonal protection equipment.
7 Handling and starsga	
 7 Handling and storage Precautions for safe handling Ensure good ventilation/exhaustion Open and handle receptacle with ca Prevent formation of aerosols. Information about protection aga Keep ignition sources away - Do no Protect against electrostatic charges Keep respiratory protective device a 	are. inst explosions and fires: t smoke. s. available.

· Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

· Further information about storage conditions:

- Keep receptacle tightly sealed.
- Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

- Protect from heat and direct sunlight.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

Components with limit values that require monitoring at the workplace:

CAS: 75-07-0 Acetaldehyde

PEL Long-term value: 360 mg/m³, 200 ppm

(Continued on page 5)

s-



Date of issue: 01/24/2025

(Continuation of page 4)

Trade name: Acetaldehyde Natural

REL See Pocket Guide Apps. A and C

TLV Ceiling limit value: 25 ppm

· Additional information: The lists that were valid during the creation were used as a basis.

- Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

9 Physical and chemical properties Information on basic physical and chemical properties · General Information Molecular Weight: 44.05 g/mol · Physical state Liquid · Color: According to product specification · Odor: According to product specification · Odor threshold: Not determined. · Melting point/Melting range: -123 °C (-189.4 °F) 21 °C (69.8 °F) • Boiling point/Boiling range: (Continued on page 6)



Date of issue: 01/24/2025

Reviewed on 01/08/2025

Trade name: Acetaldehyde Natural

	(Continuation of page 5	
Flammability:	Not applicable.	
Explosion limits:		
Lower:	4 Vol %	
Upper:	57 Vol %	
Flash point:	-39 °C (-38.2 °F)	
Auto igniting:	140 °C (284 °F)	
Decomposition temperature:	Not determined.	
pH-value:	5	
Viscosity:		
Kinematic:	Not determined.	
Dynamic:	Not determined.	
Solubility in / Miscibility with		
Water:	Partly miscible.	
Partition coefficient (n-octanol/water):	Not determined.	
Vapor pressure at 20 °C (68 °F):	1,007 hPa (0.807 mm Hg)	
Vapor pressure at 50 °C (122 °F):	2.8 hPa (2.1 mm Hg)	
Density at 20 °C (68 °F):	0.78 g/cm³ (6.5091 lbs/gal)	
Relative density	Not determined.	
Refractive Index		
Vapor density	Not determined.	
Particle characteristics	Not applicable.	
Other information		
Appearance:		
Form:	Liquid	
Important information on protection of hea	alth	
and environment, and on safety.		
Ignition temperature:	Not determined.	
Danger of explosion:	Product is not explosive. However, formation of	
	explosive air/vapor mixtures are possible.	
Organic solvents:	100.0 %	
VOC content:	100.00 %	
	1,000.0 g/l / 8.35 lb/gal	
Change in condition		
Evaporation rate	Not determined.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Continued on page 7)

US



Date of issue: 01/24/2025

Reviewed on 01/08/2025

Trade name: Acetaldehyde Natural

(Continuation of page 6)

LD/LC50 values t	hat are relevant for classification:
ATE (Acute Toxic	
Oral LD50	661 mg/kg (rat)
CAS: 75-07-0 Ace	taldehyde
Oral LD50	700 mg/kg (ATE)
	661 mg/kg (rat)
Dermal LD50	3,540 mg/kg (ATE)
Inhalative LC50/4	h 37 mg/l (rat)
on the skin: No in on the eye: Irritatii Sensitization: No Additional toxico Interactive effects	itant effect. ng effect. sensitizing effects known. l ogical information: s No interactive effects between components are known.
on the skin: No iri on the eye: Irritati Sensitization: No Additional toxico Interactive effects Carcinogenic cate IARC (Internation	itant effect. ng effect. sensitizing effects known. l ogical information: s No interactive effects between components are known.
on the skin: No iri on the eye: Irritati Sensitization: No Additional toxico Interactive effects Carcinogenic cate IARC (Internation	itant effect. ng effect. sensitizing effects known. logical information: s No interactive effects between components are known. egories
on the skin: No iri on the eye: Irritatii Sensitization: No Additional toxico Interactive effects Carcinogenic cate IARC (Internation 2B NTP (National To	itant effect. ng effect. sensitizing effects known. logical information: s No interactive effects between components are known. egories
on the skin: No iri on the eye: Irritatii Sensitization: No Additional toxico Interactive effects Carcinogenic cate IARC (Internation 2B NTP (National To	itant effect. ng effect. sensitizing effects known. logical information: s No interactive effects between components are known. egories al Agency for Research on Cancer)
Additional toxico Interactive effects Carcinogenic cate IARC (Internation 2B NTP (National To R OSHA-Ca (Occup	itant effect. ng effect. sensitizing effects known. logical information: s No interactive effects between components are known. egories al Agency for Research on Cancer) xicology Program) ational Safety & Health Administration)
on the skin: No irri on the eye: Irritatii Sensitization: No Additional toxico Interactive effects Carcinogenic cate IARC (Internation 2B NTP (National To R OSHA-Ca (Occup Substance is not li	itant effect. ng effect. sensitizing effects known. logical information: s No interactive effects between components are known. egories al Agency for Research on Cancer) xicology Program) ational Safety & Health Administration) sted.
on the skin: No irri on the eye: Irritatii Sensitization: No Additional toxico Interactive effects Carcinogenic cate IARC (Internation 2B NTP (National To R OSHA-Ca (Occup Substance is not li Alternative sourc	itant effect. ng effect. sensitizing effects known. logical information: s No interactive effects between components are known. egories al Agency for Research on Cancer) xicology Program) ational Safety & Health Administration)
on the skin: No iri on the eye: Irritatii Sensitization: No Additional toxico Interactive effects Carcinogenic cate IARC (Internation 2B NTP (National To R OSHA-Ca (Occup Substance is not li Alternative sourc	itant effect. ng effect. sensitizing effects known. logical information: s No interactive effects between components are known. egories al Agency for Research on Cancer) xicology Program) ational Safety & Health Administration) sted. es for toxicological information

- Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Continued on page 8)

-US



Date of issue: 01/24/2025

Trade name: Acetaldehyde Natural

(Continuation of page 7)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1089
· UN proper shipping name · DOT · IMDG, IATA	Acetaldehyde ACETALDEHYDE
· Transport hazard class(es)	
DOT	
RAMME LOR	O.
· Class · Label	3 Flammable liquids 3
· IMDG, IATA	
· Class · Label	3 Flammable liquids 3
· Packing group · DOT, IMDG, IATA	I
· Environmental hazards: · Marine pollutant:	No
 Transport in bulk according to Annex I MARPOL73/78 and the IBC Code 	ll of Not applicable.
· Transport/Additional information:	
· Quantity limitations	On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L
· Hazardous substance:	1000 lbs, 454 kg



Date of issue: 01/24/2025

Reviewed on 01/08/2025

Trade name: Acetaldehyde Natural

	(Continuation of page 8)
·IMDG	
 Limited quantities (LQ) 	0
Excepted quantities (EQ)	Code: E3
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 300 ml
· Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler co	ode): 33
EMS Number:	F-E,S-D
· Stowage Category	E
· UN "Model Regulation":	UN 1089 ACETALDEHYDE, 3, I

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

• Section 313 (Specific toxic chemical listings):

This product contains the following EPCRA section 313 chemicals subject to the Reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 (40 CFR 372): Acetaldehyde CAS 75-07-00

Substance is listed.

• TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

B2

• TLV (Threshold Limit Value)

A3

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is listed.

(Continued on page 10)

- US



Reviewed on 01/08/2025

Date of issue: 01/24/2025

Trade name: Acetaldehyde Natural

	(Continuation of page 9)
GHS label ele	
	n label shall be in the shape of a square set at a point and shall include a black hazard
	hite background with a red frame sufficiently wide to be clearly visible.
	e is classified and labeled according to the Globally Harmonized System (GHS).
Hazard pictog	grams
~ /	
بالد /	
<u> **</u> / \ 2	
\vee	
GHS02 GH	S07 GHS08
<u>.</u>	
Signal word	Danger
Hazard-deter	mining components of labeling:
Acetaldehyde	
Hazard stater	ments
H224 Extreme	ely flammable liquid and vapor.
H302 Harmful	
H319 Causes	serious eye irritation.
	ted of causing genetic defects.
H350 May cau	
H335 May cau	use respiratory irritation.
Precautionary	y statements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P303+P361+F	P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water [or shower].
P305+P351+F	P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
National regu	Ilations:
•	
information a	bout limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- Contact:
- Product Safety Department
- productsafety@adv-bio.com
- Date of previous version 01/16/2024
- · Date of preparation 01/24/2025
- Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Continued on page 11)



Date of issue: 01/24/2025

Reviewed on 01/08/2025

Trade name: Acetaldehyde Natural

	(Continuation of page 10)
IMDG: International Maritime Code for Dangerous Goods	(continuation of page 10)
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flammable liquids 1: Flammable liquids – Category 1	
Acute toxicity - oral 4: Acute toxicity - Category 4	
Eye irritation 2A: Serious eye damage/eye irritation – Category 2A	
Germ cell mutagenicity 2: Germ cell mutagenicity – Category 2	
Carcinogenicity 1B: Carcinogenicity – Category 1B	
Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single	exposure) – Category 3
	Us