

Printing date 01/16/2024

Reviewed on 01/16/2024





Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Propionaldehyde natural

(Continuation of page 1)

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation. **GHS** label elements Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard

symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labeling: Propanal

· Hazard statements

- Highly flammable liquid and vapor. H225
- H302+H332 Harmful if swallowed or if inhaled.
- Causes skin irritation. H315
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.

· Precautionary statements P210

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see on this label).
- P330 Rinse mouth.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Classification system:
- NFPA ratings (scale 0 4)



Health = 3Fire = 4Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH *3 Health = *34 Fire = 4FIRE REACTIVITY 0 Reactivity = 0

· Other hazards

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Continued on page 3)

US



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Propionaldehyde natural

(Continuation of page 2)

· **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- CAS No. Description
- CAS: 123-38-6 Propanal
- Identification number(s)
- · EC number: 204-623-0
- · Index number: 605-018-00-8

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.
- Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Continued on page 4)

US -



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Propionaldehyde natural

	(Continuation of page 3)
Methods and material for containment and cleaning up Absorb with liquid-binding material (sand, diatomite, acid b	
Use neutralizing agent.	
Dispose contaminated material as waste according to sect	tion 13.
Ensure adequate ventilation.	
Reference to other sections	
See Section 7 for information on safe handling.	mont
See Section 8 for information on personal protection equip See Section 13 for disposal information.	iment.
Protective Action Criteria for Chemicals	
PAC-1:	
45 ppm	
PAC-2:	
260 ppm	
PAC-3:	
840 ppm	

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 123-38-6 Propanal

- REL See Pocket Guide App.C
- TLV Long-term value: 20 ppm

WEEL Long-term value: 20 ppm

Additional information: The lists that were valid during the creation were used as a basis.

(Continued on page 5)

us –



Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Propionaldehyde natural

(Continuation of page 4) · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles

Information on basic physical and	chemical properties	
General Information	Molecular Weight: 58.08 g/mol	
Appearance:		
Form:	Liquid	
Color:	According to product specification	
Odor:	According to product specification	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	-81 °C (-113.8 °F)	
Boiling point/Boiling range:	48.8 °C (119.8 °F)	
Flash point:	-30 °C (-22 °F)	
		(Continued on page



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Propionaldehyde natural

	(Continuation of page 5
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	190 °C (374 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air, vapor mixtures are possible.
Explosion limits: Lower: Upper:	2.3 Vol % 21 Vol %
Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F):	343 hPa (257.3 mm Hg) 1 hPa (0.8 mm Hg)
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	0.817 g/cm³ (6.81787 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water at 20 °C (68 °F):	340 g/l
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity: Dynamic: Kinematic: Organic solvents: VOC content:	Not determined. Not determined. 100.0 % 100.00 % 817.0 g/l / 6.82 lb/gal
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Continued on page 7)

US



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Propionaldehyde natural

(Continuation of page 6)

ATE (Acute Toxicity Estimate) Oral LD50 Inhalative LC50/4 h 11 mg/l (ATE) CAS: 123-38-6 Propanal Oral LD50 1,410 mg/kg (ATE) 1,410 mg/kg (ATE) 1,410 mg/kg (rat) Dermal LD50 2,460 mg/kg (rabbit) Inhalative LC50/4 h 11 mg/l (ATE) Primary irritant effect: on the skin: No irritant effect. on the eye: Strong irritant effect. on the eye: Strong irritant effect. on the eye: Strong irritant with the danger of severe eye injury. Sensitization: No sensitizing effects known. Additional toxicological information: Carcinogenic categories IARC (International Agency for Research on Cancer) Substance is not listed. NTP (National Toxicology Program) Substance is not listed. OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.	Acute toxicity:	toxicological effects
Oral LD50 1,410 mg/kg (ATE) Inhalative LC50/4 h 11 mg/l (ATE) CAS: 123-38-6 Propanal Oral LD50 1,410 mg/kg (ATE) Oral LD50 1,410 mg/kg (ATE) 1,410 mg/kg (ATE) Dermal LD50 2,460 mg/kg (ATE) 5,040 mg/kg (rab) Inhalative LC50/4 h 11 mg/l (ATE) Primary irritant effect: 5,040 mg/kg (rabbit) Inhalative LC50/4 h 11 mg/l (ATE) Primary irritant effect: on the skin: No irritant effect. on the eye: Strong irritant with the danger of severe eye injury. Sensitization: No sensitizing effects known. Additional toxicological information: Carcinogenic categories IARC (International Agency for Research on Cancer) Substance is not listed. MTP (National Toxicology Program) Substance is not listed. OSHA-Ca (Occupational Safety & Health Administration)	-	that are relevant for classification:
Oral LD50 1,410 mg/kg (ATE) Inhalative LC50/4 h 11 mg/l (ATE) CAS: 123-38-6 Propanal Oral LD50 1,410 mg/kg (ATE) Oral LD50 1,410 mg/kg (ATE) 1,410 mg/kg (ATE) Dermal LD50 2,460 mg/kg (ATE) 5,040 mg/kg (rab) Dermal LC50/4 h 11 mg/l (ATE) Primary irritant effect: 5,040 mg/kg (rabbit) Or the skin: No irritant effect: 5,040 mg/kg (rab) On the eye: Strong irritant with the danger of severe eye injury. Sensitization: No sensitizing effects known. Additional toxicological information: Carcinogenic categories IARC (International Agency for Research on Cancer) Substance is not listed. MTP (National Toxicology Program) Substance is not listed. OSHA-Ca (Occupational Safety & Health Administration)	ATE (Acute To:	icity Estimate)
CAS: 123-38-6 Propanal Oral LD50 1,410 mg/kg (ATE) 1,410 mg/kg (rat) 1,410 mg/kg (rat) Dermal LD50 2,460 mg/kg (ATE) 5,040 mg/kg (rabbit) 1 Inhalative LC50/4 h 11 mg/l (ATE) Primary irritant effect: on the skin: No irritant effect. on the eye: Strong irritant with the danger of severe eye injury. Sensitization: No sensitizing effects known. Additional toxicological information: Carcinogenic categories IARC (International Agency for Research on Cancer) Substance is not listed. NTP (National Toxicology Program) Substance is not listed. OSHA-Ca (Occupational Safety & Health Administration) Ostha-Ca (Occupational Safety & Health Administration)	•	· ·
Oral LD50 1,410 mg/kg (ATE) Dermal LD50 2,460 mg/kg (ATE) 5,040 mg/kg (rabbit) 5,040 mg/kg (rabbit) Inhalative LC50/4 h 11 mg/l (ATE) Primary irritant effect: on the skin: No irritant effect. on the skin: No irritant effect sknown. Additional toxicological information: Carcinogenic categories IARC (International Agency for Research on Cancer) Substance is not listed. NTP (National Toxicology Program) Substance is not listed. OSHA-Ca (Occupational Safety & Health Administration)	Inhalative LC50	/4 h 11 mg/l (ATE)
Dermal 1,410 mg/kg (rat) 2,460 mg/kg (ATE) 5,040 mg/kg (rabbit) Inhalative LC50/4 h 11 mg/l (ATE) Primary irritant effect: on the skin: No irritant effect. on the skin: No irritant effect. on the eye: Strong irritant with the danger of severe eye injury. Sensitization: No sensitizing effects known. Additional toxicological information: Carcinogenic categories IARC (International Agency for Research on Cancer) Substance is not listed. NTP (National Toxicology Program) Substance is not listed. OSHA-Ca (Occupational Safety & Health Administration)	CAS: 123-38-6	Propanal
Dermal LD50 2,460 mg/kg (ATE) 5,040 mg/kg (rabbit) 11 mg/l (ATE) Primary irritant effect: 0 on the skin: No irritant effect. 0 on the eye: Strong irritant with the danger of severe eye injury. Sensitization: No sensitizing effects known. Additional toxicological information: Carcinogenic categories IARC (International Agency for Research on Cancer) Substance is not listed. NTP (National Toxicology Program) Substance is not listed. OSHA-Ca (Occupational Safety & Health Administration)	Oral LD50	1,410 mg/kg (ATE)
Inhalative 5,040 mg/kg (rabbit) Inhalative LC50/4 h 11 mg/l (ATE) Primary irritant effect: on the skin: No irritant effect. on the eye: Strong irritant with the danger of severe eye injury. Sensitization: No sensitizing effects known. Additional toxicological information: Carcinogenic categories IARC (International Agency for Research on Cancer) Substance is not listed. NTP (National Toxicology Program) Substance is not listed. OSHA-Ca (Occupational Safety & Health Administration)		1,410 mg/kg (rat)
Inhalative LC50/4 h 11 mg/l (ATE) Primary irritant effect: on the skin: No irritant effect. on the skin: No irritant effect. on the eye: Strong irritant with the danger of severe eye injury. Sensitization: No sensitizing effects known. Additional toxicological information: Additional toxicological information: Carcinogenic categories IARC (International Agency for Research on Cancer) Substance is not listed. NTP (National Toxicology Program) Substance is not listed. OSHA-Ca (Occupational Safety & Health Administration) Administration)	Dermal LD50	2,460 mg/kg (ATE)
Primary irritant effect: on the skin: No irritant effect. on the eye: Strong irritant with the danger of severe eye injury. Sensitization: No sensitizing effects known. Additional toxicological information: Carcinogenic categories IARC (International Agency for Research on Cancer) Substance is not listed. NTP (National Toxicology Program) Substance is not listed. OSHA-Ca (Occupational Safety & Health Administration)		
on the skin: No irritant effect. on the eye: Strong irritant with the danger of severe eye injury. Sensitization: No sensitizing effects known. Additional toxicological information: Carcinogenic categories IARC (International Agency for Research on Cancer) Substance is not listed. NTP (National Toxicology Program) Substance is not listed. OSHA-Ca (Occupational Safety & Health Administration)		
Carcinogenic categories IARC (International Agency for Research on Cancer) Substance is not listed. NTP (National Toxicology Program) Substance is not listed. OSHA-Ca (Occupational Safety & Health Administration)	Primary irritant	5,040 mg/kg (rabbit) /4 h 11 mg/l (ATE) effect:
Substance is not listed. NTP (National Toxicology Program) Substance is not listed. OSHA-Ca (Occupational Safety & Health Administration)	Primary irritant on the skin: No on the eye: Stro Sensitization: N	5,040 mg/kg (rabbit) 4 h 11 mg/l (ATE) effect: irritant effect. ng irritant with the danger of severe eye injury. lo sensitizing effects known.
NTP (National Toxicology Program) Substance is not listed. OSHA-Ca (Occupational Safety & Health Administration)	Primary irritant on the skin: No on the eye: Stro Sensitization: N Additional toxic	5,040 mg/kg (rabbit) 44 h 11 mg/l (ATE) effect: irritant effect. ng irritant with the danger of severe eye injury. Io sensitizing effects known. cological information:
Substance is not listed. OSHA-Ca (Occupational Safety & Health Administration)	Primary irritant on the skin: No on the eye: Stro Sensitization: N Additional toxio Carcinogenic c IARC (Internatio	5,040 mg/kg (rabbit) 4 h 11 mg/l (ATE) effect: irritant effect. ng irritant with the danger of severe eye injury. Io sensitizing effects known. cological information: ategories onal Agency for Research on Cancer)
OSHA-Ca (Occupational Safety & Health Administration)	Primary irritant on the skin: No on the eye: Stro Sensitization: N Additional toxio Carcinogenic c IARC (Internatio	5,040 mg/kg (rabbit) 4 h 11 mg/l (ATE) effect: irritant effect. ng irritant with the danger of severe eye injury. Io sensitizing effects known. cological information: ategories onal Agency for Research on Cancer)
	Primary irritant on the skin: No on the eye: Stro Sensitization: N Additional toxid Carcinogenic c IARC (Internation Substance is no	5,040 mg/kg (rabbit) 44 h 11 mg/l (ATE) effect: irritant effect. ng irritant with the danger of severe eye injury. lo sensitizing effects known. cological information: ategories onal Agency for Research on Cancer) listed.
Substance is not listed.	Primary irritant on the skin: No on the eye: Stro Sensitization: N Additional toxic Carcinogenic c IARC (Internation Substance is no	5,040 mg/kg (rabbit) 44 h 11 mg/l (ATE) effect: irritant effect. ng irritant with the danger of severe eye injury. Io sensitizing effects known. cological information: ategories onal Agency for Research on Cancer) : listed. Toxicology Program)
	Primary irritant on the skin: No on the eye: Stro Sensitization: N Additional toxid Carcinogenic c IARC (International Substance is no NTP (National Substance is no	5,040 mg/kg (rabbit) 11 mg/l (ATE) effect: irritant effect. ng irritant with the danger of severe eye injury. lo sensitizing effects known. cological information: ategories onal Agency for Research on Cancer) listed.
	Primary irritant on the skin: No on the eye: Stro Sensitization: N Additional toxid Carcinogenic c IARC (International Substance is no NTP (National Substance is no	5,040 mg/kg (rabbit) 4 h 11 mg/l (ATE) effect: irritant effect. ng irritant with the danger of severe eye injury. lo sensitizing effects known. cological information: ategories onal Agency for Research on Cancer) listed.

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Continued on page 8)



Printing date 01/16/2024

Trade name: Propionaldehyde natural

(Continuation of page 7)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN1275
UN proper shipping name DOT IMDG, IATA	Propionaldehyde PROPIONALDEHYDE
Transport hazard class(es)	
DOT	O.
Class Label	3 Flammable liquids 3
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	Νο
Special precautions for user Hazard identification number (Ke EMS Number: Stowage Category	Warning: Flammable liquids emler code): 33 F-E,S-D E
Transport in bulk according to A	nnex II of Not applicable.



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Propionaldehyde natural

	(Continuation of page 8)
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· Hazardous substance:	1000 lbs, 454 kg
·IMDG	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1275 PROPIONALDEHYDE, 3, II

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

· Section 355 (extremely hazardous substances):	
Substance is not listed.	
Section 313 (Specific toxic chemical listings):	
Substance is listed.	
TSCA (Toxic Substances Control Act):	
ACTIVE	
· Hazardous Air Pollutants	
Substance is listed.	
Proposition 65	
Chemicals known to cause cancer:	
Substance is not listed.	
• Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
Chemicals known to cause reproductive toxicity for males:	
Substance is not listed.	
· Chemicals known to cause developmental toxicity:	
Substance is not listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
TLV (Threshold Limit Value)	
Substance is not listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
Substance is not listed.	




 Printing date 01/16/2024
 acc. to OSHA HCS (29 CFR § 1910.1200)

Reviewed on 01/16/2024

_ . _

Trade name: Propionaldehyde natural



Safety Data Sheet

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- Contact: Product Safety Department productsafety@adv-bio.com
 Date of preparation / last revision 01/16/2024
 Abbreviations and acronyms:
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

(Continued on page 11)

us



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Propionaldehyde natural

(Continuation of page 10) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Skin Irritation 2: Skin corrosion/irritation – Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3