

Printing date 01/16/2024

Reviewed on 01/10/2023

## 1 Identification

#### · Product identifier

- Trade name: Furanone 25% PG Natural
- · Product number: 1272
- · Application of the substance / the mixture Flavoring Ingredients
- · Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

- Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA
- Information department: Product Safety Department productsafety@adv-bio.com
- Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

## 2 Hazard(s) identification

### Classification of the substance or mixture

GHS05 Corrosion

Skin Corrosion 1BH314 Causes severe skin burns and eye damage.Eye Damage 1H318 Causes serious eye damage.

## GHS07

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

**GHS** label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The product is classified and labeled according to the Globally Harmonized System (GHS).

## · Hazard pictograms



· Signal word Danger

(Continued on page 2)



Printing date 01/16/2024

	(Continuation of page 1)
lazard-det	ermining components of labeling:
Furaneol	
Hazard stat	ements
	s severe skin burns and eye damage.
	ause an allergic skin reaction.
	ary statements
P260	Do not breathe/dust/fume/gas/mist/vapors/spray.
P303+P361	P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P305+P351	+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Classificati	on system: gs (scale 0 - 4)
310	Health = 3 Fire = 1 Reactivity = 0
HMIS-rating	is (scale 0 - 4)
HEALTH *3	Health = "3
HEALTH *3	
FIRE 1	Fire = 1
FIRE 1 REACTIVITY 0	Fire = 1 Reactivity = 0
FIRE 1 REACTIVITY 0 Other haza	Fire = 1 Reactivity = 0
FIRE     1       REACTIVITY     0       Other haza       Results of I	Fire = 1 Reactivity = 0 PBT and vPvB assessment
FIRE 1 REACTIVITY 0 Other haza Results of 1 PBT: Not ap	Fire = 1 Reactivity = 0 PBT and vPvB assessment plicable.
FIRE 1 REACTIVITY 0 Other haza Results of 1 PBT: Not ap	Fire = 1 Reactivity = 0 PBT and vPvB assessment plicable.
FIRE 1 REACTIVITY 0 Other haza Results of 1 PBT: Not ap	Fire = 1 Reactivity = 0 PBT and vPvB assessment plicable.
FIRE       1         REACTIVITY       0         Other haza       1         Results of I       1         PBT: Not ap       1         vPvB: Not ap       1	Fire = 1 Reactivity = 0 PBT and vPvB assessment plicable. pplicable.
FIRE       1         REACTIVITY       0         Other haza       1         Results of I       1         PBT: Not ap       1         vPvB: Not ap       1	Fire = 1 Reactivity = 0 PBT and vPvB assessment plicable.
FIRE 1 REACTIVITY 0 Other haza Results of 1 PBT: Not ap vPvB: Not a VPvB: Not a	Fire = 1 Reactivity = 0 PBT and vPvB assessment plicable. pplicable.
FIRE 1 REACTIVITY 0 Other haza Results of 1 PBT: Not ap vPvB: Not a vPvB: Not a Composi Chemical c	Fire = 1 Reactivity = 0 PBT and vPvB assessment plicable. pplicable. tion/information on ingredients haracterization: Mixtures
FIRE 1 REACTIVITY 0 Other haza Results of 1 PBT: Not ap vPvB: Not a Composi Chemical c Descriptior	Fire = 1 Reactivity = 0 PBT and vPvB assessment plicable. pplicable. tion/information on ingredients haracterization: Mixtures : Mixture of the substances listed below with nonhazardous additions.
FIRE 1 REACTIVITY 0 Other haza Results of 1 PBT: Not ap vPvB: Not a vPvB: Not a Composi Chemical c Descriptior	Fire = 1 Reactivity = 0 PBT and vPvB assessment uplicable. pplicable. tion/information on ingredients haracterization: Mixtures : Mixture of the substances listed below with nonhazardous additions. components:

Bungerous components.		
CAS: 57-55-6	Propylene glycol	50-100%
EINECS: 200-338-0		
CAS: 3658-77-3	Furaneol	10-25%
EINECS: 222-908-8	♦ Skin Corrosion 1B, H314; Eye Damage 1, H318; ♦ Acute Toxicity - Oral 4, H302; Sensitization - Skin 1A, H317	

## 4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and be sure to call for a doctor.

(Continued on page 3)



Printing date 01/16/2024

Reviewed on 01/10/2023

#### Trade name: Furanone 25% PG Natural

(Continuation of page 2)

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- · Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## 6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

- Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

• PAC-1:	
CAS: 57-55-6 Propylene glycol	30 mg/m³
PAC-2:	
CAS: 57-55-6 Propylene glycol	1,300 mg/m³
· PAC-3:	
CAS: 57-55-6 Propylene glycol	7,900 mg/m³
	US

(Continued on page 4)



Printing date 01/16/2024

#### Trade name: Furanone 25% PG Natural

(Continuation of page 3)

### 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### CAS: 57-55-6 Propylene glycol

WEEL Long-term value: 10 mg/m<sup>3</sup>

• Additional information: The lists that were valid during the creation were used as a basis.

#### • Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

(Continued on page 5)

US



Printing date 01/16/2024

## Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Reviewed on 01/10/2023

#### Trade name: Furanone 25% PG Natural

#### (Continuation of page 4)

• **Material of gloves** The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## • **Penetration time of glove material** The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

· General Information · Appearance:	
Form: Color: • Odor: • Odor threshold:	Liquid According to product specification According to product specification Not determined.
· pH-value:	Not determined.
<ul> <li>Change in condition</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	Undetermined. Undetermined.
· Flash point:	>93 °C (>199.4 °F)
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	2.6 Vol % 12.6 Vol %
· Vapor pressure at 20 °C (68 °F):	0.1 hPa
<ul> <li>Density at 20 °C (68 °F):</li> <li>Specific Gravity</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	1.045-1.1 g/cm³ (8.72053-9.1795 lbs/gal) 1.045-1.1 @ 20 °C (33.9-34 @ 68 °F) Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Fully miscible.



Printing date 01/16/2024

#### Reviewed on 01/10/2023

#### Trade name: Furanone 25% PG Natural

Partition coefficient (n-octano	Di/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	75.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	25.0 %	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 6,432 mg/kg (ATE)

#### CAS: 3658-77-3 Furaneol

- Oral LD50 1,608 mg/kg (ATE)
  - 1,608 mg/kg (mouse)
- Dermal LD50 >2,000 mg/kg (rat)

#### · Primary irritant effect:

- on the skin: No irritant effect.
- $\cdot$  on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Continued on page 7)



Printing date 01/16/2024

#### Reviewed on 01/10/2023

#### Trade name: Furanone 25% PG Natural

#### (Continuation of page 6)

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

#### · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
· DOT, IMDG, IATA	UN1760
UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (Furaneol)
IMDG, IATA	CORROSIVE LIQUID, N.O.S. (Furaneol)



## Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024

Reviewed on 01/10/2023

DOT       8         Class       8         Label       8         MDG, IATA       8         Class       8         Class       8         Corrosive substances       8         Special precautions for user       Warning: Corrosive substances         Stazard identification number (Kemler code): 80       F-A,S-B         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of       MARPOL73/78 and the IBC Code         MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       On cargo aircraft only: 30 L         MDG<		(Continuation of page 7)
Class 8 Corrosive substances 8 MDG, IATA Class 8 Corrosive substances 8 MDG, IATA Class 8 Corrosive substances 8 Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Stowage Category B Stowage Category B Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L MDG Limited quantities (LQ) 1L Excepted quantities (EQ) 1L Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml	Transport hazard class(es)	
Label       8         IMDG, IATA       IMDG, IATA         IMDG, IATA       I         Class       8 Corrosive substances         Label       8         Packing group       II         DOT, IMDG, IATA       II         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code): 80       8         Stowage Category       B         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of       Not applicable.         Transport in bulk according to Annex II of       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 1 L         On cargo aircraft only: 30 L       IMDG         Limited quantities (LQ)       1L         Excepted quantities (EQ)       1L         Code: E2       Maximum net quantity per inner packaging: 30 ml	DOT	
Label       8         IMDG, IATA       IMDG, IATA         IMDG, IATA       Impose State	$\wedge$	
Label       8         IMDG, IATA       IMDG, IATA         IMDG, IATA       Impose State		
Label       8         IMDG, IATA       IMDG, IATA         IMDG, IATA       8         Class       8 Corrosive substances         Label       8         Packing group       11         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Stowage Category       B         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of       MaRPOL73/78 and the IBC Code         MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L         IMDG       IL         Limited quantities (LQ)       1L         Excepted quantities (EQ)       1L         Code: E2       Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml       10	a	
Label       8         IMDG, IATA       IMDG, IATA         IMDG, IATA       8         Class       8 Corrosive substances         Label       8         Packing group       11         Environmental hazards:       Not applicable.         Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Stowage Category       B         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of       MaRPOL73/78 and the IBC Code         MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L         IMDG       IL         Limited quantities (LQ)       1L         Excepted quantities (EQ)       1L         Code: E2       Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml       10	Class	8 Corrosive substances
Label8Packing group DOT, IMDG, IATAIIEnvironmental hazards:Not applicable.Special precautions for userWarning: Corrosive substancesHazard identification number (Kemler code):80EMS Number:F-A,S-BStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 1 L On cargo aircraft only: 30 LDOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 30 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Label8Packing group DOT, IMDG, IATAIIEnvironmental hazards:Not applicable.Special precautions for userWarning: Corrosive substancesHazard identification number (Kemler code):80EMS Number:F-A,S-BStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 1 L On cargo aircraft only: 30 LDOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 30 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	IMDG, IATA	
Label8Packing group DOT, IMDG, IATAIIEnvironmental hazards:Not applicable.Special precautions for userWarning: Corrosive substancesHazard identification number (Kemler code):80EMS Number:F-A,S-BStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 1 L On cargo aircraft only: 30 LDOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 30 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	$\wedge$	
Label8Packing group DOT, IMDG, IATAIIEnvironmental hazards:Not applicable.Special precautions for userWarning: Corrosive substancesHazard identification number (Kemler code):80EMS Number:F-A,S-BStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 1 L On cargo aircraft only: 30 LDOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 30 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	- State - Stat	
Label8Packing group DOT, IMDG, IATAIIEnvironmental hazards:Not applicable.Special precautions for userWarning: Corrosive substancesHazard identification number (Kemler code):80EMS Number:F-A,S-BStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 1 L On cargo aircraft only: 30 LDOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 30 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Label8Packing group DOT, IMDG, IATAIIEnvironmental hazards:Not applicable.Special precautions for userWarning: Corrosive substancesHazard identification number (Kemler code):80EMS Number:F-A,S-BStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 1 L On cargo aircraft only: 30 LDOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 30 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	Class	8 Corrosive substances
DOT, IMDG, IATAIIEnvironmental hazards:Not applicable.Special precautions for userWarning: Corrosive substancesHazard identification number (Kemler code):80EMS Number:F-A,S-BStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 1 L On cargo aircraft only: 30 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Environmental hazards:Not applicable.Special precautions for user Hazard identification number (Kemler code): 80Warning: Corrosive substancesHazard identification number (Kemler code): 80F-A,S-BEMS Number: Stowage Category Stowage CodeF-A,S-BStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information: DOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 30 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Special precautions for user       Warning: Corrosive substances         Hazard identification number (Kemler code): 80       80         EMS Number:       F-A,S-B         Stowage Category       B         Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L         IMDG       Limited quantities (LQ)       1L         Excepted quantities (EQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	DOT, IMDG, IATA	
Hazard identification number (Kemler code): 80EMS Number:F-A,S-BStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 30 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	Environmental hazards:	Not applicable.
EMS Number:F-A,S-BStowage CategoryBStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:DOT Quantity limitationsDOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 30 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Stowage Category Stowage CodeB SW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information: DOT Quantity limitationsOn passenger aircraft/rail: 1 L On cargo aircraft only: 30 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Stowage Code       SW2 Clear of living quarters.         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 1 L         On cargo aircraft only: 30 L       On cargo aircraft only: 30 L         IMDG       1L         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml		
MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       On passenger aircraft/rail: 1 L         DOT       On passenger aircraft/rail: 1 L         Quantity limitations       On passenger aircraft/rail: 1 L         IMDG       IL         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml		_
MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       On passenger aircraft/rail: 1 L         DOT       On passenger aircraft/rail: 1 L         Quantity limitations       On passenger aircraft/rail: 1 L         IMDG       IL         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml	Transport in bulk according to Annex II of	
DOT       Quantity limitations       On passenger aircraft/rail: 1 L         Quantity limitations       On cargo aircraft only: 30 L         IMDG       IL         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml		Not applicable.
Quantity limitations       On passenger aircraft/rail: 1 L         On cargo aircraft only: 30 L         IMDG         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml	Transport/Additional information:	
IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	рот	
IMDG         Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml	Quantity limitations	On passenger aircraft/rail: 1 L
Limited quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml		On cargo aircraft only: 30 L
Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		
Maximum net quantity per outer packaging: 500 ml	Excepted quantities (EQ)	
UN "Model Regulation":		
	UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (FURANEOL),

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Continued on page 9)

US



Printing date 01/16/2024

Reviewed on 01/10/2023

#### 25% DC N -.

	(Continuation of page 8
Section 313 (Specific toxic chemical listings):	
lone of the ingredients is listed.	
SCA (Toxic Substances Control Act):	
Il components have the value ACTIVE.	
lazardous Air Pollutants	
lone of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
lone of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
lone of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
lone of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
lone of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
lone of the ingredients is listed.	
LV (Threshold Limit Value)	
lone of the ingredients is listed.	
IIOSH-Ca (National Institute for Occupational Safety and Health)	
lone of the ingredients is listed.	
GHS label elements Pictograms on label shall be in the shape of a square set at a point and shall symbol on a white background with a red frame sufficiently wide to be clearly vis The product is classified and labeled according to the Globally Harmonized Syst lazard pictograms	ible.



· Signal word Danger

· Hazard-determin	ing components of labeling:
Furaneol	
<ul> <li>Hazard statemen</li> </ul>	ts
H314 Causes sev	ere skin burns and eye damage.
H317 May cause a	an allergic skin reaction.
Precautionary st	atements
P260	Do not breathe/dust/fume/gas/mist/vapors/spray.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
	(Continued on page 10)

(Continued on page 10) - US -



Printing date 01/16/2024

Reviewed on 01/10/2023

#### Trade name: Furanone 25% PG Natural

	(Continuation of page 9)
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## Relevant phrases

H302 Harmful if swallowed.

- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.

#### · Department issuing SDS: Product Safety Department

· Contact:

Product Safety Department

productsafety@adv-bio.com

- Date of preparation / last revision 01/16/2024
- · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Corrosion 1B: Skin corrosion/irritation - Category 1B Eye Damage 1: Serious eye damage/eye irritation - Category 1 Sensitization - Skin 1: Skin sensitisation - Category 1 Sensitization - Skin 1A: Skin sensitisation - Category 1A 115