

Date of issue: 01/24/2025 Reviewed on 01/24/2025

#### 1 Identification

· Product identifier

· Trade name: Acetaldehyde 50% D'Limonene Natural

· CAS Number: 75-07-0 / 5989-27-5 · Other means of identification

· Product number: 1320

· EINECS Number: 200-836-8 / 227-813-5

· Application of the substance / the mixture Flavoring Ingredients

#### · Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Manufacturer/Supplier:

Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA

#### · Information department:

Product Safety Department productsafety@adv-bio.com

· Emergency telephone number:

Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International)

Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

# 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable liquids 1 H224 Extremely flammable liquid and vapor.



GHS08 Health hazard

Germ cell mutagenicity 2 H341 Suspected of causing genetic defects.

Carcinogenicity 1B H350 May cause cancer.



GHS07

Acute toxicity - oral 4 H302 Harmful if swallowed.
Skin irritation 2 H315 Causes skin irritation.

Eye irritation 2A H319 Causes serious eye irritation.

Sensitization - skin 1 H317 May cause an allergic skin reaction.

(Continued on page 2)



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Acetaldehyde 50% D'Limonene Natural

(Continuation of page 1)

Specific target organ toxicity (single exposure) 3 H335 May cause respiratory irritation.

#### GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

#### · Hazard pictograms







GHS02 GHS07 GHS08

# · Signal word Danger

#### · Hazard-determining components of labeling:

Acetaldehyde

### Limonene

#### · Hazard statements

H224 Extremely flammable liquid and vapor.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H335 May cause respiratory irritation.

#### · Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · Information pertaining to particular dangers for man and environment:

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 4 Reactivity = 0

#### · HMIS-ratings (scale 0 - 4)



- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Continued on page 3)



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Acetaldehyde 50% D'Limonene Natural

(Continuation of page 2)

· **vPvB:** Not applicable.

Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

	· Dangerous components:			
			≥25-≤100%	
L		🏇 Flammable liquids 1, H224; 🗘 Acute toxicity - oral 4, H302		
		Limonene	≥25-≤100%	
	EINECS: 227-813-5	Flammable liquids 3, H226		

# 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and be sure to call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- **Additional information**

Cool endangered receptacles with water spray.

(Continued on page 4)



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Acetaldehyde 50% D'Limonene Natural

(Continuation of page 3)

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

**Protective Action Criteria for Chemicals** 

· PAC-1:		, ,		
CAS: 75-07-0	Acetaldehyde		45 ppm	
CAS: 5989-27-5	Limonene		15 ppm	
· PAC-2:	· PAC-2:			
	Acetaldehyde		270 ppm	
CAS: 5989-27-5	Limonene		67 ppm	
PAC-3:	· PAC-3:			
CAS: 75-07-0	Acetaldehyde		840 ppm	
CAS: 5989-27-5	Limonene	( )"	170 ppm	

#### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

#### Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

### · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

JS -



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Acetaldehyde 50% D'Limonene Natural

(Continuation of page 4)

# 8 Exposure controls/personal protection

#### · Control parameters

#### · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

	CAS: 75-07-0 Acetaldehyde			
PEL	Long-term value: 360 mg/m³, 200 ppm			
REL	Long-term value: 360 mg/m³, 200 ppm See Pocket Guide Apps. A and C			
TLV	Ceiling limit value: 25 ppm			
	A2			

- · Additional information: The lists that were valid during the creation were used as a basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

(Continued on page 6)



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Acetaldehyde 50% D'Limonene Natural

· Eye protection:

Tightly sealed goggles

(Continuation of page 5)

### 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Physical state Liquid

Color: According to product specificationOdor: According to product specification

Odor threshold:
 Melting point/Melting range:
 Boiling point/Boiling range:
 Flammability:
 Not determined.
 Undetermined.
 21 °C (69.8 °F)
 Not applicable.

· Explosion limits:

• **Lower:** 0.7 Vol % • **Upper:** 57 Vol %

Flash point:
Auto igniting:
Decomposition temperature:
1.7 °C (35.1 °F)
140 °C (284 °F)
Not determined.

pH-value at 20 °C (68 °F): 5

· Viscosity:

Kinematic: Not determined.Dynamic: Not determined.

· Solubility in / Miscibility with

· Water: Not miscible or difficult to mix.

Partition coefficient (n-octanol/water):
 Vapor pressure at 20 °C (68 °F):
 Not determined.
 1 hPa (0.8 mm Hg)

· Vapor pressure:

Density: Not determined.Relative density Not determined.

Refractive Index

Vapor densityParticle characteristicsNot determined.Not applicable.

Other information

· Appearance:

· Form: Liquid

· Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

· Danger of explosion: Product is not explosive. However, formation of

explosive air/vapor mixtures are possible.

Solvent content:

• Organic solvents: 90-110 % • VOC content: 45-55 %

550-650 g/l / 4.59-5.42 lb/gal

(Continued on page 7)



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Acetaldehyde 50% D'Limonene Natural

(Continuation of page 6)

- · Change in condition
- · Evaporation rate

Not determined.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
ATE (Acu	ATE (Acute Toxicity Estimate)		
Oral LD50 1,202-1,469 mg/kg (rat)			

CAS: 75-0	CAS: 75-07-0 Acetaldehyde		
Oral	LD50	700 mg/kg (ATE)	
		661 mg/kg (rat)	
Dermal	LD50	3,540 mg/kg (ATE)	
Inhalative	LC50/4 h	37 mg/l (rat)	

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

- · Interactive effects No interactive effects between components are known.
- · Carcinogenic categories

· IARC (Internation	ternational Agency for Research on Cancer)	
CAS: 75-07-0	Acetaldehyde	2B
CAS: 5989-27-5	Limonene	3

### · NTP (National Toxicology Program)

CAS: 75-07-0 Acetaldehyde

R

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Continued on page 8)



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Acetaldehyde 50% D'Limonene Natural

(Continuation of page 7)

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.

4.4				4	
14	Trans	sport	into	rmat	ıon

. LINI Niumbor

DOT, IMDG, IATA	UN1993
· UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Acetaldehyde)
· IMDG	FLAMMABLE LIQUID, N.O.S. (ACETALDEHYDE,
	DIPENTENE), MARINE POLLUTANT
· IATA	FLAMMABLE LIQUID, N.O.S. (ACETALDEHYDE)

- · Transport hazard class(es)
- DOT



· Class 3 Flammable liquids

(Continued on page 9)



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Acetaldehyde 50% D'Limonene Natural

	(Continuation of page
Label	3
· IMDG	
<u>***</u>	
Class	3 Flammable liquids
· Label	3
IATA	
· Class · Label	3 Flammable liquids 3
· Packing group · DOT, IMDG, IATA	
· Environmental hazards:	Product contains environmentally hazardous substances: Limonene
Marine pollutant:	No Yes (DOT) Symbol (fish and tree)
Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	f Not applicable.
· Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
Remarks:	Special marking with the symbol (fish and tree).
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	0 Code: E3 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 300 ml
· Special precautions for user · Hazard identification number (Kemler cod · EMS Number: · Stowage Category	Warning: Flammable liquids de): 33 F-E, <u>S-E</u> E
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S (ACETALDEHYDE), 3, I, ENVIRONMENTALL HAZARDOUS



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Acetaldehyde 50% D'Limonene Natural

(Continuation of page 9)

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

This product contains the following EPCRA section 313 chemicals subject to the

Reporting requirements of section 313 of the Emergency Planning and

Community Right-to-Know Act of 1986 (40 CFR 372):

Acetaldehyde CAS 75-07-00

CAS: 75-07-0 Acetaldehyde

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

CAS: 75-07-0 Acetaldehyde

Proposition 65

· Chemicals known to cause cancer:

CAS: 75-07-0 Acetaldehyde

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

EPA (Environmental Protection Agency)

CAS: 75-07-0 Acetaldehyde

B2

· TLV (Threshold Limit Value)

CAS: 75-07-0 Acetaldehyde

A3

NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 75-07-0 Acetaldehyde

· GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms







GHS02 GHS07 GHS08

· Signal word Danger



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Acetaldehyde 50% D'Limonene Natural

(Continuation of page 10)

### · Hazard-determining components of labeling:

Acetaldehyde Limonene

#### · Hazard statements

H224 Extremely flammable liquid and vapor.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H335 May cause respiratory irritation.

#### · Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · National regulations:

#### · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H224 Extremely flammable liquid and vapor.

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

#### · Department issuing SDS: Product Safety Department

#### · Contact:

Product Safety Department productsafety@adv-bio.com

- Date of previous version 01/09/2025
- Date of preparation 01/24/2025
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Continued on page 12)



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Acetaldehyde 50% D'Limonene Natural

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Flammable liquids 1: Flammable liquids - Category 1 Flammable liquids 3: Flammable liquids - Category 3 Acute toxicity - oral 4: Acute toxicity - Category 4
Skin irritation 2: Skin corrosion/irritation - Category 2

Eye irritation 2A: Serious eye damage/eye irritation – Category 2A Sensitization - skin 1: Skin sensitisation – Category 1

Germ cell mutagenicity 2: Germ cell mutagenicity – Category 2

Carcinogenicity 1B: Carcinogenicity - Category 1B

Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) - Category 3

(Continuation of page 11)