

Printing date 01/16/2024

Reviewed on 01/10/2023

- 1 Identification · Product identifier Trade name: Isobutyl Butyrate natural · Product number: 1413 · CAS Number: 539-90-2 · EC number: 208-729-8 · Application of the substance / the mixture Flavoring Ingredients · Details of the supplier of the safety data sheet DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA · Information department: Product Safety Department productsafety@adv-bio.com · Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242 2 Hazard(s) identification · Classification of the substance or mixture GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. · GHS label elements Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02 Signal word Warning
  - Hazard statements H226 Flammable liquid and vapor.

(Continued on page 2)

US



Printing date 01/16/2024

# Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Reviewed on 01/10/2023

#### Trade name: Isobutyl Butyrate natural

	(Continuation of page 1)	
• Precautionary		
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.	
P241	Use explosion-proof electrical/ventilating/lighting/equipment.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P303+P361+P3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with	
	water/shower.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P501	Dispose of contents/container in accordance with local/regional/national/international	
1 301	regulations.	
Classification		
Classification		
<ul> <li>NFPA ratings</li> </ul>	(scale 0 - 4)	
Fi	ealth = 0 ire = 2 eactivity = 0	
· HMIS-ratings	(scale 0 - 4)	
HEALTH 0	Health = 0	
· · ·	Fire = 2	
	Reactivity = 0	
	Veacuivity - 0	
· Other hazards		
	, T and vPvB assessment	
• <b>PBT:</b> Not appli		
· <b>vPvB:</b> Not app	licadie.	
3 Composition/information on ingredients		

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 539-90-2 Isobutyl butyrate
- Identification number(s)
- **EC number:** 208-729-8

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Continued on page 3)



Printing date 01/16/2024

#### Trade name: Isobutyl Butyrate natural

(Continuation of page 2)

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: Water with full jet

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### 6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

- Ensure adequate ventilation. Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- · PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:
- No special requirements.
- Please refer to the product specification and/or Certificate of Analysis for product storage requirements. Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Continued on page 4)

US



Printing date 01/16/2024

#### Reviewed on 01/10/2023

#### Trade name: Isobutyl Butyrate natural

(Continuation of page 3)

• Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as a basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Information on basic physical	and chemical properties	
General Information	Molecular Weight: 144.21 g/mol	
· Appearance:		
Form:	Liquid	
Color:	According to product specification	
· Odor:	According to product specification	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	



Printing date 01/16/2024

#### Reviewed on 01/10/2023

#### Trade name: Isobutyl Butyrate natural

	(Continuation of page 4
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 157 °C (314.6 °F)
Flash point:	46 °C (114.8 °F)
Flammability (solid, gaseous):	Flammable.
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
Explosion limits: Lower: Upper:	Not determined. Not determined.
Vapor pressure at 20 °C (68 °F):	3.9 hPa (2.9 mm Hg)
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	0.865 g/cm³ (7.21843 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity: Dynamic: Kinematic: VOC content:	Not determined. Not determined. 0.00 % 0.0 g/l / 0.00 lb/gal
Other information	No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

(Continued on page 6)

US



Printing date 01/16/2024

#### Reviewed on 01/10/2023

#### Trade name: Isobutyl Butyrate natural

(Continuation of page 5)

### 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- Substance is not listed.

#### · NTP (National Toxicology Program)

Substance is not listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

(Continued on page 7)



Printing date 01/16/2024

Reviewed on 01/10/2023

#### Trade name: Isobutyl Butyrate natural

(Continuation of page 6)

UN-Number DOT, IMDG, IATA	UN3272
UN proper shipping name DOT IMDG IATA	Esters, n.o.s. (Isobutyl butyrate) ESTERS, N.O.S. (Isobutyl butyrate), MARINE POLLUTANT ESTERS, N.O.S. (Isobutyl butyrate)
Transport hazard class(es)	
DOT	
Class	3 Flammable liquids
Label IMDG	3
Class Label	3 Flammable liquids
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No Yes (DOT) Symbol (fish and tree)
Special precautions for user Stowage Category	Warning: Flammable liquids A
Transport in bulk according to Ann MARPOL73/78 and the IBC Code	ex II of Not applicable.



Printing date 01/16/2024

Reviewed on 01/10/2023

#### Trade name: Isobutyl Butyrate natural

	(Continuation of page 7
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
-	On cargo aircraft only: 220 L
Remarks:	Special marking with the symbol (fish and tree).
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
· · · · /	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3272 ESTERS, N.O.S. (ISOBUTYL BUTYRATE), 3

### 15 Regulatory information

 $^{\rm \cdot}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\rm \cdot}$  Sara

Section 355 (extremely hazardous substances):
 Substance is not listed.

 Section 313 (Specific toxic chemical listings):
 Substance is not listed.

 TSCA (Toxic Substances Control Act):
 ACTIVE

 Hazardous Air Pollutants
 Substance is not listed.

 Proposition 65

 Chemicals known to cause cancer:
 Substance is not listed.

 Chemicals known to cause reproductive toxicity for females:
 Substance is not listed.

• Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

(Continued on page 9)

<sup>-</sup> US



Printing date 01/16/2024

# Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Reviewed on 01/10/2023

#### Trade name: Isobutyl Butyrate natural

	(Continuation of page 8
<b>GHS</b> label eleme	
symbol on a white	bel shall be in the shape of a square set at a point and shall include a black hazard background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). <b>ms</b>
GHS02	
Signal word War	ning
Hazard statemen	•
H226 Flammable	liquid and vapor.
<b>Precautionary st</b>	atements
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
	3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/internationa regulations.
<b>Chemical safety</b>	assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- Contact:

Product Safety Department productsafety@adv-bio.com

- Date of preparation / last revision 01/16/2024
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Substances)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Flammable Liquids 3: Flammable liquids Category 3