

Date of issue: 01/24/2025

Reviewed on 01/24/2025

1 Identification

· Product identifier

- · Trade name: Rum Ether Replacer Type natural
- · Other means of identification
- Product number: 1440
- · Application of the substance / the mixture Flavoring Ingredients

· Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

- Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA
- Information department:
 Product Safety Department
 productsafety@adv-bio.com
- Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification

Classification of the substance or mixture

GHS02 Flame

Flammable liquids 3 H226 Flammable liquid and vapor.



Eye irritation 2A H319 Causes serious eye irritation.

GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



(Continued on page 2)

s –



Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

11	(Continuation of page 1)
Hazard statemen	
H226 Flammable	
H319 Causes seri	
Precautionary sta	
P210 P241 P303+P361+P353	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof [electrical/ventilating/lighting] equipment. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
P305+P351+P338	water [or shower]. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P235 P501	Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations.
Fire :	ale 0 - 4) th = 2 = 3 tivity = 0
HEALTH 2 Hea	$ \begin{aligned} \text{Ith} &= 2 \\ &= 3 \\ \text{ctivity} &= 0 \end{aligned} $
REACTIVITY 0 Rea	
REACTIVITY OREA	nd vPvB assessment
REACTIVITY Rea Other hazards Results of PBT a PBT: Not applicab vPvB: Not applica Classification ac	nd vPvB assessment le. ble. cording to (d)(1)(ii) of § 1910.1200 does not object to the classifications provided by importers or manufacturers of s.

 Dangerous compon 	ents:	
CAS: 64-17-5	Ethanol	50-100%
EINECS: 200-578-6	🚸 Flammable liquids 2, H225	
	Proprietary FEMA/GRAS Flavoring Ingredient	10-25%
	🚸 Flammable liquids 2, H225	
	Ethyl butyrate	≤2.5%
EINECS: 203-306-4	🚸 Flammable liquids 3, H226; 🚸 Eye irritation 2A, H319	
	(Cont	inued on page 3)

Reviewed on 01/24/2025

(Continuation of page 2)

≤2.5%



Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Trade name: Rum Ether Replacer Type natural

CAS: 105-37-3 Ethyl propionate EINECS: 203-291-4 Iguids 2, H225

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 64-17-5	Ethanol	1,800 ppm
	Proprietary FEMA/GRAS Flavoring Ingredient	1,200 ppm
CAS: 105-37-3	Ethyl propionate	6.3 ppm
· PAC-2:		
CAS: 64-17-5	Ethanol	3300* ppm
	Proprietary FEMA/GRAS Flavoring Ingredient	1,700 ppm
	•	(Continued on page 4



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Rum Ether Replacer Type natural

CAS: 105-37-3	Ethyl propionate	(Continuation of page : 69 ppm
PAC-3:		
CAS: 64-17-5	Ethanol	15000* ppm
	Proprietary FEMA/GRAS Flavoring Ingredient	10000** ppm
CAS: 105-37-3	Ethyl propionate	410 ppm
	t her sections or information on safe handling. or information on personal protection equipment.	

See Section 13 for disposal information.

7 Handling and storage

• Precautions for safe handling No special precautions are necessary if used correctly.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Please refer to the product specification and/or Certificate of Analysis for product storage requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

• Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

CAS	: 64-17-5 Ethanol
PEL	Long-term value: 1900 mg/m³, 1000 ppm
REL	Long-term value: 1900 mg/m³, 1000 ppm
TLV	Short-term value: 1000 ppm A3
Prop	rietary FEMA/GRAS Flavoring Ingredient
PEL	Long-term value: 1400 mg/m³, 400 ppm
REL	Long-term value: 1400 mg/m³, 400 ppm
TLV	Long-term value: 400 ppm
· Addi	tional information: The lists that were valid during the creation were used as a basis.
Appr Pers Gene	osure controls copriate engineering controls No further data; see section 7. onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed.
•	(Continued on page 5)




Date of issue: 01/24/2025

Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Reviewed on 01/24/2025

Trade name: Rum Ether Replacer Type natural





Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Rum Ether Replacer Type natural

	(Continuation of page 5
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/water):	Not determined.
Vapor pressure at 20 °C (68 °F):	97 hPa (72.8 mm Hg)
Vapor pressure:	
Density at 20 °C (68 °F):	0.83 g/cm³ (6.92635 lbs/gal)
Relative density	Not determined.
Refractive Index	
Vapor density	Not determined.
Particle characteristics	Not applicable.
Other information	
Appearance:	
Form:	Liquid
Important information on protection of heal	
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of
	explosive air/vapor mixtures are possible.
Solvent content:	
Organic solvents:	95.9 %
VOC content:	95.90 %
	796.0 g/l / 6.64 lb/gal
Change in condition	
Evaporation rate	Not determined.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Irritant
- · Interactive effects No interactive effects between components are known.

(Continued on page 7)

1



Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

(Continuation of page 6)

Trade name: Rum Ether Replacer Type natural

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 64-17-5 Ethanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN1993
Flammable liquids, n.o.s. (Ethanol, Ethyl acetate) FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHY ALCOHOL), ETHYL ACETATE)



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Rum Ether Replacer Type natural (Continuation of page 7) ·IATA FLAMMABLE LIQUID, N.O.S. (ETHANOL, ETHYL ACETATE) · Transport hazard class(es) · DOT Class 3 Flammable liquids · Label 3 · IMDG, IATA · Class **3 Flammable liquids** · Label 3 Packing group · DOT, IMDG, IATA Ш · Environmental hazards: · Marine pollutant: No · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: · DOT · Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L ·IMDG · Limited quantities (LQ) 5L • Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · Special precautions for user Warning: Flammable liquids · Hazard identification number (Kemler code): 30 · EMS Number: F-E,S-E Stowage Category А · UN "Model Regulation": UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL), ETHYL ACETATE), 3, III

(Continued on page 9)



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Rum Ether Replacer Type natural

(Continuation of page 8)

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 64-17-5 Ethanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

CAS: 64-17-5 Ethanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



Signal word Warning

· Hazard statements

H226 Flammable liquid and vapor.

H319 Causes serious eye irritation.

Precautionary statements

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

A3



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Rum Ether Replacer Type natural

	(Continuation of page 9)
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P303+P361+P353	B If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	B If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Chamical asfatu	and a month A. Ohamiaal Cafata Assaurant has not have a mission of the

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapor.

H226 Flammable liquid and vapor.

H319 Causes serious eye irritation.

· Department issuing SDS: Product Safety Department

Contact:

Product Safety Department

productsafety@adv-bio.com

Date of previous version 01/09/2025

• Date of preparation 01/24/2025 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flammable liquids 2: Flammable liquids - Category 2

Flammable liquids 3: Flammable liquids – Category 3

Eye irritation 2A: Serious eye damage/eye irritation - Category 2A