

Printing date 01/16/2024 Reviewed on 01/10/2023

### 1 Identification

· Product identifier

· Trade name: Trans-2-hexenal 50% in EtOH natural

· Product number: 1451

· Application of the substance / the mixture Flavoring Ingredients

· Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Manufacturer/Supplier:

Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA

· Information department:

Product Safety Department productsafety@adv-bio.com

· Emergency telephone number:

Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International)

Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 3 H226 Flammable liquid and vapor.



Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

**GHS label elements** 

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Continued on page 2)

(Continuation of page 1)



# Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024 Reviewed on 01/10/2023

Trade name: Trans-2-hexenal 50% in EtOH natural

· Hazard pictograms







GHS07 GHS02

- · Signal word Warning
- · Hazard-determining components of labeling:

Hexen-2-al

· Hazard statements

H226 Flammable liquid and vapor.

H302+H312 Harmful if swallowed or in contact with skin.

H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep cool. P403+P235

P501 Dispose of contents/container in accordance with local/regional/national/international

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 2

- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · vPvB: Not applicable.

# 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

(Continued on page 3)



Printing date 01/16/2024 Reviewed on 01/10/2023

Trade name: Trans-2-hexenal 50% in EtOH natural

	(Continuation	n of page 2)
· Dangerous compoi	nents:	
CAS: 64-17-5	Ethanol	25-50%
EINECS: 200-578-6	🅸 Flammable Liquids 2, H225; 🗘 Eye Irritation 2A, H319	
CAS: 6728-26-3	Hexen-2-al	25-50%
EINECS: 229-778-1	Flammable Liquids 3, H226; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1B, H317	

### 4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and be sure to call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

**Environmental precautions:** 

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

(Continued on page 4)



Printing date 01/16/2024 Reviewed on 01/10/2023

Trade name: Trans-2-hexenal 50% in EtOH natural

(Continuation of page 3)

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**Protective Action Criteria for Chemicals** 

· PAC-1:	· PAC-1:		
CAS: 64-17-5	Ethanol	~ .	1,800 ppm
· PAC-2:			
CAS: 64-17-5	Ethanol		3300* ppm
· PAC-3:			
CAS: 64-17-5	Ethanol		15000* ppm

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

No special requirements.

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

ſ	CAS	: 64-17-5 Ethanol
	PEL	Long-term value: 1900 mg/m³, 1000 ppm
	REL	Long-term value: 1900 mg/m³, 1000 ppm
	TLV	Short-term value: 1000 ppm
		A3

· Additional information: The lists that were valid during the creation were used as a basis.

(Continued on page 5)



Printing date 01/16/2024 Reviewed on 01/10/2023

Trade name: Trans-2-hexenal 50% in EtOH natural

(Continuation of page 4)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

## · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: According to product specification

Odor: According to product specification

· Odor threshold: Not determined.

· **pH-value:** Not determined.

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

(Continued on page 6)



Printing date 01/16/2024 Reviewed on 01/10/2023

Trade name: Trans-2-hexenal 50% in EtOH natural

	(Continuation of page 5
· Flash point:	<50 °C (<122 °F)
· Flammability (solid, gaseous):	Flammable.
· Auto igniting:	425 °C (797 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
· Explosion limits: Lower: Upper:	3.5 Vol % 15 Vol %
· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	0.828 g/cm³ (6.90966 lbs/gal) Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water	r): Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Organic solvents: VOC content:	50.0 % 50.00 % 414.0 g/l / 3.45 lb/gal
· Other information	No further relevant information available.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

15 -



Printing date 01/16/2024 Reviewed on 01/10/2023

Trade name: Trans-2-hexenal 50% in EtOH natural

(Continuation of page 6)

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

LD/LC50	values tha	at are relevant for classification:	(/)
ATE (Acu	te Toxicity	y Estimate)	
Oral	LD50	1,560 mg/kg (rat)	~/
Dermal	LD50	1,200 mg/kg (ATE)	
CAS: 64-	CAS: 64-17-5 Ethanol		
Oral	LD50	7,060 mg/kg (rat)	/ 7
Inhalative	LC50/4 h	20,000 mg/l (rat)	
CAS: 672	8-26-3 He	ken-2-al	
Oral	LD50	850 mg/kg (ATE)	
		780 mg/kg (rat)	
Dermal	LD50	600 mg/kg (ATE)	

- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.

600 mg/kg (rabbit)

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

- Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

CAS: 64-17-5 Ethanol

|1

NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

(Continued on page 8)

(Continuation of page 7)



# **Safety Data Sheet** acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024 Reviewed on 01/10/2023

Trade name: Trans-2-hexenal 50% in EtOH natural

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable. · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

· Class

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
· UN-Number · DOT, IMDG, IATA	UN1170
· UN proper shipping name · DOT · IMDG	Ethanol solutions ETHANOL SOLUTION (ETHYL ALCOHO SOLUTION), MARINE POLLUTANT
IATA	ETHANOL SOLUTION
· Transport hazard class(es) · DOT	
***************************************	
· Class · Label	3 Flammable liquids
· IMDG	
· Class · Label	3 Flammable liquids 3
· IATA	3

3 Flammable liquids



Reviewed on 01/10/2023 Printing date 01/16/2024

Trade name: Trans-2-hexenal 50% in EtOH natural

	(Continuation of page
· Label	3
· Packing group · DOT, IMDG, IATA	
· Environmental hazards: · Marine pollutant:	Product contains environmentally hazardous substances: 2-Hexenal, (E)-Yes Symbol (fish and tree)
<ul> <li>Special precautions for user</li> <li>Hazard identification number (Kemler code)</li> <li>EMS Number:</li> <li>Stowage Category</li> </ul>	Warning: Flammable liquids : 30 F-E,S-D A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information: · DOT · Quantity limitations · Remarks:	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L Special marking with the symbol (fish and tree).
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO SOLUTION), 3, III

# 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Continued on page 10)



Printing date 01/16/2024 Reviewed on 01/10/2023

Trade name: Trans-2-hexenal 50% in EtOH natural

(Continuation of page 9)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 64-17-5 Ethanol

#### · Carcinogenic categories

## EPA (Environmental Protection Agency)

None of the ingredients is listed.

### · TLV (Threshold Limit Value)

CAS: 64-17-5 Ethanol

**A3** 

### NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

#### · GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

## · Hazard pictograms





GHS02 GHS07

## · Signal word Warning

## · Hazard-determining components of labeling:

Hexen-2-al

#### · Hazard statements

H226 Flammable liquid and vapor.

H302+H312 Harmful if swallowed or in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

## · Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Continued on page 11)



Printing date 01/16/2024 Reviewed on 01/10/2023

Trade name: Trans-2-hexenal 50% in EtOH natural

(Continuation of page 10)

## · Relevant phrases

H225 Highly flammable liquid and vapor.

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

## Department issuing SDS: Product Safety Department

#### · Contact:

**Product Safety Department** productsafety@adv-bio.com

#### Date of preparation / last revision 01/16/2024

## Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 2: Flammable liquids - Category 2

Flammable Liquids 3: Flammable liquids - Category 3

Acute Toxicity - Oral 4: Acute toxicity - Category 4
Acute Toxicity - Dermal 3: Acute toxicity - Category 3

Skin Irritation 2: Skin corrosion/irritation - Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Sensitization - Skin 1: Skin sensitisation - Category 1

Sensitization - Skin 1B: Skin sensitisation - Category 1B