

Printing date 01/16/2024

Reviewed on 01/10/2023

## 1 Identification

#### · Product identifier

- Trade name: Acetal 35% in ETOH Natural
- Product number: 1520
- · CAS Number: 105-57-7 / 64-17-5
- · EINECS Number: 203-310-6 / 200-578-6
- · Application of the substance / the mixture Flavoring Ingredients
- · Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

- Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA
- · Information department:

Product Safety Department productsafety@adv-bio.com

• Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

## 2 Hazard(s) identification

· Classification of the substance or mixture



Flammable Liquids 2 H225 Highly flammable liquid and vapor.



Skin Irritation 2

H315 Causes skin irritation.

Eye Irritation 2A

H319 Causes serious eye irritation.

#### GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The product is classified and labeled according to the Globally Harmonized System (GHS).

#### Hazard pictograms



(Continued on page 2)



Printing date 01/16/2024

## Trade name: Acetal 35% in ETOH Natural

•· · · · -	(Continuation of page 1
Signal word D	s and the second s
Hazard staten	
	ammable liquid and vapor.
H315 Causes	
	serious eye irritation.
Precautionary	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin wit water/shower.
P305+P351+P	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Classification	
NFPA ratings	(scale 0 - 4)
	lealth = 2
	Reactivity = 0
	eactivity - 0
HMIS-ratings	(scale 0 - 4)
	Health = 2
	Fire = 4
	Reactivity = 0
Other hazards	
	T and vPvB assessment
DDT. Net com	
PBT: Not appli vPvB: Not app	

### · Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

<ul> <li>Dangerous compor</li> </ul>	nents:	
CAS: 64-17-5	Ethanol	50-100%
EINECS: 200-578-6	🚸 Flammable Liquids 2, H225; 🚸 Eye Irritation 2A, H319	
CAS: 105-57-7	Acetal	25-50%
EINECS: 203-310-6	Flammable Liquids 2, H225;  Skin Irritation 2, H315; Eye Irritation 2A, H319	

# 4 First-aid measures

## · Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.

(Continued on page 3)

US -



Printing date 01/16/2024

Reviewed on 01/10/2023

#### Trade name: Acetal 35% in ETOH Natural

(Continuation of page 2)

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### 6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

1,800 ppm

3300\* ppm

15000\* ppm

CAS: 64-17-5 Ethanol

CAS: 64-17-5 Ethanol

PAC-3:

· PAC-1:

· PAC-2:

CAS: 64-17-5 Ethanol

### 7 Handling and storage

· Handling:

• **Precautions for safe handling** No special precautions are necessary if used correctly.

(Continued on page 4)



Printing date 01/16/2024

be checked prior to the application.

Reviewed on 01/10/2023

## Trade name: Acetal 35% in ETOH Natural (Continuation of page 3) · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. · Conditions for safe storage, including any incompatibilities · Storage: • Requirements to be met by storerooms and receptacles: Store in a cool location. · Information about storage in one common storage facility: Not required. · Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. · Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection • Additional information about design of technical systems: No further data; see section 7. · Control parameters · Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits. CAS: 64-17-5 Ethanol PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm TLV Short-term value: 1000 ppm A3 • Additional information: The lists that were valid during the creation were used as a basis. · Exposure controls · Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eves. Avoid contact with the eyes and skin. · Breathing equipment: Not required. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to

(Continued on page 5)



Printing date 01/16/2024 Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Reviewed on 01/10/2023

(Continuation of page 4)

### Trade name: Acetal 35% in ETOH Natural

· Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Tightly sealed goggles

<ul> <li>Information on basic physical and</li> <li>General Information</li> </ul>	chemical properties
· Appearance:	
Form:	Liquid
Color:	According to product specification
· Odor:	According to product specification
Odor threshold:	Not determined.
· pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	7.9 °C (46.2 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	230 °C (446 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
Explosion limits:	
Lower:	1.6 Vol %
Upper:	15 Vol %
· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
· Density at 20 °C (68 °F):	0.803-0.843 g/cm³ (6.70104-7.03484 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.



Printing date 01/16/2024

Reviewed on 01/10/2023

#### Trade name: Acetal 35% in ETOH Natural

		(Continuation of page 5
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	70.0 %	
VOC content:	70.00 %	
	562.1-590.1 g/l / 4.69-4.92 lb/gal	
· Other information	No further relevant information available	

### 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

### CAS: 64-17-5 Ethanol

Oral LD50 7,060 mg/kg (rat)

Inhalative LC50/4 h 20,000 mg/l (rat)

#### Primary irritant effect:

- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.

#### • Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 64-17-5 Ethanol

### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Continued on page 7)

1



Printing date 01/16/2024

Reviewed on 01/10/2023

#### Trade name: Acetal 35% in ETOH Natural

(Continuation of page 6)

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · **Bioaccumulative potential** No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

#### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN1170
· UN proper shipping name	
DOT	Ethanol solutions
·IMDG	ETHANOL SOLUTION (ETHYL ALCOHO SOLUTION)
	ETHANOL SOLUTION
<ul> <li>Transport hazard class(es)</li> <li>DOT</li> </ul>	
· Class	3 Flammable liquids



Printing date 01/16/2024

Reviewed on 01/10/2023

### Trade name: Acetal 35% in ETOH Natural

	(Continuation of page 7
Label	3
IMDG, IATA	
	<i>O</i>
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler cod	
EMS Number: Stowage Category	F-E,S-D A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	r Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	* *
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

## 15 Regulatory information

 $^{\rm \cdot}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\rm \cdot}$  Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

### · Hazardous Air Pollutants

None of the ingredients is listed.

(Continued on page 9)

US-



Printing date 01/16/2024

#### Reviewed on 01/10/2023

#### Trade name: Acetal 35% in ETOH Natural

Proposition 65		_
	own to cause cancer:	
6	redients is listed.	
	own to cause reproductive toxicity for females:	
None of the ing	redients is listed.	
Chemicals kno	own to cause reproductive toxicity for males:	
None of the ing	redients is listed.	
Chemicals knc	own to cause developmental toxicity:	
CAS: 64-17-5 E	Ethanol	
Carcinogenic o	categories	
-	nental Protection Agency)	
•	redients is listed.	
TLV (Threshole	d Limit Value)	
CAS: 64-17-5 E		A3
NIOSH-Ca (Nat	tional Institute for Occupational Safety and Health)	
•	redients is listed.	
Pictograms on symbol on a wh The product is c	label shall be in the shape of a square set at a point and shall include a blac ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS).	k hazaro
symbol on a wh	label shall be in the shape of a square set at a point and shall include a blac ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS).	k hazarı
Pictograms on symbol on a wh The product is c	label shall be in the shape of a square set at a point and shall include a blac ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams	k hazar
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS0 Signal word Da Hazard statem H225 Highly flar H315 Causes s H319 Causes s	label shall be in the shape of a square set at a point and shall include a blac ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams 07 anger ents mmable liquid and vapor. kin irritation. erious eye irritation.	k hazar
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS0 Signal word Da Hazard statem H225 Highly flar H315 Causes s H319 Causes s Precautionary	label shall be in the shape of a square set at a point and shall include a blac ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams 07 anger ents mmable liquid and vapor. kin irritation. erious eye irritation. statements	k hazar
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS0 Signal word Da Hazard statem H225 Highly flar H315 Causes si H319 Causes si Precautionary P210 P241	label shall be in the shape of a square set at a point and shall include a blac ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams 07 anger ents mmable liquid and vapor. kin irritation. erious eye irritation. statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Use explosion-proof electrical/ventilating/lighting/equipment.	
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS0 Signal word Da Hazard statem H225 Highly flar H315 Causes si H319 Causes si Precautionary P210 P241	label shall be in the shape of a square set at a point and shall include a blac ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams 07 anger ents mmable liquid and vapor. kin irritation. erious eye irritation. statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. 853 If on skin (or hair): Take off immediately all contaminated clothing. Rinse	
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS0 Signal word Da Hazard statem H225 Highly flar H315 Causes s H319 Causes s Precautionary P210 P241 P303+P361+P3	<ul> <li>label shall be in the shape of a square set at a point and shall include a blackite background with a red frame sufficiently wide to be clearly visible.</li> <li>classified and labeled according to the Globally Harmonized System (GHS).</li> <li>rams</li> <li>07</li> <li>anger</li> <li>ents</li> <li>mmable liquid and vapor.</li> <li>kin irritation.</li> <li>erious eye irritation.</li> <li>statements</li> <li>Keep away from heat/sparks/open flames/hot surfaces No smoking.</li> <li>Use explosion-proof electrical/ventilating/lighting/equipment.</li> <li>353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse water/shower.</li> <li>338 If in eyes: Rinse cautiously with water for several minutes. Remove contact</li> </ul>	skin witl
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS0 Signal word Da Hazard statem H225 Highly flar H315 Causes s H319 Causes s Precautionary P210 P241 P303+P361+P3 P305+P351+P3	<ul> <li>label shall be in the shape of a square set at a point and shall include a blac inte background with a red frame sufficiently wide to be clearly visible.</li> <li>classified and labeled according to the Globally Harmonized System (GHS).</li> <li>rams</li> <li>07</li> <li>anger ents</li> <li>mmable liquid and vapor.</li> <li>kin irritation.</li> <li>erious eye irritation.</li> <li>statements</li> <li>Keep away from heat/sparks/open flames/hot surfaces No smoking.</li> <li>Use explosion-proof electrical/ventilating/lighting/equipment.</li> <li>853 If on skin (or hair): Take off immediately all contaminated clothing. Rinse water/shower.</li> <li>838 If in eyes: Rinse cautiously with water for several minutes. Remove contact present and easy to do. Continue rinsing.</li> </ul>	skin witl
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS0 Signal word Da Hazard statem H225 Highly flar H315 Causes s H319 Causes s Precautionary P210 P241 P303+P361+P3	<ul> <li>label shall be in the shape of a square set at a point and shall include a blackite background with a red frame sufficiently wide to be clearly visible.</li> <li>classified and labeled according to the Globally Harmonized System (GHS).</li> <li>rams</li> <li>07</li> <li>anger</li> <li>ents</li> <li>mmable liquid and vapor.</li> <li>kin irritation.</li> <li>erious eye irritation.</li> <li>statements</li> <li>Keep away from heat/sparks/open flames/hot surfaces No smoking.</li> <li>Use explosion-proof electrical/ventilating/lighting/equipment.</li> <li>353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse water/shower.</li> <li>338 If in eyes: Rinse cautiously with water for several minutes. Remove contact</li> </ul>	skin witl lenses, i

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.



Printing date 01/16/2024

Reviewed on 01/10/2023

#### Trade name: Acetal 35% in ETOH Natural (Continuation of page 9) · Relevant phrases H225 Highly flammable liquid and vapor. H315 Causes skin irritation. H319 Causes serious eye irritation. · Department issuing SDS: Product Safety Department · Contact: **Product Safety Department** productsafety@adv-bio.com Date of preparation / last revision 01/16/2024 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Skin Irritation 2: Skin corrosion/irritation - Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A