

Printing date 01/16/2024

Reviewed on 01/10/2023

# 1 Identification

- · Product identifier
- <sup>·</sup> Trade name: Grain Fusel Oil S Type natural
- Product number: 1578
- · CAS Number: 8013-75-0
- EINECS Number: 232-395-2
- · Application of the substance / the mixture Flavoring Ingredients
- · Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

- Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA
- · Information department:

Product Safety Department productsafety@adv-bio.com

• Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

Classification of the substance o GHS02 Flame	Thixture	
Flammable Liquids 3	H226	Flammable liquid and vapor.
GHS05 Corrosion		
Eye Damage 1	H318	Causes serious eye damage.
GHS07		
Acute Toxicity - Oral 4	H302	Harmful if swallowed.
Skin Irritation 2	H315	Causes skin irritation.
Specific Target Organ Toxicity - Sin	gle Exposure 3 H335-H33	6 May cause respiratory irritation. N cause drowsiness or dizziness.



Printing date 01/16/2024

Reviewed on 01/10/2023

## Trade name: Grain Fusel Oil S Type natural



Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

# 3 Composition/information on ingredients

## · Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

(Continued on page 3)

US



Printing date 01/16/2024

#### Trade name: Grain Fusel Oil S Type natural

(Continuation of page 2)

• Dangerous components: Not Applicable

# 4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

# 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Continued on page 4)

US



Printing date 01/16/2024

Reviewed on 01/10/2023

(Continuation of page 3)

#### Trade name: Grain Fusel Oil S Type natural

#### · Protective Action Criteria for Chemicals

· PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

# 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
   Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- **Components with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as a basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
  Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Continued on page 5)

US -



Printing date 01/16/2024

#### Trade name: Grain Fusel Oil S Type natural

(Continuation of page 4)

## · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

## • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

## • Eye protection:



Tightly sealed goggles

Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	According to product specification
Odor:	According to product specification
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	42 °C (107.6 °F)
Flammability (solid, gaseous):	Flammable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
Explosion limits:	
Lower:	Not determined.



Printing date 01/16/2024

#### Reviewed on 01/10/2023

#### Trade name: Grain Fusel Oil S Type natural

		(Continuation of page 5
Upper:	Not determined.	/
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	0.822 g/cm³ (6.85959 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Slightly soluble.	
Partition coefficient (n-octanol/wa	ater): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Other information	No further relevant information availa	able.

## 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

#### **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Continued on page 7)

US -



Printing date 01/16/2024

### Reviewed on 01/10/2023

### Trade name: Grain Fusel Oil S Type natural

(Continuation of page 6)

## • NTP (National Toxicology Program)

None of the ingredients is listed.

## · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

#### · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	UN1201	
· UN proper shipping name		
DOT	Fusel oil	
· IMDG, IATA	FUSEL OIL	



Printing date 01/16/2024

Reviewed on 01/10/2023

## Trade name: Grain Fusel Oil S Type natural (Continuation of page 7) · Transport hazard class(es) · DOT · Class 3 Flammable liquids · Label 3 · IMDG, IATA · Class **3 Flammable liquids** · Label 3 · Packing group · DOT, IMDG, IATA Ш · Environmental hazards: • Marine pollutant: No · Special precautions for user Warning: Flammable liquids Stowage Category А · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: · DOT · Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L ·IMDG · Limited quantities (LQ) 5L • Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN 1201 FUSEL OIL, 3, III · UN "Model Regulation":

# 15 Regulatory information

 $^{\cdot}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\cdot}$  Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Continued on page 9)

<sup>-</sup>US



Printing date 01/16/2024

#### Reviewed on 01/10/2023

(Continuation of page 8)

#### Trade name: Grain Fusel Oil S Type natural

	(Toyic	Substances	Control Act):
IJUA		Substances	CONTROLACI).

None of the ingredients is listed.

#### · Hazardous Air Pollutants

None of the ingredients is listed.

#### · Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### · TLV (Threshold Limit Value)

None of the ingredients is listed.

#### NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

#### GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

## Hazard pictograms



# · Signal word Danger

## · Hazard statements

- H226 Flammable liquid and vapor.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

## Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see on this label).
- P330 Rinse mouth.

(Continued on page 10)



Printing date 01/16/2024

#### Reviewed on 01/10/2023

#### Trade name: Grain Fusel Oil S Type natural

	(Continuation of page 9)
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product Safety Department

#### Contact: Product Safety Department productsafety@adv-bio.com

- Date of preparation / last revision 01/16/2024
- Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Flammable Liquids 3: Flammable liquids Category 3
- Acute Toxicity Oral 4: Acute toxicity Category 4
- Skin Irritation 2: Skin corrosion/irritation Category 2
- Eye Damage 1: Serious eye damage/eye irritation Category 1
- Specific Target Organ Toxicity Single Exposure 3: Specific target organ toxicity (single exposure) Category 3