

Printing date 01/16/2024

Reviewed on 12/05/2023

# 1 Identification

- · Product identifier
- Trade name: Acetaldehyde 50% in Triacetin Natural
- · Product number: 1630
- · CAS Number: 75-07-0 / 102-76-1
- · EINECS Number: 200-836-8 / 203-05-19
- · Application of the substance / the mixture Flavoring Ingredients
- · Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

- · Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA
- · Information department:

**Product Safety Department** productsafety@adv-bio.com

· Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

# 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 1



Germ Cell Mutagenicity 2 Carcinogenicity 1B

GHS07

Acute Toxicity - Oral 4

Eye Irritation 2A

H224 Extremely flammable liquid and vapor.

H341 Suspected of causing genetic defects.

H302 Harmful if swallowed.

H350 May cause cancer.

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation. **GHS** label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.


(Continued on page 2)



Printing date 01/16/2024

Reviewed on 12/05/2023

### Trade name: Acetaldehyde 50% in Triacetin Natural



Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

· Description: Mixture of the substances listed below with nonhazardous additions.

(Continued on page 3)

US



Printing date 01/16/2024

Reviewed on 12/05/2023

### Trade name: Acetaldehyde 50% in Triacetin Natural

	(Continuatio	on of page 2
<ul> <li>Dangerous compor</li> </ul>	nents:	
CAS: 75-07-0 EINECS: 200-836-8	Acetaldehyde Flammable Liquids 1, H224; Germ Cell Mutagenicity 2, H341; Carcinogenicity 1B, H350; Acute Toxicity - Oral 4, H302; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	25-50%

### 4 First-aid measures

### · Description of first aid measures

### · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Immediately call a doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# 5 Fire-fighting measures

#### · Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

# 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
   Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling.

(Continued on page 4)

US



Printing date 01/16/2024

#### Reviewed on 12/05/2023

#### Trade name: Acetaldehyde 50% in Triacetin Natural

See Section 13	or information on personal protection equipment. for disposal information. ion Criteria for Chemicals	(Continuation of page 3)
· PAC-1:		
CAS: 75-07-0	Acetaldehyde	45 ppm
CAS: 102-76-1	Triacetin	19 mg/m <sup>3</sup>
· PAC-2:		
CAS: 75-07-0	Acetaldehyde	270 ppm
CAS: 102-76-1	Triacetin	210 mg/m <sup>3</sup>
· PAC-3:		
CAS: 75-07-0	Acetaldehyde	840 ppm
CAS: 102-76-1	Triacetin	1,200 mg/m <sup>3</sup>

# 7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
   Protect against electrostatic charges.
   Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

### · Control parameters

Components with limit values that require monitoring at the workplace:

### CAS: 75-07-0 Acetaldehyde

PEL Long-term value: 360 mg/m<sup>3</sup>, 200 ppm

REL See Pocket Guide Apps. A and C

TLV Ceiling limit value: 25 ppm

· Additional information: The lists that were valid during the creation were used as a basis.

(Continued on page 5)

<sup>–</sup> US



Printing date 01/16/2024

Reviewed on 12/05/2023

### Trade name: Acetaldehyde 50% in Triacetin Natural

	(Continuation of page 4)
Exposure controls	
Personal protective equipment:	
General protective and hygienic m	leasures:
Keep away from foodstuffs, beverage Immediately remove all soiled and co	
Wash hands before breaks and at the	
Store protective clothing separately.	
Avoid contact with the eyes.	
Avoid contact with the eyes and skin.	
Breathing equipment:	
	Ilution use respiratory filter device. In case of intensive or longer
Protection of hands:	device that is independent of circulating air.
Protection of hands.	
Protective gloves	
The glove material has to be imperm	eable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommen	ndation to the glove material can be given for the product/ the
preparation/ the chemical mixture.	
	uld be based on consideration of the penetration times, rates of
diffusion and the degradation	
Material of gloves     The selection of the suitable gloves	does not only depend on the material, but also on further marks of
	rer to manufacturer. As the product is a preparation of several
	by the material can not be calculated in advance and has therefore to
be checked prior to the application.	
Penetration time of glove material	
• Penetration time of glove material The exact break through time has to	
• <b>Penetration time of glove material</b> The exact break through time has to has to be observed.	
• Penetration time of glove material The exact break through time has to	
• <b>Penetration time of glove material</b> The exact break through time has to has to be observed.	
• <b>Penetration time of glove material</b> The exact break through time has to has to be observed.	
<ul> <li>Penetration time of glove material The exact break through time has to has to be observed.</li> <li>Eye protection:</li> </ul>	
<ul> <li>Penetration time of glove material The exact break through time has to has to be observed.</li> <li>Eye protection:</li> </ul>	
<ul> <li>Penetration time of glove material The exact break through time has to has to be observed.</li> <li>Eye protection:</li> </ul>	
<ul> <li>Penetration time of glove material The exact break through time has to has to be observed.</li> <li>Eye protection:</li> </ul>	o be determined by the manufacturer of the protective gloves and
<ul> <li>Penetration time of glove material The exact break through time has to has to be observed.</li> <li>Eye protection: Tightly sealed goggles</li> <li>9 Physical and chemical properties</li> </ul>	o be determined by the manufacturer of the protective gloves and
<ul> <li>Penetration time of glove material The exact break through time has to has to be observed.</li> <li>Eye protection: Tightly sealed goggles</li> <li>9 Physical and chemical properties</li> <li>• Information on basic physical and</li> </ul>	o be determined by the manufacturer of the protective gloves and
<ul> <li>Penetration time of glove material The exact break through time has to has to be observed.</li> <li>Eye protection: Tightly sealed goggles     </li> <li>Physical and chemical properties         Information on basic physical and General Information</li> </ul>	o be determined by the manufacturer of the protective gloves and
<ul> <li>Penetration time of glove material The exact break through time has to has to be observed.</li> <li>Eye protection: Tightly sealed goggles</li> <li>9 Physical and chemical properties</li> <li>Information on basic physical and</li> </ul>	o be determined by the manufacturer of the protective gloves and erties chemical properties
<ul> <li>Penetration time of glove material The exact break through time has to has to be observed.</li> <li>Eye protection: Tightly sealed goggles     </li> <li>Physical and chemical properior</li> <li>Information on basic physical and</li> <li>General Information</li> <li>Appearance:</li> </ul>	o be determined by the manufacturer of the protective gloves and
<ul> <li>Penetration time of glove material The exact break through time has to has to be observed.</li> <li>Eye protection: Tightly sealed goggles     </li> <li>Physical and chemical properior</li> <li>Information on basic physical and General Information         Appearance: Form:     </li> </ul>	erties Chemical properties Liquid According to product specification According to product specification
<ul> <li>Penetration time of glove material The exact break through time has to has to be observed.</li> <li>Eye protection: Tightly sealed goggles     </li> <li>Physical and chemical properior</li> <li>Information on basic physical and General Information         Appearance: Form: Color:     </li> </ul>	o be determined by the manufacturer of the protective gloves and erties chemical properties Liquid According to product specification
<ul> <li>Penetration time of glove material The exact break through time has to has to be observed.</li> <li>Eye protection: Tightly sealed goggles     </li> <li>Physical and chemical properties         Information on basic physical and         General Information         Appearance: Form: Color:         Odor:     </li> </ul>	erties Chemical properties Liquid According to product specification According to product specification
<ul> <li>Penetration time of glove material The exact break through time has to has to be observed.</li> <li>Eye protection:</li> <li>Tightly sealed goggles</li> <li>Physical and chemical properties</li> <li>Information on basic physical and General Information</li> <li>Appearance: Form: Color:</li> <li>Odor:</li> <li>Odor threshold:</li> <li>pH-value:</li> <li>Change in condition</li> </ul>	e be determined by the manufacturer of the protective gloves and erties chemical properties Liquid According to product specification According to product specification Not determined. Not determined.
<ul> <li>Penetration time of glove material The exact break through time has to has to be observed.</li> <li>Eye protection:</li> <li>Tightly sealed goggles</li> </ul> 9 Physical and chemical properties <ul> <li>Information on basic physical and</li> <li>General Information</li> <li>Appearance: Form: Color:</li> <li>Odor:</li> <li>Odor threshold:</li> <li>pH-value:</li> </ul>	erties chemical properties Liquid According to product specification According to product specification Not determined.



Printing date 01/16/2024

Reviewed on 12/05/2023

### Trade name: Acetaldehyde 50% in Triacetin Natural

	(Continuation of page 5
Boiling point/Boiling range:	21 °C (69.8 °F)
Flash point:	<-5 °C (<23 °F)
Flammability (solid, gaseous):	Not applicable.
Auto igniting:	140 °C (284 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
Explosion limits:	
Lower:	4 Vol %
Upper:	57 Vol %
Vapor pressure at 20 °C (68 °F):	1 hPa (0.8 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/water)	: Not determined.
Viscosity:	A
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	50.0 %
VOC content:	50.00 %
	500.0 g/l / 4.17 lb/gal
Other information	No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Continued on page 7)

US



Printing date 01/16/2024

#### Reviewed on 12/05/2023

(Continuation of page 6)

### Trade name: Acetaldehyde 50% in Triacetin Natural

		xicological effects
Acute to:	cicity:	
LD/LC50	values th	hat are relevant for classification:
ATE (Acı	te Toxici	ity Estimate)
Oral	LD50	1,322 mg/kg (rat)
CAS: 75-	07-0 Acet	taldehyde
Oral	LD50	700 mg/kg (ATE)
		661 mg/kg (rat)
Dermal	LD50	3,540 mg/kg (ATE)
Inhalative	LC50/4	h 37 mg/l (rat)
		vs the following dangers according to internally approved calculation meth
preparatio Harmful Irritant	onio ooto	
Harmful Irritant Carcinog		
Harmful Irritant Carcinog IARC (Int	ernationa	al Agency for Research on Cancer)
Harmful Irritant <b>Carcinog</b> IARC (Int CAS: 75-(	ernationa	al Agency for Research on Cancer) etaldehyde
Harmful Irritant Carcinog IARC (Int CAS: 75-( NTP (Nat	ernationa 07-0 Acet ional Tox	al Agency for Research on Cancer)
Harmful Irritant <b>Carcinog</b> IARC (Int CAS: 75-( NTP (Nat CAS: 75-(	ernationa 07-0 Acet ional Tox 07-0 Acet	al Agency for Research on Cancer) taldehyde xicology Program)

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Continued on page 8)

-us-



Printing date 01/16/2024

#### Trade name: Acetaldehyde 50% in Triacetin Natural

(Continuation of page 7)

· Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1089	
UN proper shipping name DOT IMDG, IATA	Acetaldehyde mixture ACETALDEHYDE mixture	
Transport hazard class(es) DOT	<u>O</u>	
Class Label IMDG, IATA	3 Flammable liquids 3	
Class	3 Flammable liquids	
Label	3	
Packing group DOT, IMDG, IATA	I	
Environmental hazards: Marine pollutant:	No	
Special precautions for user Hazard identification number (Ke EMS Number: Stowage Category	Warning: Flammable liquids emler code): 33 F-E,S-D E	



Printing date 01/16/2024

Reviewed on 12/05/2023

### Trade name: Acetaldehyde 50% in Triacetin Natural

$\mathcal{O}$
rail: Forbidden 30 L
per inner packaging: 30 ml per outer packaging: 300 ml
IYDE MIXTURE, 3, I

# 15 Regulatory information

 $^{\cdot}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\cdot}$  Sara

<ul> <li>Section 355 (extremely hazardous substances):</li> </ul>	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
CAS: 75-07-0 Acetaldehyde	
TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
CAS: 75-07-0 Acetaldehyde	
· Proposition 65	
Chemicals known to cause cancer:	
CAS: 75-07-0 Acetaldehyde	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
CAS: 75-07-0 Acetaldehyde	B2
· TLV (Threshold Limit Value)	
CAS: 75-07-0 Acetaldehyde	A3
NIOSH-Ca (National Institute for Occupational Safety and Health)	
CAS: 75-07-0 Acetaldehyde	
· · · · · · · · · · · · · · · · · · ·	(Continued on page 10)

US



Printing date 01/16/2024

# Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Reviewed on 12/05/2023

### Trade name: Acetaldehyde 50% in Triacetin Natural

	(Continuation of page 9
symbol on a v	on label shall be in the shape of a square set at a point and shall include a black hazard white background with a red frame sufficiently wide to be clearly visible. s classified and labeled according to the Globally Harmonized System (GHS).
GHS02 GH	IS07 GHS08
Signal word	Danger
Hazard-dete Acetaldehyde	rmining components of labeling:
Hazard state	
	ely flammable liquid and vapor.
	I if swallowed. s serious eye irritation.
	sted of causing genetic defects.
H350 May ca	
	use respiratory irritation.
	ry statements
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
	P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+	P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, in present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internationa regulations.

• National regulations:

Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H224 Extremely flammable liquid and vapor.
- H302 Harmful if swallowed.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- · Department issuing SDS: Product Safety Department

(Continued on page 11)



### Printing date 01/16/2024

Reviewed on 12/05/2023

Trade name: Acetaldehyde 50% in Triacetin Natural

	(Continuation of page 10)
	ontact:
	roduct Safety Department
	roductsafety@adv-bio.com
	ate of preparation / last revision 01/16/2024
· A	bbreviations and acronyms:
AI In	DR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the ternational Carriage of Dangerous Goods by Road)
	IDG: International Maritime Code for Dangerous Goods
	OT: US Department of Transportation
IA	TA: International Air Transport Association
	INECS: European Inventory of Existing Commercial Chemical Substances
	LINCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society)
	FPA: National Fire Protection Association (USA)
	MIS: Hazardous Materials Identification System (USA)
	OC: Volatile Organic Compounds (USA, EU)
	C50: Lethal concentration, 50 percent
	D50: Lethal dose, 50 percent BT: Persistent, Bioaccumulative and Toxic
	PvB: very Persistent and very Bioaccumulative
	IOSH: National Institute for Occupational Safety
	SHA: Occupational Safety & Health
	LV: Threshold Limit Value
	EL: Permissible Exposure Limit
	EL: Recommended Exposure Limit ammable Liquids 1: Flammable liquids – Category 1
	cute Toxicity - Oral 4: Acute toxicity – Category 4
E	ye Irritation 2A: Serious eye damage/eye irritation – Category 2A
G	erm Cell Mutagenicity 2: Germ cell mutagenicity – Category 2
C	arcinogenicity 1B: Carcinogenicity – Category 1B pecific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

Safety Data Sheet

acc. to OSHA HCS (29 CFR § 1910.1200)