

Date of issue: 01/24/2025 Reviewed on 01/24/2025

1 Identification

· Product identifier

· Trade name: Ethyl Propionate G Type natural

· CAS Number: 105-37-3/140-88-5 · Other means of identification

· Product number: 1635

· EINECS Number: 203-291-4/205-438-8

· Application of the substance / the mixture Flavoring Ingredients

· Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Manufacturer/Supplier:

Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA

· Information department:

Product Safety Department productsafety@adv-bio.com

· Emergency telephone number:

Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International)

Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable liquids 2 H225 Highly flammable liquid and vapor.



Skin irritation 2

H315 Causes skin irritation.

Specific target organ toxicity (single exposure) 3 H335 May cause respiratory irritation.

· GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).


(Continued on page 2)



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Ethyl Propionate G Type natural

· Hazard pictograms







GHS02 GHS07

· Signal word Danger

· Hazard-determining components of labeling:

Ethyl propionate

· Hazard statements

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

Use explosion-proof [electrical/ventilating/lighting] equipment. P241

Avoid breathing dust/fume/gas/mist/vapors/spray P261

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Information pertaining to particular dangers for man and environment:

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 4Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 4

- Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.
- Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Ethyl Propionate G Type natural

(Continuation of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
	Ethyl propionate	50-100%
EINECS: 203-291-4	Flammable liquids 2, H225	
	Ethyl acrylate	≤2.5%
EINECS: 205-438-8	Flammable liquids 2, H225; Acute toxicity - inhalation 3, H331; Acute toxicity - oral 4, H302; Acute toxicity - dermal 4, H312	

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2. extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Protective Action Criteria for Chemicals

· PAC-1:	
CAS: 105-37-3 Ethyl propionate	6.3 ppm
	(0 + +

(Continued on page 4)



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Ethyl Propionate G Type natural

CAS: 140-88-5 Ethyl acrylate	(Continuation of page 3) 8.3 ppm
· PAC-2:	
CAS: 105-37-3 Ethyl propionate	69 ppm
CAS: 140-88-5 Ethyl acrylate	36 ppm
· PAC-3:	
CAS: 105-37-3 Ethyl propionate	410 ppm
CAS: 140-88-5 Ethyl acrylate	240 ppm

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

С	CAS: 140-88-5 Ethyl acrylate		
Р	Long-term value: 100 mg/m³, 25 ppm Skin		
R	See Pocket Guide App. A		
Ţ	Short-term value: 15 ppm Long-term value: 5 ppm A4		

- · Additional information: The lists that were valid during the creation were used as a basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.

(Continued on page 5)



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Ethyl Propionate G Type natural

(Continuation of page 4)

· Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

• General Information Molecular Weight: 102.13 g/mol

· Physical state Liquid

Color: According to product specificationOdor: According to product specification

Odor threshold:
 Melting point/Melting range:
 Boiling point/Boiling range:
 Flammability:
 Not determined.
 Undetermined.
 99 °C (210.2 °F)
 Highly flammable.

Explosion limits:

Lower:

Upper:

Flash point:

Auto igniting:

Decomposition temperature:

pH-value:

1.8 Vol %

1.2 °C (54 °F)

475 °C (887 °F)

Not determined.

Not determined.

(Continued on page 6)



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Ethyl Propionate G Type natural

(Continuation of page 5)

· Viscosity:

Kinematic: Not determined.Dynamic: Not determined.

· Solubility in / Miscibility with

· Water at 20 °C (68 °F): 22 g/l

• Partition coefficient (n-octanol/water): Not determined. • Vapor pressure at 20 °C (68 °F): 36 hPa (27 mm Hg)

· Vapor pressure:

Density at 20 °C (68 °F): 0.887-0.897 g/cm³ (7.40202-7.48547 lbs/gal)

Relative density Not determined.

• Specific Gravity 0.887 - 0.897 @ 20 °C (33.6 - 33.6 @ 68 °F)

Refractive Index

Vapor densityParticle characteristicsNot determined.Not applicable.

Other information

· Appearance:

· Form: Liquid

· Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

Danger of explosion: Product is not explosive. However, formation of

explosive air/vapor mixtures are possible.

· Solvent content:

· Organic solvents: 0.2 % · VOC content: 0.20 %

1.8 g/l / 0.01 lb/gal

· Change in condition

Evaporation rate Not determined.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4 h 4,500 mg/l (ATE)

(Continued on page 7)



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Ethyl Propionate G Type natural

(Continuation of page 6)

- · Primary irritant effect:
- on the skin: No irritant effect.
 on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Interactive effects No interactive effects between components are known.
- · Carcinogenic categories

· IARC (Internat	ional Agency for Research on Cancer)

CAS: 140-88-5 Ethyl acrylate

2B

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

JS ·



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Ethyl Propionate G Type natural

(Continuation of page 7)

Transport information	
UN-Number DOT, IMDG, IATA	UN1993
UN proper shipping name DOT IMDG, IATA	Flammable liquids, n.o.s. (Ethyl propionate) FLAMMABLE LIQUID, N.O.S. (ETHYL PROPIONA
Transport hazard class(es)	
DOT TAMMAE LUID 3	
Class Label	3 Flammable liquids 3
IMDG, IATA	
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	/ II
Environmental hazards: Marine pollutant:	No
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids 33 F-E, <u>S-E</u> B



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Ethyl Propionate G Type natural

(Continuation of page 8)

· UN "Model Regulation": UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHYL

PROPIONATE), 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 140-88-5 Ethyl acrylate

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

CAS: 140-88-5 Ethyl acrylate

· Proposition 65

· Chemicals known to cause cancer:

CAS: 140-88-5 Ethyl acrylate

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

CAS: 140-88-5 Ethyl acrylate

A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 140-88-5 Ethyl acrylate

GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS02 GHS07

· Signal word Danger



Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Ethyl Propionate G Type natural

(Continuation of page 9)

· Hazard-determining components of labeling:

Ethyl propionate

· Hazard statements

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smokina.

Use explosion-proof [electrical/ventilating/lighting] equipment. P241

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H331 Toxic if inhaled.

· Department issuing SDS: Product Safety Department

· Contact:

Product Safety Department productsafety@adv-bio.com

- · Date of previous version 01/16/2024
- Date of preparation 01/24/2025

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable liquids 2: Flammable liquids - Category 2

Acute toxicity - oral 4: Acute toxicity - Category 4

(Continued on page 11)

Page 11/11



Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025 Reviewed on 01/24/2025

Trade name: Ethyl Propionate G Type natural

(Continuation of page 10)

Acute toxicity - inhalation 3: Acute toxicity - Category 3
Skin irritation 2: Skin corrosion/irritation - Category 2
Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) - Category 3