

Safety Data Sheet
acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

1 Identification

· **Product identifier**

· **Trade name:** Decanal 50% ETOH (B Type) Natural

· **CAS Number:** 112-31-2 / 64-17-5

· **Other means of identification**

· **Product number:** 1645

· **EINECS Number:** 203-957-4 / 200-578-6

· **Application of the substance / the mixture** Flavoring Ingredients

· **Details of the supplier of the safety data sheet**

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

· **Manufacturer/Supplier:**

Advanced Biotech
10 Taft Road
Totowa, NJ 07512 USA

· **Information department:**

Product Safety Department
productsafety@adv-bio.com

· **Emergency telephone number:**

Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International)

Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification

· **Classification of the substance or mixture**

Keep in a cool place.



GHS02 Flame

Flammable liquids 3 H226 Flammable liquid and vapor.



GHS07

Eye irritation 2A H319 Causes serious eye irritation.

· **GHS label elements**

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Continued on page 2)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Decanal 50% ETOH (B Type) Natural

(Continuation of page 1)

· **Hazard pictograms**



GHS02 GHS07

· **Signal word** Warning

· **Hazard statements**

H226 Flammable liquid and vapor.
 H319 Causes serious eye irritation.

· **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P403+P235 Store in a well-ventilated place. Keep cool.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Information pertaining to particular dangers for man and environment:**

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 2
 Fire = 2
 Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



HEALTH 2 Health = 2
 FIRE 2 Fire = 2
 REACTIVITY 0 Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.
 · **vPvB:** Not applicable.

· **Classification according to (d)(1)(ii) of § 1910.1200**

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· **Hazards not otherwise classified**

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

(Continued on page 3)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Decanal 50% ETOH (B Type) Natural

(Continuation of page 2)

· Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6	Ethanol ⚠ Flammable liquids 2, H225	25-50%
CAS: 112-31-2 EINECS: 203-957-4	Decanal ⚠ Skin irritation 2, H315; Eye irritation 2A, H319; Flammable liquids 4, H227	25-50%

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately rinse with water.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Protective Action Criteria for Chemicals**

· PAC-1:		
CAS: 64-17-5	Ethanol	1,800 ppm
CAS: 112-31-2	Decanal	1.8 ppm

(Continued on page 4)

Safety Data Sheet
acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Decanal 50% ETOH (B Type) Natural

(Continuation of page 3)

· PAC-2:		
CAS: 64-17-5	Ethanol	3300* ppm
CAS: 112-31-2	Decanal	120 mg/m3
· PAC-3:		
CAS: 64-17-5	Ethanol	15000* ppm
CAS: 112-31-2	Decanal	740 mg/m3

· Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Please refer to the product specification and/or Certificate of Analysis for product storage requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

CAS: 64-17-5 Ethanol	
PEL	Long-term value: 1900 mg/m ³ , 1000 ppm
REL	Long-term value: 1900 mg/m ³ , 1000 ppm
TLV	Short-term value: 1000 ppm
	A3

- **Additional information:** The lists that were valid during the creation were used as a basis.
- **Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.

(Continued on page 5)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Decanal 50% ETOH (B Type) Natural

(Continuation of page 4)

- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Physical state**

Liquid

- **Color:**

According to product specification

- **Odor:**

According to product specification

- **Odor threshold:**

Not determined.

- **Melting point/Melting range:**

Undetermined.

- **Boiling point/Boiling range:**

Undetermined.

- **Flammability:**

Flammable.

- **Explosion limits:**

- **Lower:**

3.5 Vol %

- **Upper:**

15 Vol %

- **Flash point:**

54 °C (129.2 °F)

- **Auto igniting:**

200 °C (392 °F)

- **Decomposition temperature:**

Not determined.

- **pH-value:**

Not determined.

- **Viscosity:**

- **Kinematic:**

Not determined.

- **Dynamic:**

Not determined.

- **Solubility in / Miscibility with**

- **Water:**

Fully miscible.

- **Partition coefficient (n-octanol/water):**

Not determined.

(Continued on page 6)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Decanal 50% ETOH (B Type) Natural

(Continuation of page 5)

- **Vapor pressure at 20 °C (68 °F):** 59 hPa (44.3 mm Hg)
 - **Vapor pressure:**
 - **Density at 20 °C (68 °F):** 0.845 g/cm³ (7.05153 lbs/gal)
 - **Relative density** Not determined.
 - **Refractive Index**
 - **Vapor density** Not determined.
 - **Particle characteristics** Not applicable.
-
- **Other information**
 - **Appearance:**
 - **Form:** Liquid
 - **Important information on protection of health and environment, and on safety.**
 - **Ignition temperature:** Product is not selfigniting.
 - **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
 - **Solvent content:**
 - **Organic solvents:** 50.0 %
 - **VOC content:** 50.00 %
 - **Change in condition** 422.5 g/l / 3.53 lb/gal
 - **Evaporation rate** Not determined.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

CAS: 112-31-2 Decanal

Oral	LD50	3,730 mg/kg (ATE)
		3,730 mg/kg (rat)
Dermal	LD50	4,173 mg/kg (rabbit)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.

(Continued on page 7)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Decanal 50% ETOH (B Type) Natural

(Continuation of page 6)

- **Additional toxicological information:**
 The product shows the following dangers according to internally approved calculation methods for preparations:
 Irritant
 - **Interactive effects** No interactive effects between components are known.
 - **Carcinogenic categories**
- | | |
|---|---|
| · IARC (International Agency for Research on Cancer) | |
| CAS: 64-17-5 Ethanol | 1 |
- **NTP (National Toxicology Program)**
 None of the ingredients is listed.
 - **OSHA-Ca (Occupational Safety & Health Administration)**
 None of the ingredients is listed.
 - **Alternative sources for toxicological information**
 No non-standard sources for toxicological information where used.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects**
- **Additional ecological information:**
- **General notes:**
 Water hazard class 2 (Self-assessment): hazardous for water
 Do not allow product to reach ground water, water course or sewage system.
 Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- **UN-Number**
- **DOT, IMDG, IATA** UN1170

(Continued on page 8)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025


Trade name: Decanal 50% ETOH (B Type) Natural

(Continuation of page 7)

· **UN proper shipping name**
 · **DOT**
 · **IMDG**
 · **IATA**

Ethanol solutions
 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
 ETHANOL SOLUTION

· **Transport hazard class(es)**
 · **DOT**



· **Class**
 · **Label**

3 Flammable liquids
 3

· **IMDG, IATA**



· **Class**
 · **Label**

3 Flammable liquids
 3

· **Packing group**
 · **DOT, IMDG, IATA**

III

· **Environmental hazards:**
 · **Marine pollutant:**

No

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**
 · **DOT**
 · **Quantity limitations**

On passenger aircraft/rail: 60 L
 On cargo aircraft only: 220 L

· **IMDG**
 · **Limited quantities (LQ)**
 · **Excepted quantities (EQ)**

5L
 Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

· **Special precautions for user**
 · **Hazard identification number (Kemler code):**
 · **EMS Number:**
 · **Stowage Category**

Warning: Flammable liquids
 30
 F-E,S-D
 A

· **UN "Model Regulation":**

UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Decanal 50% ETOH (B Type) Natural

(Continuation of page 8)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

CAS: 64-17-5 | Ethanol

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

CAS: 64-17-5 | Ethanol

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.
 The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02 GHS07

· **Signal word** Warning

· **Hazard statements**

H226 Flammable liquid and vapor.

H319 Causes serious eye irritation.

· **Precautionary statements**

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
 No smoking.

(Continued on page 10)

Safety Data Sheet
acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Decanal 50% ETOH (B Type) Natural

(Continuation of page 9)

- P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
 - P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 - P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P403+P235 Store in a well-ventilated place. Keep cool.
 - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Relevant phrases**

- H225 Highly flammable liquid and vapor.
- H227 Combustible liquid.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

• **Department issuing SDS:** Product Safety Department

• **Contact:**

Product Safety Department
productsafety@adv-bio.com

• **Date of previous version** 01/10/2023

• **Date of preparation** 01/24/2025

• **Abbreviations and acronyms:**

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Flammable liquids 2: Flammable liquids – Category 2
- Flammable liquids 3: Flammable liquids – Category 3
- Flammable liquids 4: Flammable liquids – Category 4
- Skin irritation 2: Skin corrosion/irritation – Category 2
- Eye irritation 2A: Serious eye damage/eye irritation – Category 2A