

Printing date 01/16/2024

Reviewed on 01/10/2023

1 Identification

- · Product identifier
- Trade name: Mixed Methyl Ketones 10822455 | Type natural
- · Product number: 1665
- · CAS Number: 112-12-9/821-55-6 /110-43-0
- · EINECS Number: 203-937-5/212-480-0/203-767-1
- · Application of the substance / the mixture Flavoring Ingredients
- · Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

- · Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA
- · Information department:

Product Safety Department productsafety@adv-bio.com

· Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irritation 2 H315 Causes skin irritation. H319 Causes serious eye irritation. Eye Irritation 2A

Flammable Liquids 4 H227 Combustible liquid.

GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning


· Hazard statements H227 Combustible liquid.

(Continued on page 2)



Printing date 01/16/2024

Reviewed on 01/10/2023



3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
	2-Nonanone	25-50%
	 Skin Irritation 2, H315; Eye Irritation 2A, H319; Flammable Liquids 4, H227 	
	Heptan-2-one	≥10-<20%
EINECS: 203-767-1	Flammable Liquids 3, H226; Acute Toxicity - Oral 4, H302; Acute Toxicity - Inhalation 4, H332; Specific Target Organ Toxicity - Single Exposure 3, H336	

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.

(Continued on page 3)

s—



Printing date 01/16/2024

Reviewed on 01/10/2023

(Continuation of page 2)

Trade name: Mixed Methyl Ketones 10822455 I Type natural

- Information for doctor:
 - **Most important symptoms and effects, both acute and delayed** No further relevant information available.
 - **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information
- Cool endangered receptacles with water spray.
- Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

- · Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:	
CAS: 112-12-9 2-Undecanone	0.91 ppm
CAS: 821-55-6 2-Nonanone	0.51 ppm
CAS: 110-43-0 Heptan-2-one	150 ppm
CAS: 124-19-6 Nonanal	0.86 mg/m ³
CAS: 124-13-0 Octanal	17 mg/m ³
PAC-2:	
CAS: 112-12-9 2-Undecanone	10 ppm
CAS: 821-55-6 2-Nonanone	5.6 ppm
CAS: 110-43-0 Heptan-2-one	670 ppm
CAS: 124-19-6 Nonanal	9.5 mg/m³
CAS: 124-13-0 Octanal	190 mg/m³
PAC-3:	
CAS: 112-12-9 2-Undecanone	60 ppm
CAS: 821-55-6 2-Nonanone	34 ppm
	(Continued on page 4



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: Mixed Methyl Ketones 10822455 I Type natural

		(Continuation of page 3)
CAS: 110-43-0	Heptan-2-one	4000* ppm
CAS: 124-19-6	Nonanal	410 mg/m ³
CAS: 124-13-0	Octanal	1,100 mg/m³

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- \cdot Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Please refer to the product specification and/or Certificate of Analysis for product storage requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
- At this time, the remaining constituent has no known exposure limits.

CAS: 110-43-0 Heptan-2-one

- PEL Long-term value: 465 mg/m³, 100 ppm
- REL Long-term value: 465 mg/m³, 100 ppm
- TLV Long-term value: 50 ppm
- Additional information: The lists that were valid during the creation were used as a basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- Protection of hands:

F Child

Protective gloves

(Continued on page 5)




Printing date 01/16/2024

• Decomposition temperature:

Reviewed on 01/10/2023

Trade name: Mixed Methyl Ketones 10822455 | Type natural



· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Not determined.
 Explosion limits: Lower: Upper: 	1 Vol % 5.5 Vol %
· Vapor pressure at 20 °C (68 °F):	3.5 hPa (2.6 mm Hg)
 Density at 20 °C (68 °F): Specific Gravity Relative density 	0.826-0.837 g/cm³ (6.89297-6.98477 lbs/gal) 0.826 - 0.837 @ 20 °C (33.5 - 33.5 @ 68 °F) Not determined.
	(Continued on page

Not determined.

US



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: Mixed Methyl Ketones 10822455 I Type natural

		(Continuation of page
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	7 .
Partition coefficient (n-octanol/	vater): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	17.8 %	
VOC content:	17.82 %	
	147.2-149.2 g/l / 1.23-1.24 lb/gal	
Other information	No further relevant information available	le.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 8,979 mg/kg

Inhalative LC50/4 h 61.7 mg/l (ATE)

· Primary irritant effect:

- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations:
- Irritant

Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Continued on page 7)

⁻ U



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: Mixed Methyl Ketones 10822455 I Type natural

(Continuation of page 6)

• NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number	
·DOT	Not Regulated
· IMDG, IATA	UN3082
· UN proper shipping name	
DOT	Not Regulated
·IMDG	ENVIRÖNMENTALLY HAZARDOUS SUBSTANCE
	LIQUID, N.O.S. (2-Undecanone), MARIN POLLUTANT
	ENVIRONMENTALLY HAZARDOUS SUBSTANCE
	LIQUID, N.O.S. (2-Undecanone)



Printing date 01/16/2024

Reviewed on 01/10/2023

	(Continuation of page 7)
Transport hazard class(es)	
DOT Class	Not Regulated
IMDG, IATA	
	×
Class Label	9 Miscellaneous dangerous substances and articles 9
Packing group	
DOT	Not Regulated
IMDG, IATA	
Environmental hazards:	
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
Hazard identification number (Kemler code):	
EMS Number:	F-A,S-F
Stowage Category	A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-UNDECANONE), 9, III

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Continued on page 9)

US -



Printing date 01/16/2024

Reviewed on 01/10/2023

(Continuation of page 8)

Trade name: Mixed Methyl Ketones 10822455 I Type natural

· TSCA	(Toxic	Substances	Control A	Act):
--------	--------	------------	-----------	-------

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS07	
· Signal word Warn	8
 Hazard statement 	
H227 Combustible	
H315 Causes skin	
H319 Causes seric	
 Precautionary sta 	
	Keep away from heat/sparks/open flames/hot surfaces No smoking.
	Wear protective gloves/protective clothing/eye protection/face protection.
	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
	If skin irritation occurs: Get medical advice/attention.
	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
	(Continued on page 10)



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: Mixed Methyl Ketones 10822455 I Type natural

(Continuation of page 9) • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. **Relevant phrases** H226 Flammable liquid and vapor. H227 Combustible liquid. H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. · Department issuing SDS: Product Safety Department · Contact: Product Safety Department productsafety@adv-bio.com Date of preparation / last revision 01/16/2024 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flammable Liquids 3: Flammable liquids - Category 3 Flammable Liquids 4: Flammable liquids – Category 4 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Skin Irritation 2: Skin corrosion/irritation - Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3