

Printing date 01/16/2024

Reviewed on 01/10/2023

1 Identification

- · Product identifier
- Trade name: Mesifuran 20% in ETOH natural
- · Product number: 1669
- · CAS Number: 4077-47-8/64-17-5
- · EINECS Number: 223-797-9/200-578-6
- · Application of the substance / the mixture Flavoring Ingredients
- · Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or asplication.

- Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA
- · Information department:

Product Safety Department productsafety@adv-bio.com

• **Emergency telephone number:** Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



Eye Irritation 2A H319 Causes serious eye irritation.

GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Danger

(Continued on page 2)

[·] us



Printing date 01/16/2024

Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Reviewed on 01/10/2023

Trade name: Mesifuran 20% in ETOH natural

	(Continuation of page
Hazard statem	
	mmable liquid and vapor.
	serious eye irritation.
Precautionary P210	
P210 P241	Keep away from heat/sparks/open flames/hot surfaces No smoking. Use explosion-proof electrical/ventilating/lighting/equipment.
	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin wit
1 303 1 301 1 3	water/shower.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Classification	system:
NFPA ratings ((scale 0 - 4)
•	
	ealth = 2 re = 3
	re = 3 eactivity = 0
HMIS-ratings ((scale 0 - 4)
HEALTH 2	
	Health = 2
REACTIVITY 0 F	Reactivity = 0
Other hazards	
	T and vPvB assessment
PBT: Not applie	cable.
vPvB: Not appl	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

Dangerous compor	nents:	
	Ethanol	50-100%
EINECS: 200-578-6	🚸 Flammable Liquids 2, H225; 🚸 Eye Irritation 2A, H319	
	2,5-Dimethyl-4-Methoxy-3(2H)-furanone	10-25%
EINECS: 223-797-9	Flammable Liquids 4, H227	

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

(Continued on page 3)

US



Printing date 01/16/2024

Reviewed on 01/10/2023

(Continuation of page 2)

Trade name: Mesifuran 20% in ETOH natural

- Information for doctor:
 Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
 CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information
- Cool endangered receptacles with water spray.
- Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. • Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: CAS: 64-17-5 Ethanol 1,800 ppm · PAC-2: CAS: 64-17-5 Ethanol 3300* ppm · PAC-3: CAS: 64-17-5 Ethanol 15000* ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.

Protect against electrostatic charges.

(Continued on page 4)

US



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: Mesifuran 20% in ETOH natural

(Continuation of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 64-17-5 Ethanol

- PEL Long-term value: 1900 mg/m³, 1000 ppm
- REL Long-term value: 1900 mg/m³, 1000 ppm
- TLV Short-term value: 1000 ppm
 - A3

• Additional information: The lists that were valid during the creation were used as a basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Continued on page 5)

JS -



Printing date 01/16/2024

Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Reviewed on 01/10/2023

Trade name: Mesifuran 20% in ETOH natural

(Continuation of page 4)

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Tightly sealed goggles

Information on basic physical and ch General Information	emical properties
Appearance:	
Form:	Liquid
Color:	According to product specification
Odor:	According to product specification
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	18 °C (64.4 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive a
	vapor mixtures are possible.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	15 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Density at 20 °C (68 °F):	0.863 g/cm³ (7.20174 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Partly soluble.
Partition coefficient (n-octanol/water)	: Not determined.
Viscosity:	
Dynamic:	Not determined.



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: Mesifuran 20% in ETOH natural

		(Continuation of page s
Kinematic:	Not determined.	/
· Solvent content:		
Organic solvents:	81.0 %	
VOC content:	81.00 %	
	699.0 g/l / 5.83 lb/gal	
• Other information	No further relevant information avail	able.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

CAS: 64-17-5 Ethanol

Oral LD50 7,060 mg/kg (rat)

Inhalative LC50/4 h 20,000 mg/l (rat)

Primary irritant effect:

- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 64-17-5 Ethanol

• NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Continued on page 7)

1



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: Mesifuran 20% in ETOH natural

(Continuation of page 6)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · **Bioaccumulative potential** No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1170
	011170
 UN proper shipping name 	
DOT	Ethanol solutions
·IMDG	ETHANOL SOLUTION (ETHYL ALCOHO SOLUTION)
·IATA	ETHANOL SOLUTION
· Transport hazard class(es)	
· DOT	
· · · · · · · · · · · · · · · · · · ·	



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: Mesifuran 20% in ETOH natural

	(Continuation of page 7
Label	3
IMDG, IATA	
	<i>O</i>
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	
Environmental hazards:	Not applicable.
Hazard identification number (Kemler code): EMS Number:	Warning: Flammable liquids 33 F-E,S-D A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

(Continued on page 9)

US -



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: Mesifuran 20% in ETOH natural

	(Continuation of page 8)
Proposition 65	
	own to cause cancer:
	redients is listed.
	own to cause reproductive toxicity for females:
	redients is listed.
	own to cause reproductive toxicity for males:
None of the ing	redients is listed.
	own to cause developmental toxicity:
CAS: 64-17-5 E	Ethanol
Carcinogenic d	categories
EPA (Environm	nental Protection Agency)
None of the ingr	redients is listed.
TLV (Threshold	d Limit Value)
CAS: 64-17-5 E	Ethanol A3
NIOSH-Ca (Nat	tional Institute for Occupational Safety and Health)
None of the ing	redients is listed.
Pictograms on symbol on a wh The product is c	label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS).
symbol on a wh The product is of Hazard pictogr GHS02 GHS0 Signal word Da	label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS0 Signal word Da Hazard statemo	label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS0 Signal word Da Hazard statemon H225 Highly flar	label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS0 Signal word Da Hazard statement H225 Highly flar H319 Causes so Precautionary	label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams 07 anger ents mmable liquid and vapor. erious eye irritation. statements
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS0 Signal word Da Hazard statemon H225 Highly flar H319 Causes so Precautionary P210	label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams 07 anger ents mmable liquid and vapor. erious eye irritation. statements Keep away from heat/sparks/open flames/hot surfaces No smoking.
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS0 Signal word Da Hazard statemon H225 Highly flar H319 Causes so Precautionary P210 P241	label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams 07 anger ents mmable liquid and vapor. erious eye irritation. statements
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS0 Signal word Da Hazard stateme H225 Highly flar H319 Causes so Precautionary P210 P241 P303+P361+P3 P305+P351+P3	 label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams o7 anger ents mmable liquid and vapor. erious eye irritation. statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. 353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. 388 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Pictograms on symbol on a wh The product is of Hazard pictogr Alazard pictogr GHS02 GHS0 Signal word Da Hazard stateme H225 Highly flar H319 Causes so Precautionary P210 P241 P303+P361+P3	 label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams o7 anger ents mmable liquid and vapor. erious eye irritation. statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. 353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. 388 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Continued on page 10)



Printing date 01/16/2024

Reviewed on 01/10/2023

	(Continuation of page 9)
Relevant phrases	
H225 Highly flammable liquid and vapor.	
H227 Combustible liquid.	
H319 Causes serious eye irritation.	
,	
Department issuing SDS: Product Safety Department	
Contact:	
Product Safety Department	
productsafety@adv-bio.com	
Date of preparation / last revision 01/16/2024	
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses	par route (European Agreement Concerning the
International Carriage of Dangerous Goods by Road)	par route (European Agreement Concerning the
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
ATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2 Flammable Liquids 4: Flammable liquids – Category 4	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	

500

20