

Printing date 01/16/2024

Reviewed on 01/16/2024

1 Identification

- · Product identifier
- Trade name: Butter Booster OS natural
- · Product number: 1686
- · Application of the substance / the mixture Flavoring Ingredients
- Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

- Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA
- · Information department: Product Safety Department productsafety@adv-bio.com
- · Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification

Classification of the substance or mixture

GHS02 Flame

Flammable Liquids 3

H226 Flammable liquid and vapor.

GHS08 Health hazard

2

Specific Target Organ Toxicity - Repeated Exposure H373 May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.

GHS05 Corrosion

Eve Damage 1 · GHS label elements H318 Causes serious eye damage.

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The product is classified and labeled according to the Globally Harmonized System (GHS).

(Continued on page 2)

US



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Butter Booster OS natural (Continuation of page 1) · Hazard pictograms GHS02 GHS05 GHS08 · Signal word Danger · Hazard-determining components of labeling: Acetoin (Liquid) Acetic acid · Hazard statements H226 Flammable liquid and vapor. H318 Causes serious eye damage. H373 May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. P310 P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH *3 Health = *3 FIRE Fire = 33 Reactivity = 0 REACTIVITY 0

· Other hazards

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

· Chemical character		
 Description: Mixture 	e of the substances listed below with nonhazardous additions.	
· Dangerous compor	nents:	
	Benzyl alcohol	25-50%
EINECS: 202-859-9	Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Acute Toxicity - Inhalation 4, H332; Eye Irritation 2A, H319	-



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Butter Booster OS natural

	(Continua	ation of page 2)
CAS: 513-86-0 EINECS: 208-174-1	Acetoin (Liquid) Flammable Liquids 3, H226; Specific Target Organ Toxicity - Repeated Exposure 2, H373; Eye Damage 1, H318	25-50%
CAS: 4906-24-5	Acetoin Acetate Flammable Liquids 4, H227	2.5-10%
CAS: 64-19-7 EINECS: 200-580-7	Acetic acid Image: Acetic acid Flammable Liquids 3, H226; Image: Acetic Acet	_ ≥1-≤2.5%

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

(Continued on page 4)

US -



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Butter Booster OS natural

See Section 8 f See Section 13 • Protective Acti		(Continuation of page 3)
· PAC-1:		
CAS: 100-51-6	Benzyl alcohol	30 ppm
CAS: 64-19-7	Acetic acid	5 ppm
· PAC-2:		
CAS: 100-51-6	Benzyl alcohol	52 ppm
CAS: 64-19-7	Acetic acid	35 ppm
· PAC-3:		
CAS: 100-51-6	Benzyl alcohol	740 ppm
CAS: 64-19-7	Acetic acid	250 ppm

7 Handling and storage

- · Handling:
- Precautions for safe handling
 Ensure good ventilation/exhaustion at the second ventilation of the second ventilat
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

CAS: 100-51-6 Benzyl alcohol

WEEL Long-term value: 10 ppm

(Continued on page 5)

s



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Butter Booster OS natural

(Continuation of page 4) CAS: 64-19-7 Acetic acid Long-term value: 25 mg/m³, 10 ppm PEL REL Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm Short-term value: 15 ppm TLV Long-term value: 10 ppm · Additional information: The lists that were valid during the creation were used as a basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles

(Continued on page 6)



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Butter Booster OS natural

(Continuation of page 5)

Information on basic physical and o	chemical properties
General Information Appearance: Form: Color: Odor: Odor threshold:	Liquid According to product specification According to product specification Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.
Flash point:	30 °C (86 °F)
Flammability (solid, gaseous):	Flammable.
Auto igniting:	435 °C (815 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
Explosion limits: Lower: Upper:	1.3 Vol % 13 Vol %
Vapor pressure at 20 °C (68 °F):	0.1 hPa
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	1.025-1.05 g/cm ³ (8.55363-8.76225 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Organic solvents: VOC content:	46.6 % 1.00 % 10.3-10.5 g/l / 0.09 lb/gal
Solids content:	0.1 %



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Butter Booster OS natural

(Continuation of page 6)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral		2,697 mg/kg
		4,212 mg/kg (rabbit)
Inhalative	LC50/4 h	24.1 mg/l (rat)

CAS: 513-86-0 Acetoin (Liquid)

Oral LD50 >50,000 mg/ł	kg (rat)
------------------------	----------

Dermal LD50 >50,000 mg/kg (rabbit)

· Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Continued on page 8)

US



Printing date 01/16/2024

Reviewed on 01/16/2024

(Continuation of page 7)

Trade name: Butter Booster OS natural

- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- Danger to drinking water if even small quantities leak into the ground.
- $^{\rm \cdot}$ Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

Transport information		
· UN-Number · DOT, IMDG, IATA	UN1197	
· UN proper shipping name · DOT · IMDG · IATA	Extracts, flavoring, liquid EXTRACTS, LIQUID Extracts, liquid	
· Transport hazard class(es)		
· DOT · Class	3 Flammable liquids	
· Label	3	
· IMDG, IATA		
· Class	3 Flammable liquids	
· Label	3	
		(Continued on page



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Butter Booster OS natural

	(Continuation of page 8)
· Packing group · DOT, IMDG, IATA	
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids 30 F-E,S-D A
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1197 EXTRACTS, LIQUID, 3, III

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

None of the Ing	gredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ing	gredients is listed.	
· TSCA (Toxic	Substances Control Act):	
CAS: 100-51-6	Benzyl alcohol	ACTIV
CAS: 513-86-0	Acetoin (Liquid)	ACTIV
CAS: 64-19-7	Acetic acid	ACTIV
	Tridecan-2-one	ACTIV
CAS: 705-86-2	2 delta-Decalactone	ACTIV
CAS: 713-95-1	delta-Dodecalactone	ACTIV
· Hazardous Ai	r Pollutants	
None of the ing	gredients is listed.	
· Proposition 6	5	
· Chemicals kn	own to cause cancer:	
None of the ing	gredients is listed.	
· Chemicals kn	own to cause reproductive toxicity for females:	
None of the ind	gredients is listed.	



Printing date 01/16/2024

Reviewed on 01/16/2024

(Continuation of page 9)

Trade name: Butter Booster OS natural

Chemicals known	to cause reproductive	toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed. • TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS02 GHS05 GHS08

· Signal word Danger

· Hazard-determining components of labeling: Acetoin (Liquid)

Acetic acid

- · Hazard statements
- H226 Flammable liquid and vapor.
- H318 Causes serious eye damage.
- H373 May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.
- Precautionary statements
- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P260
 - Do not breathe dust/fume/gas/mist/vapors/spray.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Continued on page 11)



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Butter Booster OS natural

· Relevant phrases	(Continuation of page 10)
 H226 Flammable liquid and vapor. H227 Combustible liquid. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H373 May cause damage to organs through prolonged or repeated exp 	oosure.
• Department issuing SDS: Product Safety Department • Contact: Product Safety Department	
 productsafety@adv-bio.com Date of preparation / last revision 01/16/2024 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par rout International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Flammable Liquids 3: Flammable liquids – Category 4 Akin Corrosion 1A: Skin corrosion/irritation – Category 1 Eye Damage 1: Serious eye damage/eye irritation – Category 1 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (rep 	