

Printing date 01/16/2024

Reviewed on 01/16/2024

1 Identification

- · Product identifier
- Trade name: Butter Booster WS natural
- · Product number: 1687
- · Application of the substance / the mixture Flavoring Ingredients
- Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

- Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA
- · Information department: Product Safety Department productsafety@adv-bio.com
- · Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification

Classification of the substance or mixture

GHS02 Flame

Flammable Liquids 3

H226 Flammable liquid and vapor.



2

GHS08 Health hazard

Specific Target Organ Toxicity - Repeated Exposure H373 May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.

GHS05 Corrosion

Eve Damage 1 · GHS label elements H318 Causes serious eye damage.

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The product is classified and labeled according to the Globally Harmonized System (GHS).

(Continued on page 2)

US



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Butter Booster WS natural (Continuation of page 1) · Hazard pictograms GHS02 GHS05 GHS08 · Signal word Danger · Hazard-determining components of labeling: Acetoin (Liquid) Acetic acid · Hazard statements H226 Flammable liquid and vapor. H318 Causes serious eye damage. H373 May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. P310 P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 2Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH *3 Health = *3 FIRE Fire = 22 Reactivity = 0 REACTIVITY 0 · Other hazards Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

| Chemical characte | | |
|---|--|---------|
| Description: Mixtur | e of the substances listed below with nonhazardous additions. | |
| Dangerous compo | nents: | |
| CAS: 513-86-0 | Acetoin (Liquid) | 50-100% |
| EINECS: 208-174-1 | Flammable Liquids 3, H226; Specific Target Organ Toxicity - Repeated Exposure 2, H373; Eye Damage 1, H318 | - |



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Butter Booster WS natural

(Continuation of page 2) CAS: 64-19-7 Acetic acid ≥1-≤2.5% EINECS: 200-580-7 🚸 Flammable Liquids 3, H226; 🕎 Skin Corrosion 1A, H314; Eve Damage 1, H318; 🔿 Acute Toxicity - Dermal 4, H312

4 First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- · Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
 Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Continued on page 4)

US



Printing date 01/16/2024

Reviewed on 01/16/2024

| Trade | name: | Butter | Booster | ws | natural |
|-------|--------|--------|---------|----|---------|
| 11uuc | manne. | Duttor | DOOSLOI | | natarar |

| · Protective Action Criteria for Chemicals | (Continuation of page 3) |
|--|--------------------------|
| PAC-1: | |
| CAS: 64-19-7 Acetic acid | 5 ppm |
| PAC-2: | |
| CAS: 64-19-7 Acetic acid | 35 ppm |
| PAC-3: | |
| CAS: 64-19-7 Acetic acid | 250 ppm |

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

| 8 Ev | posure cont | role | noreonal | proto | ction |
|------|-------------|-------|----------|-------|-------|
| ULA | posure com | 1013/ | personar | prote | CUUII |

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 64-19-7 Acetic acid

PEL Long-term value: 25 mg/m³, 10 ppm

- REL Short-term value: 37 mg/m³, 15 ppm
- Long-term value: 25 mg/m³, 10 ppm
- TLV Short-term value: 15 ppm Long-term value: 10 ppm

• Additional information: The lists that were valid during the creation were used as a basis.

· Exposure controls

Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Continued on page 5)



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Butter Booster WS natural

(Continuation of page 4)

Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

| Information on basic physical and | chemical properties | |
|-----------------------------------|------------------------------------|--|
| General Information | Molecular Weight: 88.11 g/mol | |
| Appearance: | | |
| Form: | Liquid | |
| Color: | According to product specification | |
| Odor: | According to product specification | |
| Odor threshold: | Not determined. | |
| pH-value: | Not determined. | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | Undetermined. | |
| Flash point: | 45 °C (113 °F) | |
| Flammability (solid, gaseous): | Flammable. | |
| Decomposition temperature: | Not determined. | |



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Butter Booster WS natural

| | (Continuation of page 5 |
|--|--|
| · Ignition temperature: | Product is not selfigniting. |
| [.] Danger of explosion: | Product is not explosive. However, formation of explosive air/ vapor mixtures are possible. |
| · Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| · Vapor pressure: | Not determined. |
| · Density at 20 °C (68 °F): | 1-1.025 g/cm³ (8.345-8.55363 lbs/gal) |
| Relative density | Not determined. |
| · Vapor density | Not determined. |
| Evaporation rate | Not determined. |
| · Solubility in / Miscibility with | |
| Water: | Fully miscible. |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| Solvent content: | |
| Organic solvents: | 1.0 % |
| VOC content: | 1.00 % |
| | 10-10.3 g/l / 0.08-0.09 lb/gal |
| Solids content: | 0.1 % |
| · Other information | No further relevant information available. |

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 106,000 mg/kg (rabbit)

(Continued on page 7)

US



Printing date 01/16/2024

Trade name: Butter Booster WS natural

| | | | (| Continuation of page 6 |
|------------------|---|-----------------------|-------------------------|------------------------|
| CAS: 513-86-0 | Acetoin (Liquid) | | | |
| Oral LD50 | >50,000 mg/kg (rat) | | | |
| Dermal LD50 | >50,000 mg/kg (rabbit) | | | |
| Primary irritan | | | | |
| on the skin: No | | | | |
| | ong irritant with the dang | | y. | |
| | No sensitizing effects kno | own. | | |
| | cological information: nows the following dang | ore according to int | ornally approved calcul | ation mothode fo |
| preparations: | lows the following dang | lers according to int | ernally approved calcul | |
| Irritant | | | | |
| · Carcinogenic | | | | |
| · IARC (Internat | onal Agency for Resea | rch on Cancer) | | |
| None of the ing | redients is listed. | | | |
| · NTP (National | Toxicology Program) | | | |
| None of the ing | redients is listed. | | | |
| · OSHA-Ca (Occ | upational Safety & Hea | Ith Administration) | | |
| None of the ing | redients is listed. | | | |
| | | | | |
| | | | | |

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

(Continued on page 8)



Printing date 01/16/2024

Reviewed on 01/16/2024

(Continuation of page 7)

Trade name: Butter Booster WS natural

• Recommended cleansing agent: Water, if necessary with cleansing agents.

| Transport information | |
|---|--|
| UN-Number DOT, IMDG, IATA | UN1197 |
| UN proper shipping name DOT IMDG IATA | Extracts, flavoring, liquid EXTRACTS, LIQUID Extracts, liquid |
| Transport hazard class(es) | |
| DOT | |
| Class | 3 Flammable liquids |
| Label | 3 |
| IMDG, IATA | |
| | 0 |
| Class | 3 Flammable liquids |
| Label | 3 |
| Packing group DOT, IMDG, IATA | III |
| Environmental hazards: | Not applicable. |
| Special precautions for user | Warning: Flammable liquids |
| Hazard identification number (Kemler code): EMS Number: | 30 F-E,S-D |
| Stowage Category | A |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| DOT | |
| Quantity limitations | On passenger aircraft/rail: 60 L |
| | On cargo aircraft only: 220 L |
| IMDG Limited quantities (LQ) | 5L |
| Excepted quantities (EQ) | Code: E1 |
| | Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |



Printing date 01/16/2024

Reviewed on 01/16/2024

(Continuation of page 8)

Trade name: Butter Booster WS natural

· UN "Model Regulation":

UN 1197 EXTRACTS, LIQUID, 3, III

15 Regulatory information

| $^\circ$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^\circ$ Sara |
|---|
| · Section 355 (extremely hazardous substances): |

| · Sect | ion 35 | 55 (| extreme | ly | ha | zar | dous | subs | tances |): |
|--------|--------|------|---------|----|----|-----|------|------|--------|----|
| | | | | | | | | | | |

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.


· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

(Continued on page 10)



Printing date 01/16/2024

Trade name: Butter Booster WS natural

| | (Continuation of page 9) |
|----------------------|---|
| Hazard-determi | ning components of labeling: |
| Acetoin (Liquid) | · · · |
| Acetic acid | |
| Hazard stateme | ents |
| H226 Flammabl | e liquid and vapor. |
| | erious eye damage. |
| H373 May cause | e damage to the respiratory system through prolonged or repeated exposure. Route of Inhalation. |
| Precautionary | statements |
| P210 | Keep away from heat/sparks/open flames/hot surfaces No smoking. |
| P260 | Do not breathe dust/fume/gas/mist/vapors/spray. |
| P303+P361+P3 | 53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P305+P351+P3 | 38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, ir present and easy to do. Continue rinsing. |
| P310 | Immediately call a poison center/doctor. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P501 | Dispose of contents/container in accordance with local/regional/national/internationa regulations. |
| Chemical safet | y assessment: A Chemical Safety Assessment has not been carried out. |

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H226 Flammable liquid and vapor. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H373 May cause damage to organs through prolonged or repeated exposure. · Department issuing SDS: Product Safety Department · Contact: Product Safety Department productsafety@adv-bio.com · Date of preparation / last revision 01/16/2024 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value (Continued on page 11) 119



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Butter Booster WS natural

(Continuation of page 10) PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Acute Toxicity - Dermal 4: Acute toxicity – Category 4 Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2