

Safety Data Sheet

acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024

Reviewed on 01/16/2024

1 Identification

· **Product identifier**

· **Trade name: Smoke Flavor SMK392 Natural**

· **Product number: 1771**

· **Application of the substance / the mixture** Flavoring Ingredients

· **Details of the supplier of the safety data sheet**

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

· **Manufacturer/Supplier:**

Advanced Biotech
10 Taft Road
Totowa, NJ 07512 USA

· **Information department:**

Product Safety Department
productsafety@adv-bio.com

· **Emergency telephone number:**

Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International)
Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.



GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Skin Irritation 2 H315 Causes skin irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

· **GHS label elements**

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Continued on page 2)

Safety Data Sheet
acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK392 Natural

(Continuation of page 1)

· **Hazard pictograms**



GHS05 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Acetic acid
Methylcyclopentenolone
α-Furfuraldehyde

· **Hazard statements**

H315 Causes skin irritation.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.

· **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).
P362+P364 Take off contaminated clothing and wash it before reuse.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3
Fire = 1
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = *3
Fire = 1
Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Continued on page 3)

Safety Data Sheet

acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK392 Natural

(Continuation of page 2)

Dangerous components:

CAS: 91-10-1 EINECS: 202-041-1	2,6-Dimethoxyphenol ⚠ Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	≥2.5-<10%
CAS: 6638-05-7 EINECS: 229-641-6	4-Methyl-2,6-Dimethoxyphenol ⚠ Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	≥2.5-<10%
CAS: 64-19-7 EINECS: 200-580-7	Acetic acid ⚠ Flammable Liquids 3, H226; ⚠ Skin Corrosion 1A, H314; Eye Damage 1, H318; ⚠ Acute Toxicity - Dermal 4, H312	≥3-<10%
CAS: 80-71-7 EINECS: 201-303-2	Methylcyclopentenolone ⚠ Acute Toxicity - Oral 4, H302; Sensitization - Skin 1, H317	2.5-10%
CAS: 116-09-6 EINECS: 204-124-8	hydroxyacetone ⚠ Flammable Liquids 3, H226; ⚠ Acute Toxicity - Dermal 3, H311; ⚠ Acute Toxicity - Inhalation 4, H332	≤2.5%
CAS: 93-51-6 EINECS: 202-252-9	2-Methoxy-4-methylphenol ⚠ Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1B, H317	≥0.1-<1%
CAS: 108-68-9 EINECS: 203-606-5	3,5-xylenol ⚠ Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; ⚠ Skin Corrosion 1B, H314	<1%
CAS: 106-44-5 EINECS: 203-398-6	p-Cresol ⚠ Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; ⚠ Skin Corrosion 1B, H314; Eye Damage 1, H318	<1%
CAS: 108-95-2 EINECS: 203-632-7	Phenol ⚠ Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 3, H331; ⚠ Germ Cell Mutagenicity 2, H341; Specific Target Organ Toxicity - Repeated Exposure 2, H373; ⚠ Skin Corrosion 1B, H314; Eye Damage 1, H318	<1%
CAS: 67-56-1 EINECS: 200-659-6	Methanol ⚠ Flammable Liquids 2, H225; ⚠ Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 3, H331; ⚠ Specific Target Organ Toxicity - Single Exposure 1, H370	≤2.5%
CAS: 608-25-3 EINECS: 210-155-8	2-methylresorcinol ⚠ Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 3, H331; ⚠ Specific Target Organ Toxicity - Repeated Exposure 2, H373	≤2.5%
CAS: 95-48-7 EINECS: 202-423-8	o-Cresol ⚠ Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; ⚠ Skin Corrosion 1B, H314; Eye Damage 1, H318; Flammable Liquids 4, H227	<1%
	α-Furfuraldehyde ⚠ Flammable Liquids 3, H226; ⚠ Acute Toxicity - Oral 3, H301; Acute Toxicity - Inhalation 2, H330; ⚠ Carcinogenicity 2, H351; ⚠ Acute Toxicity - Dermal 4, H312; Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	≥0.1-≤2.5%

(Continued on page 4)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK392 Natural

(Continuation of page 3)

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
 Supply fresh air and be sure to call for a doctor.
 In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
 No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
 No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
 CO2, powder or alcoholresistant foam.
 CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information**
 Cool endangered receptacles with water spray.
 Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
 Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
 Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Use neutralizing agent.
 Dispose contaminated material as waste according to section 13.
 Ensure adequate ventilation.
- **Reference to other sections**
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

CAS: 64-19-7	Acetic acid	5 ppm
CAS: 116-09-6	hydroxyacetone	6.6 mg/m ³

(Continued on page 5)

Safety Data Sheet
acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK392 Natural

(Continuation of page 4)

CAS: 108-95-2	Phenol	15 ppm
CAS: 79-09-4	Propionic acid	15 ppm
CAS: 67-56-1	Methanol	530 ppm
CAS: 107-92-6	Butyric acid	1.4 ppm
	α-Furfuraldehyde	2 ppm

· PAC-2:

CAS: 64-19-7	Acetic acid	35 ppm
CAS: 116-09-6	hydroxyacetone	73 mg/m ³
CAS: 108-95-2	Phenol	23 ppm
CAS: 79-09-4	Propionic acid	28 ppm
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 107-92-6	Butyric acid	16 ppm
	α-Furfuraldehyde	10 ppm

· PAC-3:

CAS: 64-19-7	Acetic acid	250 ppm
CAS: 116-09-6	hydroxyacetone	440 mg/m ³
CAS: 108-95-2	Phenol	200 ppm
CAS: 79-09-4	Propionic acid	170 ppm
CAS: 67-56-1	Methanol	7200* ppm
CAS: 107-92-6	Butyric acid	110 ppm
	α-Furfuraldehyde	100 ppm

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
No special requirements.
Please refer to the product specification and/or Certificate of Analysis for product storage requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

(Continued on page 6)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK392 Natural

(Continuation of page 5)

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

CAS: 64-19-7 Acetic acid	
PEL	Long-term value: 25 mg/m ³ , 10 ppm
REL	Short-term value: 37 mg/m ³ , 15 ppm Long-term value: 25 mg/m ³ , 10 ppm
TLV	Short-term value: 15 ppm Long-term value: 10 ppm
CAS: 108-68-9 3,5-xylenol	
TLV	Long-term value: 1* ppm *inh. fraction+vapor; DSEN, A3
CAS: 106-44-5 p-Cresol	
PEL	Long-term value: 22 mg/m ³ , 5 ppm Skin
REL	Long-term value: 10 mg/m ³ , 2.3 ppm
TLV	Long-term value: 20* mg/m ³ Skin;*as inhalable fraction and vapor, A4
CAS: 108-95-2 Phenol	
PEL	Long-term value: 19 mg/m ³ , 5 ppm Skin
REL	Long-term value: 19 mg/m ³ , 5 ppm Ceiling limit value: 60* mg/m ³ , 15.6* ppm *15-min; Skin
TLV	Long-term value: 5 ppm Skin; BEI, A4
CAS: 67-56-1 Methanol	
PEL	Long-term value: 260 mg/m ³ , 200 ppm
REL	Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI
CAS: 95-48-7 o-Cresol	
PEL	Long-term value: 22 mg/m ³ , 5 ppm Skin
REL	Long-term value: 10 mg/m ³ , 2.3 ppm
TLV	Long-term value: 20* mg/m ³ Skin;*as inhalable fraction and vapor, A4
α-Furfuraldehyde	
PEL	Long-term value: 20 mg/m ³ , 5 ppm Skin

(Continued on page 7)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK392 Natural

(Continuation of page 6)

TLV	Long-term value: 0.2 ppm Skin; BEI, A3
-----	---

· **Ingredients with biological limit values:**

CAS: 108-95-2 Phenol

BEI	250 mg/g creatinine Medium: urine Time: end of shift Parameter: Phenol with hydrolysis (background, nonspecific)
-----	---

CAS: 67-56-1 Methanol

BEI	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
-----	---

α-Furfuraldehyde

BEI	200 mg/L Medium: urine Time: end of shift Parameter: Furoic acid with hydrolysis (nonspecific)
-----	---

· **Additional information:** The lists that were valid during the creation were used as a basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

(Continued on page 8)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK392 Natural

(Continuation of page 7)

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:

Liquid

Color:

According to product specification

· Odor:

According to product specification

· Odor threshold:

Not determined.

· pH-value:

Not determined.

· Change in condition

Melting point/Melting range:

Undetermined.

Boiling point/Boiling range:

Undetermined.

· Flash point:

>110 °C (>230 °F)

· Flammability (solid, gaseous):

Not applicable.

· Auto igniting:

410 °C (770 °F)

· Decomposition temperature:

Not determined.

· Ignition temperature:

Product is not selfigniting.

· Danger of explosion:

Product does not present an explosion hazard.

· Explosion limits:

Lower:

4 Vol %

Upper:

17 Vol %

· Vapor pressure at 20 °C (68 °F):

23 hPa (17.3 mm Hg)

· Density at 20 °C (68 °F):

1.2-1.23 g/cm³ (10.014-10.26435 lbs/gal)

· Relative density

Not determined.

· Vapor density

Not determined.

· Evaporation rate

Not determined.

· Solubility in / Miscibility with

Water:

Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic:

Not determined.

Kinematic:

Not determined.

· Solvent content:

Organic solvents:

5.3 %

(Continued on page 9)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK392 Natural

(Continuation of page 8)

Water:	23.6 %
VOC content:	5.33 % 64-65.6 g/l / 0.53-0.55 lb/gal
Solids content:	54.2-68.2 %
Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)		
Oral	LD50	3,091 mg/kg
Dermal	LD50	6,379 mg/kg
Inhalative	LC50/4 h	91.2 mg/l

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

CAS: 108-95-2	Phenol	3
	α-Furfuraldehyde	3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

-US
(Continued on page 10)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK392 Natural

(Continuation of page 9)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
 Water hazard class 1 (Self-assessment): slightly hazardous for water
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
 Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	
· DOT, ADN, IMDG, IATA	Not Regulated
· UN proper shipping name	
· DOT, ADN, IMDG, IATA	Not Regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
· Class	Not Regulated
· Packing group	
· DOT, IMDG, IATA	Not Regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

(Continued on page 11)

Safety Data Sheet
acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK392 Natural

(Continuation of page 10)

· **UN "Model Regulation":** Not Regulated

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· **Section 355 (extremely hazardous substances):**

CAS: 108-95-2	Phenol
CAS: 95-48-7	o-Cresol

· **Section 313 (Specific toxic chemical listings):**

CAS: 106-44-5	p-Cresol
CAS: 108-95-2	Phenol
CAS: 67-56-1	Methanol
CAS: 95-48-7	o-Cresol

· **TSCA (Toxic Substances Control Act):**

CAS: 7732-18-5	Deionized Water	ACTIVE
CAS: 91-10-1	2,6-Dimethoxyphenol	ACTIVE
CAS: 64-19-7	Acetic acid	ACTIVE
CAS: 80-71-7	Methylcyclopentenolone	ACTIVE
CAS: 116-09-6	hydroxyacetone	ACTIVE
CAS: 90-05-1	Guaiacol	ACTIVE
CAS: 93-51-6	2-Methoxy-4-methylphenol	ACTIVE
CAS: 118-71-8	Maltol (3-Hydroxy-2-methyl-4-pyrone)	ACTIVE
CAS: 108-68-9	3,5-xylenol	ACTIVE
CAS: 123-76-2	Levulinic acid	ACTIVE
CAS: 21835-01-8	3-Ethyl-2-hydroxy-2-cyclopenten-1-one	ACTIVE
CAS: 106-44-5	p-Cresol	ACTIVE
CAS: 67-47-0	5-(hydroxymethyl)-2-furaldehyde	ACTIVE
CAS: 108-95-2	Phenol	ACTIVE
CAS: 2785-89-9	4-Ethyl Guaiacol	ACTIVE
CAS: 79-09-4	Propionic acid	ACTIVE
CAS: 67-56-1	Methanol	ACTIVE
CAS: 608-25-3	2-methylresorcinol	ACTIVE
CAS: 498-02-2	4'-Hydroxy-3'-methoxyacetophenone	ACTIVE
CAS: 2758-18-1	3-methylcyclopent-2-enone	ACTIVE
CAS: 107-92-6	Butyric acid	ACTIVE
CAS: 95-48-7	o-Cresol	ACTIVE
	α-Furfuraldehyde	ACTIVE

· **Hazardous Air Pollutants**

CAS: 106-44-5	p-Cresol
CAS: 108-95-2	Phenol
CAS: 67-56-1	Methanol

(Continued on page 12)

Safety Data Sheet
acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK392 Natural

(Continuation of page 11)

CAS: 95-48-7	o-Cresol
--------------	----------

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

CAS: 67-56-1 | Methanol

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

CAS: 106-44-5	p-Cresol	C
CAS: 108-95-2	Phenol	D, I
CAS: 95-48-7	o-Cresol	C

· **TLV (Threshold Limit Value)**

CAS: 108-95-2	Phenol	A4
	α-Furfuraldehyde	A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.
The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Acetic acid
Methylcyclopentenolone
α-Furfuraldehyde

· **Hazard statements**

H315 Causes skin irritation.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.

· **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a poison center/doctor.

(Continued on page 13)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK392 Natural

(Continuation of page 12)

P321 Specific treatment (see on this label).
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H225 Highly flammable liquid and vapor.
- H226 Flammable liquid and vapor.
- H227 Combustible liquid.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H370 Causes damage to organs.
- H373 May cause damage to organs through prolonged or repeated exposure.

· **Department issuing SDS:** Product Safety Department

· **Contact:**

Product Safety Department
 productsafety@adv-bio.com

· **Date of preparation / last revision** 01/16/2024

· **Abbreviations and acronyms:**

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value

(Continued on page 14)

Safety Data Sheet
acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK392 Natural

(Continuation of page 13)

PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Flammable Liquids 2: Flammable liquids – Category 2
Flammable Liquids 3: Flammable liquids – Category 3
Flammable Liquids 4: Flammable liquids – Category 4
Acute Toxicity - Oral 4: Acute toxicity – Category 4
Acute Toxicity - Dermal 3: Acute toxicity – Category 3
Acute Toxicity - Inhalation 2: Acute toxicity – Category 2
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B
Skin Irritation 2: Skin corrosion/irritation – Category 2
Eye Damage 1: Serious eye damage/eye irritation – Category 1
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
Sensitization - Skin 1: Skin sensitisation – Category 1
Sensitization - Skin 1B: Skin sensitisation – Category 1B
Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2
Carcinogenicity 2: Carcinogenicity – Category 2
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2

US