

Printing date 01/16/2024 Reviewed on 01/16/2024

### 1 Identification

· Product identifier

· Trade name: Smoke Flavor SMK350 Natural

· Product number: 1774

· Application of the substance / the mixture Flavoring Ingredients

· Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Manufacturer/Supplier:

Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA

· Information department:

Product Safety Department productsafety@adv-bio.com

· Emergency telephone number:

Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International)

Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

# 2 Hazard(s) identification

Classification of the substance or mixture



GHS08 Health hazard

Germ Cell Mutagenicity 2 H341 Suspected of causing genetic defects.

Specific Target Organ Toxicity - Repeated Exposure H373 May cause damage to organs through prolonged or repeated exposure.



Skin Corrosion 1C H314 Causes severe skin burns and eye

damage.

Eye Damage 1 H318 Causes serious eye damage.



Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

**GHS** label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

(Continued on page 2)



Printing date 01/16/2024 Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK350 Natural

(Continuation of page 1)

The product is classified and labeled according to the Globally Harmonized System (GHS).

# · Hazard pictograms







GHS05 GHS07 GHS08

### · Signal word Danger

#### Hazard-determining components of labeling:

Phenol

Methylcyclopentenolone

p-Ethylphenol

Guaiacol

2-Methoxy-4-methylphenol

#### Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

#### · Precautionary statements

P260 Do not breathe/dust/fume/gas/mist/vapors/spray.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a poison center/doctor. P310 P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### Classification system:

## · NFPA ratings (scale 0 - 4)



Health = 3 Fire = 1 Reactivity = 0

### · HMIS-ratings (scale 0 - 4)



Health = \*3 Fire = 1

- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · vPvB: Not applicable.



Printing date 01/16/2024 Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK350 Natural

(Continuation of page 2)

# 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous compo	nents:	
CAS: 90-05-1 EINECS: 201-964-7	Guaiacol Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2A, H319	≥2.5-<10%
CAS: 80-71-7 EINECS: 201-303-2	Methylcyclopentenolone  Acute Toxicity - Oral 4, H302; Sensitization - Skin 1, H317	2.5-10%
CAS: 91-10-1 EINECS: 202-041-1	2,6-Dimethoxyphenol Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	≥2.5-<10%
CAS: 116-09-6 EINECS: 204-124-8	hydroxyacetone  Flammable Liquids 3, H226; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 4, H332	2.5-10%
CAS: 93-51-6 EINECS: 202-252-9	2-Methoxy-4-methylphenol  Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1B, H317	≥2.5-<10%
CAS: 108-95-2 EINECS: 203-632-7	Phenol	≥2.5-<3%
CAS: 930-30-3 EINECS: 213-213-0	cyclopenten-2-one  Flammable Liquids 3, H226; Specific Target Organ Toxicity - Single Exposure 3, H335	2.5-10%
CAS: 96-48-0 EINECS: 202-509-5	4-Hydroxybutanoic acid lactone	≥1-≤2.5%
CAS: 6638-05-7 EINECS: 229-641-6	4-Methyl-2,6-Dimethoxyphenol  Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	≤2.5%
CAS: 123-76-2 EINECS: 204-649-2	Levulinic acid  Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2A, H319	≤2.5%
CAS: 1192-62-7 EINECS: 214-757-1	2-Acetylfuran Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 2, H310; Acute Toxicity - Inhalation 4, H332; Flammable Liquids 4, H227	≤2.5%
CAS: 2785-89-9 EINECS: 220-500-4	4-Ethyl Guaiacol Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	≤2.5%
CAS: 123-07-9 EINECS: 204-598-6	<b>V</b>	≥1-≤2.5%
CAS: 600-22-6 EINECS: 209-987-4	V Frammable Elquide 6; Fizze	≤2.5%
CAS: 106-44-5 EINECS: 203-398-6	p-Cresol Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Skin Corrosion 1B, H314; Eye Damage 1, H318	<1%

(Continued on page 4)



Printing date 01/16/2024 Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK350 Natural

		ation of page
CAS: 6627-88-9 EINECS: 229-600-2	4-Allyl-2,6-dimethoxyphenol  Eye Irritation 2A, H319; Sensitization - Skin 1B, H317	≥0.1-<1%
CAS: 108-68-9 EINECS: 203-606-5 Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Skin Corrosion 1B, H314		<1%
CAS: 2785-87-7 EINECS: 220-499-0	2-Methoxy-4-propylphenol  Eye Damage 1, H318;  Skin Irritation 2, H315; Sensitization - Skin 1B, H317; Specific Target Organ Toxicity - Single Exposure 3, H335	≥0.1-<1%
CAS: 97-72-3 EINECS: 202-603-6	isobutyric anhydride Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Skin Corrosion 1B, H314; Eye Damage 1, H318; Toxicity - Inhalation 4, H332; Flammable Liquids 4, H227	<1%
CAS: 95-87-4 EINECS: 202-461-5	2,5-Xylenol Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Skin Corrosion 1B, H314; Eye Damage 1, H318; Sensitization - Skin 1B, H317	≥0.1-<1%
CAS: 4536-23-6 EINECS: 224-883-9	2-methylhexanoic acid  Flammable Liquids 3, H226; Acute Toxicity - Dermal 2, H310	≤2.5%
CAS: 67-56-1 EINECS: 200-659-6	Methanol  ♦ Flammable Liquids 2, H225; ♦ Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 3, H331; ♦ Specific Target Organ Toxicity - Single Exposure 1, H370	≤2.5%

# 4 First-aid measures

- · Description of first aid measures
- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and be sure to call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or alcoholresistant foam.

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

(Continued on page 5)



Printing date 01/16/2024 Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK350 Natural

(Continuation of page 4)

# · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- **Additional information**

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

# 6 Accidental release measures

### · Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

#### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**Protective Action Criteria for Chemicals** 

· PAC-1:		
CAS: 116-09-6 hy	/droxyacetone	6.6 mg/m
CAS: 108-95-2 Pt	henol	15 ppm
CAS: 96-48-0 4-	Hydroxybutanoic acid lactone	3.6 mg/m
CAS: 64-19-7 A	cetic acid	5 ppm
CAS: 111-55-7 et	hylene di(acetate)	21 mg/m <sup>2</sup>
CAS: 97-72-3 isc	obutyric anhydride	0.19 ppm
CAS: 78-93-3 bu	utanone	200 ppm
CAS: 67-56-1 M	ethanol	530 ppm
PAC-2:		
CAS: 116-09-6 hy	/droxyacetone	73 mg/m³
CAS: 108-95-2 PI	henol	23 ppm
CAS: 96-48-0 4-	Hydroxybutanoic acid lactone	39 mg/m³
CAS: 64-19-7 A	cetic acid	35 ppm
CAS: 111-55-7 et	hylene di(acetate)	230 mg/m
CAS: 97-72-3 isc	obutyric anhydride	2 ppm
CAS: 78-93-3 bu	utanone	2700* ppr
CAS: 67-56-1 M	ethanol	2,100 ppn
PAC-3:		•
CAS: 116-09-6 hy	/droxyacetone	440 mg/m³
CAS: 108-95-2 Pt	henol	200 ppm
CAS: 96-48-0 4-	Hydroxybutanoic acid lactone	310 mg/m³
•		(Continued on pag



Printing date 01/16/2024 Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK350 Natural

	(Cont	(Continuation of page 5)	
CAS: 64-19-7	Acetic acid	250 ppm	
CAS: 111-55-7	ethylene di(acetate)	1,400 mg/m <sup>3</sup>	
CAS: 97-72-3	isobutyric anhydride	12 ppm	
CAS: 78-93-3	butanone	4000* ppm	
CAS: 67-56-1	Methanol	7200* ppm	

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

No special requirements.

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

	CAS	: 108-95-2 Phenol
	PEL	Long-term value: 19 mg/m³, 5 ppm Skin
	REL	Long-term value: 19 mg/m³, 5 ppm Ceiling limit value: 60* mg/m³, 15.6* ppm *15-min; Skin
	TLV	Long-term value: 5 ppm Skin; BEI, A4
CAS: 106-44-5 p-Cresol		
	PEL	Long-term value: 22 mg/m³, 5 ppm Skin
	REL	Long-term value: 10 mg/m³, 2.3 ppm
	TLV	Long-term value: 20* mg/m³ Skin;*as inhalable fraction and vapor, A4
		(Continued on page 7)



Printing date 01/16/2024 Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK350 Natural

	(Continuation of page
CAS:	108-68-9 3,5-xylenol
TLV	Long-term value: 1* ppm *inh. fraction+vapor; DSEN, A3
CAS	95-87-4 2,5-Xylenol
TLV	Long-term value: 1* ppm *inh. fraction+vapor; DSEN, A3
CAS:	67-56-1 Methanol
PEL	Long-term value: 260 mg/m³, 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI
Ingre	dients with biological limit values:
CAS:	108-95-2 Phenol
	250 mg/g creatinine Medium: urine Time: end of shift Parameter: Phenol with hydrolysis (background, nonspecific)
CAS:	67-56-1 Methanol
	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as a basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

(Continued on page 8)



Printing date 01/16/2024 Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK350 Natural

### · Material of gloves

(Continuation of page 7)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: According to product specification
Odor: According to product specification

Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

• Flash point: >110 °C (>230 °F)

· Flammability (solid, gaseous): Not applicable.

· Auto igniting: 485 °C (905 °F)

• **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. Upper: Not determined.

· Vapor pressure: Not determined.

Density at 20 °C (68 °F): 1.145-1.165 g/cm³ (9.55503-9.72193 lbs/gal)

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not determined.

Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

(Continued on page 9)



Printing date 01/16/2024 Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK350 Natural

	(Continuation of page
ol/water): Not determined.	
Not determined.	
Not determined.	
4.1 %	
1.5 %	
4.07 %	
46.6-47.4 g/l / 0.39-0.4 lb/gal	
0.0 %	
No further relevant information av	/ailable.
	Not determined.  4.1 % 1.5 % 4.07 % 46.6-47.4 g/l / 0.39-0.4 lb/gal 0.0 %

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 v	· LD/LC50 values that are relevant for classification:		
ATE (Acu	ATE (Acute Toxicity Estimate)		
Oral	LD50	1,650 mg/kg	
Dermal	LD50	2,661 mg/kg	
Inhalative	LC50/4 h	43.7 mg/l	

C	CAS: 116-09-6 hydroxyacetone		
Oı	ral	LD50	2,200 mg/kg (rat)
De	ermal	LD50	300 mg/kg (ATE)
Inl	halative	LC50/4 h	11 mg/l (ATE)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

(Continued on page 10)



Printing date 01/16/2024 Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK350 Natural

Irritant (Continuation of page 9)

· Carcinogenic categories

· IARC (Internat	ional Agency for Research on Cancer)	
CAS: 108-95-2	Phenol	3
CAS: 96-48-0	4-Hydroxybutanoic acid lactone	3
· NTP (National	Toxicology Program)	

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, IMDG, IATA	Not Regulated	
· UN proper shipping name · DOT, IMDG, IATA	Not Regulated	
		(Cantinuad an mana 44)

(Continued on page 11)



Printing date 01/16/2024 Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK350 Natural

	(Continuation of page 1
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
· Class	Not Regulated
· Packing group	
· DOT, IMDG, IATA	Not Regulated
· Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex I	ll of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Not Regulated

# 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

CAS: 108-95-2 PI	nenol	
Section 313 (Spe	cific toxic chemical listings):	
CAS: 108-95-2 PI	- ·	
CAS: 106-44-5 p-	Cresol	
CAS: 67-56-1 M	ethanol	
TSCA (Toxic Sub	stances Control Act):	
CAS: 90-05-1	Guaiacol	ACTIV
CAS: 80-71-7	Methylcyclopentenolone	ACTIV
CAS: 91-10-1	2,6-Dimethoxyphenol	ACTIV
CAS: 116-09-6	hydroxyacetone	ACTIV
CAS: 93-51-6	2-Methoxy-4-methylphenol	ACTIV
CAS: 108-95-2	Phenol	ACTIV
CAS: 96-48-0	4-Hydroxybutanoic acid lactone	ACTIV
CAS: 21835-01-8	3-Ethyl-2-hydroxy-2-cyclopenten-1-one	ACTIV
CAS: 7732-18-5	Deionized Water	ACTIV
CAS: 123-76-2	Levulinic acid	ACTIV
CAS: 1192-62-7	2-Acetylfuran	ACTIV
CAS: 2785-89-9	4-Ethyl Guaiacol	ACTIV
CAS: 123-07-9	p-Ethylphenol	ACTIV
CAS: 106-44-5	p-Cresol	ACTIV
CAS: 64-19-7	Acetic acid	ACTIV
CAS: 111-55-7	ethylene di(acetate)	ACTIV
CAS: 106-31-0	butyric anhydride	ACTIV



Printing date 01/16/2024 Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK350 Natural

		(Continuatio	n of page 11)
CAS: 108-68-9	3,5-xylenol		ACTIVE
CAS: 2785-87-7	2-Methoxy-4-propylphenol		ACTIVE
CAS: 97-72-3	isobutyric anhydride		ACTIVE
CAS: 78-93-3	butanone		ACTIVE
CAS: 95-87-4	2,5-Xylenol		ACTIVE
CAS: 4536-23-6	2-methylhexanoic acid		ACTIVE
CAS: 67-56-1	Methanol		ACTIVE
· Hazardous Air P	ollutants		

CAS: 108-95-2	
CAS: 106-44-5	p-Cresol
CAS: 67-56-1	Methanol

# Proposition 65

#### · Chemicals known to cause cancer:

None of the ingredients is listed.

# · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

# · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### · Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

# · Carcinogenic categories

· EPA (Environmental Protection	Agency)	
CAS: 108-95-2 Phenol		D, I
CAS: 106-44-5 p-Cresol		С
CAS: 78-93-3 butanone		ı
T13//T1 1 1111 (43/11)		

# TLV (Threshold Limit Value)

CAS: 108-95-2 Phenol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

# GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

#### **Hazard pictograms**







GHS05 GHS07 GHS08

# · Signal word Danger

### · Hazard-determining components of labeling:

Phenol

Methylcyclopentenolone

(Continued on page 13)

A4



Printing date 01/16/2024 Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK350 Natural

(Continuation of page 12)

p-Ethylphenol

Guaiacol

2-Methoxy-4-methylphenol

#### Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

#### · Precautionary statements

P260 Do not breathe/dust/fume/gas/mist/vapors/spray.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

H225 Highly flammable liquid and vapor.

H226 Flammable liquid and vapor.

H227 Combustible liquid.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H341 Suspected of causing genetic defects.

H370 Causes damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure.

### · Department issuing SDS: Product Safety Department

· Contact:

**Product Safety Department** 

productsafety@adv-bio.com

Date of preparation / last revision 01/16/2024

(Continued on page 14)



Printing date 01/16/2024 Reviewed on 01/16/2024

Trade name: Smoke Flavor SMK350 Natural

(Continuation of page 13)

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids - Category 2

Flammable Liquids 3: Flammable liquids - Category 3

Flammable Liquids 4: Flammable liquids - Category 4

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Acute Toxicity - Dermal 2: Acute toxicity - Category 2

Acute Toxicity - Dermal 3: Acute toxicity - Category 3

Skin Corrosion 1B: Skin corrosion/irritation - Category 1B

Skin Corrosion 1C: Skin corrosion/irritation - Category 1C

Skin Irritation 2: Skin corrosion/irritation - Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Sensitization - Skin 1: Skin sensitisation - Category 1

Sensitization - Skin 1B: Skin sensitisation - Category 1B

Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2