

Date of issue: 01/24/2025

Reviewed on 01/24/2025

1 Identification

· Product identifier

- [•] Trade name: Ethyl Acrylate 1% in Triacetin Natural
- · CAS Number: 140-88-5/102-76-1
- · Other means of identification
- · Product number: 1786
- · EINECS Number: 205-438-8/203-051-9
- · Application of the substance / the mixture Flavoring Ingredients

· Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

• Manufacturer/Supplier: Advanced Biotech 10 Taft Road

Totowa, NJ 07512 USA

• **Information department:** Product Safety Department

productsafety@adv-bio.com

• Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification

· Classification of the substance or mixture

GHS07

Sensitization - skin 1 H317 May cause an allergic skin reaction.

GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



Signal word Warning

 Hazard-determining components of labeling: Ethyl acrylate
 Hazard statements
 H317 May cause an allergic skin reaction.

(Continued on page 2)




Date of issue: 01/24/2025

acc. to OSHA HCS (29 CFR § 1910.1200)

Reviewed on 01/24/2025

Trade name: Ethyl Acrylate 1% in Triacetin Natural



Safety Data Sheet

Dangerous components:

CAS: 140-88-5 Ethyl acrylate ≤2.5% EINECS: 205-438-8 Image: Flammable liquids 2, H225; Image: Acute toxicity - inhalation 3, H331; Image: Acute toxicity - oral 4, H302; Acute toxicity - dermal 4, H312 ≤2.5%

4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air and be sure to call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

(Continued on page 3)

⁻US



Date of issue: 01/24/2025

Reviewed on 01/24/2025

(Continuation of page 2)

Trade name: Ethyl Acrylate 1% in Triacetin Natural

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

· Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation. • Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 102-76-1	Triacetin	19 mg/m³
CAS: 140-88-5	Ethyl acrylate	8.3 ppm
PAC-2:		
CAS: 102-76-1	Triacetin	210 mg/m³
CAS: 140-88-5	Ethyl acrylate	36 ppm
PAC-3:		
CAS: 102-76-1	Triacetin	1,200 mg/m³
CAS: 140-88-5	Ethyl acrylate	240 ppm
· Reference to o	ther sections	
See Section 7 f	ar information on onto handling	

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

(Continued on page 4)

US-



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Ethyl Acrylate 1% in Triacetin Natural

(Continuation of page 3)

- Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Please refer to the product specification and/or Certificate of Analysis for product storage requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

- CAS: 140-88-5 Ethyl acrylate
- PEL Long-term value: 100 mg/m³, 25 ppm Skin
- REL See Pocket Guide App. A
- TLV Short-term value: 15 ppm
- Long-term value: 5 ppm

• Additional information: The lists that were valid during the creation were used as a basis.

- · Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

(Continued on page 5)

US



Date of issue: 01/24/2025

Reviewed on 01/24/2025

(Continuation of page 4)

Trade name: Ethyl Acrylate 1% in Triacetin Natural

• Eye protection: Goggles recommended during refilling.

Physical and chemical properties		
nformation on basic physical and chemic		
General Information	Molecular Weight: 218.21 g/mol	
Physical state	Liquid	
color:	According to product specification	
)dor:	According to product specification	
)dor threshold:	Not determined.	
lelting point/Melting range:	Undetermined.	
oiling point/Boiling range:	Undetermined.	
lammability:	Not applicable.	
xplosion limits:		
ower:	Not determined.	
lpper:	Not determined.	
lash point:	95 °C (203 °F)	
ecomposition temperature:	Not determined.	
H-value:	Not determined.	
/iscosity:		
linematic:	Not determined.	
Dynamic:	Not determined.	
olubility in / Miscibility with		
Vater:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/water):	Not determined.	
apor pressure at 20 °C (68 °F):	>0 hPa	
apor pressure:		
Density at 20 °C (68 °F):	1.15-1.16 g/cm³ (9.59675-9.6802 lbs/gal)	
Relative density	Not determined.	
Refractive Index		
/apor density	Not determined.	
Particle characteristics	Not applicable.	
Other information		
ppearance:		
orm:	Liquid	
nportant information on protection of he	alth	
nd environment, and on safety.		
gnition temperature:	Product is not selfigniting.	
anger of explosion:	Product does not present an explosion hazard.	
solvent content:		
Organic solvents:	1.0 %	
OC content:	1.00 %	
	11.5-11.6 g/l / 0.1 lb/gal	
olids content:	0.0 %	
hange in condition		
vaporation rate	Not determined.	

(Continued on page 6)



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Ethyl Acrylate 1% in Triacetin Natural

(Continuation of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

· Acute tox		cicological effects
	•	at are relevant for classification:
ATE (Acu	te Toxici	ty Estimate)
Oral	LD50	80,000 mg/kg (rat)
Dermal	LD50	110,000 mg/kg (ATE)
Inhalative	LC50/4 h	900 mg/l (ATE)
· Sensitizat · Additiona	e: No irrita tion: Sena Il toxicolo	ating effect. sitization possible through skin contact. ogical information:
preparatio Irritant Interactiv Carcinog	ns: e effects enic cate	
preparatio Irritant Interactiv Carcinog	ns: e effects enic cate ernationa	No interactive effects between components are known. gories I Agency for Research on Cancer)
preparatio Irritant Interactiv Carcinogo IARC (Inte CAS: 140-	ns: e effects enic cate ernationa 88-5 Eth	No interactive effects between components are known. gories I Agency for Research on Cancer)
preparatio Irritant Interactiv Carcinogo IARC (Inte CAS: 140- NTP (Nati	ns: e effects enic cate ernationa 88-5 Eth onal Tox	No interactive effects between components are known. gories I Agency for Research on Cancer) yl acrylate 2
preparatio Irritant Interactiv Carcinogo IARC (Inte CAS: 140- NTP (Nati None of th	ns: e effects enic cate ernationa 88-5 Eth onal Tox ie ingredia	No interactive effects between components are known. gories I Agency for Research on Cancer) yl acrylate 2 icology Program)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Continued on page 7)



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Ethyl Acrylate 1% in Triacetin Natural

(Continuation of page 6)

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, ADN, IMDG, IATA	Not Regulated
UN proper shipping name DOT, ADN, IMDG, IATA	Not Regulated
Transport hazard class(es)	0
DOT, ADN, IMDG, IATA Class	Not Regulated
Packing group DOT, IMDG, IATA	Not Regulated
Environmental hazards:	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	Il of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
Special precautions for user	Not applicable.
UN "Model Regulation":	Not Regulated

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Continued on page 8)

⁻ US



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Ethyl Acrylate 1% in Triacetin Natural

	(Continuation of page
ection 313 (Specific toxic chemical listings):	
CAS: 140-88-5 Ethyl acrylate	
SCA (Toxic Substances Control Act):	
Il components have the value ACTIVE.	
lazardous Air Pollutants	
CAS: 140-88-5 Ethyl acrylate	
Proposition 65	
chemicals known to cause cancer:	
CAS: 140-88-5 Ethyl acrylate	
Chemicals known to cause reproductive toxicity for females:	
lone of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
lone of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
lone of the ingredients is listed.	
arcinogenic categories	
PA (Environmental Protection Agency)	
lone of the ingredients is listed.	
LV (Threshold Limit Value)	
CAS: 140-88-5 Ethyl acrylate	A4
IIOSH-Ca (National Institute for Occupational Safety and Health)	
CAS: 140-88-5 Ethyl acrylate	

· GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:
- Ethyl acrylate
- Hazard statements
- H317 May cause an allergic skin reaction.
- Precautionary statements
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before reuse.

- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P321 Specific treatment (see on this label).
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Continued on page 9)



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Ethyl Acrylate 1% in Triacetin Natural

(Continuation of page 8) • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. **Relevant phrases** H225 Highly flammable liquid and vapor. H302 Harmful if swallowed. H312 Harmful in contact with skin. H331 Toxic if inhaled. · Department issuing SDS: Product Safety Department · Contact: Product Safety Department productsafety@adv-bio.com Date of previous version 12/05/2023 Date of preparation 01/24/2025 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Acute toxicity - oral 4: Acute toxicity – Category 4 Acute toxicity - inhalation 3: Acute toxicity – Category 3 Sensitization - skin 1: Skin sensitisation - Category 1