

Date of issue: 01/24/2025

#### Reviewed on 01/24/2025

### 1 Identification

#### · Product identifier

- <sup>·</sup> Trade name: Difurfuryl Disulfide 10% ETOH Natural
- · Other means of identification
- Product number: 1839
- · Application of the substance / the mixture Flavoring Ingredients
- · Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

- Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA
- Information department:
   Product Safety Department
   productsafety@adv-bio.com
- Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

### 2 Hazard(s) identification

Classification of the substance or mixture GHS02 Flame Flammable liquids 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones Acute toxicity - inhalation 3 H331 Toxic if inhaled. Official of the substance or mixture GHS07 Eye irritation 2A H319 Causes serious eye irritation. GHS label elements Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The product is classified and labeled according to the Globally Harmonized System (GHS). (Continued on page 2).



Reviewed on 01/24/2025

Date of issue: 01/24/2025 Trade name: Difurfuryl Disulfide 10% ETOH Natural (Continuation of page 1) · Hazard pictograms GHS06 GHS07 GHS02 · Signal word Danger · Hazard-determining components of labeling: 2,2'-[dithiobis(methylene)]bisfuran Hazard statements H225 Highly flammable liquid and vapor. H331 Toxic if inhaled. H319 Causes serious eye irritation. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P241 Use explosion-proof [electrical/ventilating/lighting] equipment. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Information pertaining to particular dangers for man and environment: Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4)

- HEALTH 2 Health = 2FIRE 3 Fire = 3 Reactivity = 0 REACTIVITY 0
- Other hazards
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

(Continued on page 3)

US



Date of issue: 01/24/2025

#### Reviewed on 01/24/2025

#### Trade name: Difurfuryl Disulfide 10% ETOH Natural

(Continuation of page 2)

· Chemical character			
<ul> <li>Description: Mixture</li> </ul>	e of the substances listed below with	nonhazardous additions.	
· Dangerous compor	nents:		7 1
CAS: 64-17-5 EINECS: 200-578-6	Ethanol	Flammable liquids 2, H225	50-100%
CAS: 4437-20-1 EINECS: 224-649-6	2,2'-[dithiobis(methylene)]bisfuran	Acute toxicity - oral 3, H301	2.5-10%

### 4 First-aid measures

#### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation: Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Continued on page 4)



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trada	nama	Difuefuev		100/	ETOH Natural
Trade	name:	Difurtury	i Disuitiae	10%	ETOH Natural

(Continuation of page 3) Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Protective Action Criteria for Chemicals · PAC-1: CAS: 64-17-5 Ethanol 1,800 ppm · PAC-2: CAS: 64-17-5 Ethanol 3300\* ppm · PAC-3: CAS: 64-17-5 Ethanol 15000\* ppm Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. · Conditions for safe storage, including any incompatibilities · Storage: • Requirements to be met by storerooms and receptacles: Store in a cool location. · Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

### CAS: 64-17-5 Ethanol

PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

TLV Short-term value: 1000 ppm

A3


Additional information: The lists that were valid during the creation were used as a basis.

(Continued on page 5)



Date of issue: 01/24/2025

#### Trade name: Difurfuryl Disulfide 10% ETOH Natural



Highly flammable.

(Continued on page 6)

บร



Date of issue: 01/24/2025

Reviewed on 01/24/2025

#### Trade name: Difurfuryl Disulfide 10% ETOH Natural

	(Continuation of page 5
Explosion limits:	
Lower:	3.5 Vol %
Upper:	15 Vol %
Flash point:	19.7 °C (67.5 °F)
Decomposition temperature:	Not determined.
pH-value:	Not determined.
Viscosity:	
Kinematic:	Not determined.
Dynamic:	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/water):	Not determined.
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Vapor pressure at 50 °C (122 °F):	280 hPa (210 mm Hg)
Density at 20 °C (68 °F):	0.835-0.855 g/cm³ (6.96808-7.13498 lbs/gal)
Relative density	Not determined.
Refractive Index	
Vapor density	Not determined.
Particle characteristics	Not applicable.
Other information	
Appearance:	
Form:	Liquid
Important information on protection of hea	
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of
	explosive air/vapor mixtures are possible.
Solvent content:	
Organic solvents:	90.0 %
VOC content:	90.00 %
	751.5-769.5 g/l / 6.27-6.42 lb/gal
Solids content:	0.0 %
Change in condition	
Evaporation rate	Not determined.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Continued on page 7)

US



Date of issue: 01/24/2025

#### Reviewed on 01/24/2025

#### Trade name: Difurfuryl Disulfide 10% ETOH Natural

										(Continu	uation of page	e 6)
Toxicol	ogical in	formation										
· Informatio	on on toxi	cological eff	ects									7
- Acute tox		U										
· LD/LC50 \	values tha	it are relevar	t for class	sificatio	on:						71	
ATE (Acu	te Toxicity	/ Estimate)										
Oral	LD50	2,100-20,000	) mg/kg (ra	at)					~			
Inhalative	LC50/4 h	5 mg/l								$\smile$		
CAS: 443	7-20-1 2,2	-[dithiobis(n	ethylene)	]bisfura	an					-		
Oral	LD50	500 mg/kg (/	ATE)									
		210-2,000 m	g/kg (rat)				_					
	e effects l	No interactive	effects be	tween c	compone	ents ar	e knov	vn.				
			Deeeerek	an Can								
CAS: 64-1		Agency for	kesearch	on Can	cer)							1
												4
•		cology Prog	am)									-
		nts is listed.										
	• •	ional Safety	& Health A	Adminis	stration	)						
	•	nts is listed.										
• Alternativ No non-sta		for toxicolo										
			U	Ionnatio	on where	eused	•					
					on where	e used						
2 Ecologi	cal inf <u>o</u> r			Ionnatio	on where	e used						

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

(Continued on page 8)

<sup>-</sup>US



Date of issue: 01/24/2025

#### Reviewed on 01/24/2025

#### Trade name: Difurfuryl Disulfide 10% ETOH Natural

(Continuation of page 7)

Danger to drinking water if even extremely small quantities leak into the ground.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
· UN-Number · DOT, IMDG, IATA	UN1170
· UN proper shipping name	
DOT	Ethanol solution
·IMDG	ETHANOL (ETHYL ALCOHOL) solution
·IATA	ETHANOL solution
· Transport hazard class(es)	
· DOT	
· Class	3 Flammable liquids
·Label	3
· IMDG, IATA · Class · Label	3 Flammable liquids 3
· Packing group	
· DOT, IMDG, IATA	11
· Environmental hazards:	Not applicable.
<ul> <li>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>	Not applicable.
	(Continued on page



Date of issue: 01/24/2025

Reviewed on 01/24/2025

#### Trade name: Difurfuryl Disulfide 10% ETOH Natural

	(Continuation of page 8
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler cod	
EMS Number:	F-E,S-D
Stowage Category	Α
UN "Model Regulation":	UN 1170 ETHANOL (ETHYL ALCOHOL) SOLUTION
	3, 11

### 15 Regulatory information

 $^{\cdot}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\cdot}$  Sara

<ul> <li>Section 355 (extremel</li> </ul>	y hazardous substances):
---	--------------------------

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 64-17-5 Ethanol

### · Carcinogenic categories

• EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 64-17-5 Ethanol

(Continued on page 10)

A3

US



Date of issue: 01/24/2025

#### Reviewed on 01/24/2025

#### Trade name: Difurfuryl Disulfide 10% ETOH Natural

None of the	ingredients is listed.
symbol on a	on label shall be in the shape of a square set at a point and shall include a black hazar white background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS).
	HS06 GHS07
Signal wore	Danger
Hazard stat H225 Highly H331 Toxic H319 Cause	flammable liquid and vapor. if inhaled. es serious eye irritation.
	ary statements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources No smoking.
P241 P303+P361	Use explosion-proof [electrical/ventilating/lighting] equipment. +P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin wit water [or shower].
P305+P351	+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
<u> </u>	afety assessment: A Chemical Safety Assessment has not been carried out.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases
   H225 Highly flammable liquid and vapor.
   H301 Toxic if swallowed.
- · Department issuing SDS: Product Safety Department
- Contact: Product Safety Department productsafety@adv-bio.com
- Date of previous version 01/16/2024
- Date of preparation 01/24/2025
- Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
  - DOT: US Department of Transportation
  - IATA: International Air Transport Association

(Continued on page 11)

- US



Date of issue: 01/24/2025

Reviewed on 01/24/2025

(Continuation of page 10)

### Trade name: Difurfuryl Disulfide 10% ETOH Natural

EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flammable liquids 2: Flammable liquids – Category 2	
Acute toxicity - oral 3: Acute toxicity - Category 3	
Eye irritation 2A: Serious eye damage/eye irritation – Category 2A	