

Date of issue: 01/24/2025

Reviewed on 01/24/2025

1 Identification

· Product identifier

- [·] Trade name: 2-IsobutyI-3-Methyl Pyrazine 5% ETOH Natural
- · Other means of identification
- Product number: 1915
- · Application of the substance / the mixture Flavoring Ingredients

· Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

- Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA
- Information department: Product Safety Department productsafety@adv-bio.com
- Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification

Classification of the substance or mixture

GHS02 Flame

Flammable liquids 2 H225 Highly flammable liquid and vapor.



Eye irritation 2A H319 Causes serious eye irritation.

GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Danger

(Continued on page 2)



Date of issue: 01/24/2025

	(Continuation of page 1)
Hazard statem	ients
	mmable liquid and vapor.
	serious eye irritation.
Precautionary	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241 P303+P361+P3	Use explosion-proof [electrical/ventilating/lighting] equipment. 353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Information p	ertaining to particular dangers for man and environment:
Classification	
NFPA ratings	
	re = 3 eactivity = 0
HMIS-ratings	(scale 0 - 4)
FIRE 3	Health = 2 Fire = 3 Reactivity = 0
Other hazards	
	T and vPvB assessment
Results of PB PBT: Not appli	
Results of PB PBT: Not appli vPvB: Not app	licable.
Results of PB' PBT: Not appli vPvB: Not app Classification	licable. according to (d)(1)(ii) of § 1910.1200
Results of PB PBT: Not appli vPvB: Not app Classification The SDS issu	licable. according to (d)(1)(ii) of § 1910.1200 er does not object to the classifications provided by importers or manufacturers of
Results of PB PBT: Not appli vPvB: Not app Classification The SDS issu precursor prod	licable. according to (d)(1)(ii) of § 1910.1200 er does not object to the classifications provided by importers or manufacturers of ucts.
Results of PB PBT: Not appli vPvB: Not app Classification The SDS issu precursor prod Hazards not o	licable. according to (d)(1)(ii) of § 1910.1200 er does not object to the classifications provided by importers or manufacturers of ucts. therwise classified
Results of PB PBT: Not appli vPvB: Not app Classification The SDS issu precursor prod Hazards not o There are no a	licable. according to (d)(1)(ii) of § 1910.1200 er does not object to the classifications provided by importers or manufacturers of ucts. therwise classified dverse physical or health effects known that are not covered by the hazard classes of the
Results of PB PBT: Not appli vPvB: Not app Classification The SDS issu precursor prod Hazards not o There are no a	licable. according to (d)(1)(ii) of § 1910.1200 er does not object to the classifications provided by importers or manufacturers of ucts. therwise classified
Results of PB PBT: Not appli vPvB: Not app Classification The SDS issu precursor prod Hazards not o There are no a	licable. according to (d)(1)(ii) of § 1910.1200 er does not object to the classifications provided by importers or manufacturers of ucts. therwise classified dverse physical or health effects known that are not covered by the hazard classes of the
Results of PB PBT: Not appli vPvB: Not app Classification The SDS issu precursor prod Hazards not o There are no a Hazard Commu	licable. according to (d)(1)(ii) of § 1910.1200 er does not object to the classifications provided by importers or manufacturers of ucts. therwise classified dverse physical or health effects known that are not covered by the hazard classes of the unications Standard.
Results of PB PBT: Not appli vPvB: Not app Classification The SDS issu precursor prod Hazards not o There are no a Hazard Communication Compositio	licable. according to (d)(1)(ii) of § 1910.1200 er does not object to the classifications provided by importers or manufacturers of ucts. therwise classified dverse physical or health effects known that are not covered by the hazard classes of the

· Dangerous components:		
CAS: 64-17-5	Ethanol	50-100%
EINECS: 200-578-6	🚸 Flammable liquids 2, H225	
CAS: 13925-06-9	2-isobutyl-3-methyl pyrazine	≥2.5-<10%
EINECS: 237-693-6	🚯 Skin irritation 2, H315; Eye irritation 2A, H319; Flammable liquids	
	4, H227	

(Continued on page 3)

US

ADVANCED

Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: 2-IsobutyI-3-Methyl Pyrazine 5% ETOH Natural

(Continuation of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Protective Action Criteria for Chemicals

· PAC-1:

CAS: 64-17-5 Ethanol

· PAC-2:

CAS: 64-17-5 Ethanol

PAC-3:

CAS: 64-17-5 Ethanol

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Continued on page 4)

1,800 ppm

3300* ppm

15000* ppm

US



Date of issue: 01/24/2025

Trade name: 2-IsobutyI-3-Methyl Pyrazine 5% ETOH Natural

(Continuation of page 3)

See Section 13 for disposal information.

7 Handling and storage

- Precautions for safe handling No special precautions are necessary if used correctly.
 Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 64-17-5 Ethanol

- PEL Long-term value: 1900 mg/m³, 1000 ppm
- REL Long-term value: 1900 mg/m³, 1000 ppm
- TLV Short-term value: 1000 ppm

A3

• Additional information: The lists that were valid during the creation were used as a basis.

- Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. • Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Continued on page 5)

us -



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: 2-IsobutyI-3-Methyl Pyrazine 5% ETOH Natural

(Continuation of page 4) Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and chemica 	al properties
· General Information	
· Physical state	Liquid
· Color:	According to product specification
· Odor:	According to product specification
Odor threshold:	Not determined.
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flammability:	Highly flammable.
· Explosion limits:	<u> </u>
Lower:	2.6 Vol %
· Upper:	12.6 Vol %
Flash point:	19.9 °C (67.8 °F)
Decomposition temperature:	Not determined.
pH-value:	Not determined.
· Viscosity:	
· Kinematic:	Not determined.
· Dynamic:	Not determined.
 Solubility in / Miscibility with 	
· Water:	Fully miscible.
 Partition coefficient (n-octanol/water): 	Not determined.
· Vapor pressure at 20 °C (68 °F):	0.1 hPa
· Vapor pressure:	
[·] Density at 20 °C (68 °F):	0.81-0.83 g/cm³ (6.75945-6.92635 lbs/gal)
· Relative density	Not determined.
Refractive Index	
Vapor density	Not determined.
Particle characteristics	Not applicable.
	(Continued on page 6



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: 2-IsobutyI-3-Methyl Pyrazine 5% ETOH Natural

	(Continuation of page 5)
Other information	
Appearance:	
Form:	Liquid
Important information on protection	n of health
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of
5	explosive air/vapor mixtures are possible.
Solvent content:	
Organic solvents:	95.0 %
VOC content:	95.00 %
	769.5-788.5 g/l / 6.42-6.58 lb/gal
Solids content:	0.0 %
Change in condition	
Evaporation rate	Not determined.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Interactive effects No interactive effects between components are known.
- · Carcinogenic categories

 IARC (International 	Agency for Research on Cancer)
---	-------------------------------	---

CAS: 64-17-5 Ethanol

• NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Continued on page 7)

1

US



Date of issue: 01/24/2025

Reviewed on 01/24/2025

(Continuation of page 6)

Trade name: 2-IsobutyI-3-Methyl Pyrazine 5% ETOH Natural

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information · UN-Number · DOT, IMDG, IATA UN1170 · UN proper shipping name · DOT Ethanol solutions ETHANOL SOLUTION (ETHYL ALCOHOL · IMDG SOLUTION) ETHANOL SOLUTION · Transport hazard class(es) DOT Class 3 Flammable liquids (Continued on page 8) US



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: 2-IsobutyI-3-Methyl Pyrazine 5% ETOH Natural (Continuation of page 7) · Label 3 · IMDG, IATA · Class 3 Flammable liquids · Label 3 Packing group · DOT, IMDG, IATA Ш · Environmental hazards: Not applicable. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ·IMDG · Limited quantities (LQ) 1LExcepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · Special precautions for user Warning: Flammable liquids · Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-D Stowage Category А · UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

Regulatory information
afety, health and environmental regulations/legislation specific for the substance or mixture ara
ection 355 (extremely hazardous substances):
lone of the ingredients is listed.
ection 313 (Specific toxic chemical listings):
lone of the ingredients is listed.
SCA (Toxic Substances Control Act):
Il components have the value ACTIVE.
lazardous Air Pollutants
lone of the ingredients is listed.

(Continued on page 9)

US -



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: 2-IsobutyI-3-Methyl Pyrazine 5% ETOH Natural

-	(Continuation of page 8)
Proposition 65	
	wyn to cause cancer:
None of the ingr	redients is listed.
	wn to cause reproductive toxicity for females:
None of the ingr	redients is listed.
Chemicals kno	wn to cause reproductive toxicity for males:
None of the ingr	redients is listed.
Chemicals kno	wn to cause developmental toxicity:
CAS: 64-17-5 E	Ethanol
Carcinogenic o	categories
-	nental Protection Agency)
	redients is listed.
TLV (Threshold	d Limit Value)
CAS: 64-17-5 E	Ethanol A3
NIOSH-Ca (Nat	ional Institute for Occupational Safety and Health)
None of the ingr	redients is listed.
symbol on a whi	label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible.
Pictograms on symbol on a whi	label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS).
Pictograms on symbol on a wh The product is of Hazard pictogr	label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams
Pictograms on symbol on a whi The product is c	label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS02 Signal word Da	label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS0 Signal word Da Hazard stateme	label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams
Pictograms on symbol on a wh The product is of Hazard pictogr Alazard pictogr GHS02 GHS0 Signal word Da Hazard statemon H225 Highly flar	label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams
Pictograms on symbol on a wh The product is of Hazard pictogr Alazard pictogr GHS02 GHS0 Signal word Da Hazard statemon H225 Highly flar	label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams 07 anger ents mmable liquid and vapor. erious eye irritation.
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS0 Signal word Da Hazard statement H225 Highly flar H319 Causes so	label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams 07 anger ents mmable liquid and vapor. erious eye irritation. statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS0 Signal word Da Hazard statement H225 Highly flar H319 Causes so Precautionary	label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams 07 anger ents mmable liquid and vapor. erious eye irritation. statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Pictograms on symbol on a wh The product is of Hazard pictogr Additional Hazard pictogr GHS02 GHS0 Signal word Da Hazard statemo H225 Highly flar H319 Causes so Precautionary P210 P241	 label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). ams o7 anger ents mmable liquid and vapor. erious eye irritation. statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof [electrical/ventilating/lighting] equipment. 53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
Pictograms on symbol on a wh The product is of Hazard pictogr Alazard pictogr GHS02 GHS0 Signal word Da Hazard stateme H225 Highly flar H319 Causes so Precautionary P210 P241 P303+P361+P3	 label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams o7 anger ents mmable liquid and vapor. erious eye irritation. statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof [electrical/ventilating/lighting] equipment. 53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. 38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS02 Signal word Da Hazard stateme H225 Highly flar H319 Causes so Precautionary P210 P241 P303+P361+P3 P305+P351+P3 P403+P235	 label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams o7 anger ents mmable liquid and vapor. erious eye irritation. statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof [electrical/ventilating/lighting] equipment. 53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. 38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store in a well-ventilated place. Keep cool.
Pictograms on symbol on a wh The product is of Hazard pictogr GHS02 GHS0 Signal word Da Hazard stateme H225 Highly flar H319 Causes so Precautionary P210 P241 P303+P361+P3 P305+P351+P3	 label shall be in the shape of a square set at a point and shall include a black hazard ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams o7 anger ents mmable liquid and vapor. erious eye irritation. statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof [electrical/ventilating/lighting] equipment. to skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. 38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.



Date of issue: 01/24/2025

PO.

Reviewed on 01/24/2025

	(Continuation of page 9)
Relevant phrases	
H225 Highly flammable liquid and vapor.	
H227 Combustible liquid.	
H315 Causes skin irritation.	
H319 Causes serious eye irritation.	
Department issuing SDS: Product Safety Department	
Contact:	
Product Safety Department	
productsafety@adv-bio.com	
Date of previous version 11/15/2023	
Date of preparation 01/24/2025	
Abbreviations and acronyms:	
DR: Accord relatif au transport international des marchandises dangereuses pa	ar route (European Agreement Concerning the
nternational Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods	
OOT: US Department of Transportation	
ATA: International Air Transport Association	
INECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)	
IFPA: National Fire Protection Association (USA)	
IMIS: Hazardous Materials Identification System (USA)	
(OC: Volatile Organic Compounds (USA, EU)	
'BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative	
IIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
LV: Threshold Limit Value	
PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	
Flammable liquids 2: Flammable liquids – Category 2	
Flammable liquids 4: Flammable liquids – Category 4	
Skin irritation 2: Skin corrosion/irritation – Category 2	
ye irritation 2A: Serious eye damage/eye irritation – Category 2A	