

Printing date 01/16/2024

Reviewed on 12/06/2023





Reviewed on 12/06/2023

Printing date 01/16/2024

Trade name: Acetaldehyde Synthetic

(Continuation of page 1) Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation. **GHS** label elements Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS07 GHS08 · Signal word Danger Hazard-determining components of labeling: Acetaldehyde · Hazard statements H224 Extremely flammable liquid and vapor. H302 Harmful if swallowed. H319 Causes serious eye irritation. H341 Suspected of causing genetic defects. H350 May cause cancer. H335 May cause respiratory irritation. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P210 P241 Use explosion-proof electrical/ventilating/lighting/equipment. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: NFPA ratings (scale 0 - 4) Health = 2 Fire = 4Reactivity = 0 · HMIS-ratings (scale 0 - 4) HEALTH *2 Health = *2FIRF 4 Fire = 4REACTIVITY 0 Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable.

· vPvB: Not applicable.

(Continued on page 3)

119



Printing date 01/16/2024

Reviewed on 12/06/2023

Trade name: Acetaldehyde Synthetic

(Continuation of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Substances
- CAS No. Description CAS: 75-07-0 Acetaldehyde

· Identification number(s)

- EC number: 200-836-8
- · Index number: 605-003-00-6

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
 Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

(Continued on page 4)



Printing date 01/16/2024

Reviewed on 12/06/2023

Trade name: Acetaldehyde Synthetic

Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals	(Continuation of page 3
PAC-1:	
45 ppm	
PAC-2:	
270 ppm	
PAC-3:	
840 ppm	

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

 Components with limit values 	that require monitoring at the workplace:
--	---

CAS: 75-07-0 Acetaldehyde

- PEL Long-term value: 360 mg/m³, 200 ppm
- REL See Pocket Guide Apps. A and C
- TLV Ceiling limit value: 25 ppm

A2


· Additional information: The lists that were valid during the creation were used as a basis.

(Continued on page 5)



Printing date 01/16/2024

Trade name: Acetaldehyde Synthetic



Form.	Liquid	
Color:	According to product specification	
· Odor:	According to product specification	
· Odor threshold:	Not determined.	
· pH-value:	5	
Change in condition		
Melting point/Melting range:	-123 °C (-189.4 °F)	
Boiling point/Boiling range:	21 °C (69.8 °F)	
	(Continued on pag	je 6)



Printing date 01/16/2024

Reviewed on 12/06/2023

Trade name: Acetaldehyde Synthetic

	(Continuation of page 5)
· Flash point:	-39 °C (-38.2 °F)
· Flammability (solid, gaseous):	Not applicable.
· Auto igniting:	140 °C (284 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
 Explosion limits: Lower: Upper: 	4 Vol % 57 Vol %
 Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F): 	1,007 hPa (0.807 mm Hg) 2.8 hPa (2.1 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	0.78 g/cm ³ (6.5091 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/wat	t er): Not determined.
 Viscosity: Dynamic: Kinematic: Organic solvents: VOC content: 	Not determined. Not determined. 100.0 % 100.00 % 1,000.0 g/l / 8.35 lb/gal
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

(Continued on page 7)

US



Printing date 01/16/2024

Reviewed on 12/06/2023

Trade name: Acetaldehyde Synthetic

(Continuation of page 6)

Acute toxicity: LD/LC50 values that are relevant for classification: ATE (Acute Toxicity Estimate) Oral LD50 661 mg/kg (rat) CAS: 75-07-0 Acetaldehyde Oral LD50 700 mg/kg (ATE) Oral LD50 700 mg/kg (rat) Dermal LD50 3,540 mg/kg (ATE) Inhalative LC50/4 h 37 mg/l (rat) Primary irritant effect: on the skin: No irritant effect. on the eye: Irritating effect. Sensitization: No sensitizing effects known. Additional terinological information:	
Oral LD50 661 mg/kg (rat) CAS: 75-07-0 Acetaldehyde Oral LD50 700 mg/kg (ATE) 661 mg/kg (rat) 661 mg/kg (rat) Dermal LD50 3,540 mg/kg (ATE) Inhalative LC50/4 h 37 mg/l (rat) Primary irritant effect: on the skin: No irritant effect. on the eye: Irritating effect. Sensitization: No sensitizing effects known.	
CAS: 75-07-0 Acetaldehyde Oral LD50 700 mg/kg (ATE) 661 mg/kg (rat) 661 mg/kg (rat) Dermal LD50 3,540 mg/kg (ATE) Inhalative LC50/4 h 37 mg/l (rat) Primary irritant effect: on the skin: No irritant effect. on the eye: Irritating effect. Sensitization: No sensitizing effects known.	
Oral LD50 700 mg/kg (ATE) 661 mg/kg (rat) 661 mg/kg (rat) Dermal LD50 3,540 mg/kg (ATE) Inhalative LC50/4 h 37 mg/l (rat) Primary irritant effect: on the skin: No irritant effect. on the eye: Irritating effect. Sensitization: No sensitizing effects known.	
Dermal LD50 661 mg/kg (rat) Inhalative LD50 3,540 mg/kg (ATE) Inhalative LC50/4 h 37 mg/l (rat) Primary irritant effect: on the skin: No irritant effect. on the eye: Irritating effect. Sensitization: No sensitizing effects known.	
Dermal LD50 3,540 mg/kg (ATE) Inhalative LC50/4 h 37 mg/l (rat) Primary irritant effect: on the skin: No irritant effect. on the eye: Irritating effect. Sensitization: No sensitizing effects known.	
Inhalative LC50/4 h 37 mg/l (rat) Primary irritant effect: on the skin: No irritant effect. on the eye: Irritating effect. Sensitization: No sensitizing effects known.	
Primary irritant effect: on the skin: No irritant effect. on the eye: Irritating effect. Sensitization: No sensitizing effects known.	
on the skin: No irritant effect. on the eye: Irritating effect. Sensitization: No sensitizing effects known.	
Additional toxicological information:	
Carcinogenic categories	
IARC (International Agency for Research on Cancer)	
2B	
NTP (National Toxicology Program)	
R	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

(Continued on page 8)



Printing date 01/16/2024

Trade name: Acetaldehyde Synthetic

(Continuation of page 7)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1089
UN proper shipping name	
DOT	Acetaldehyde
IMDG, IATA	ACETALDEHYDE
Transport hazard class(es)	
DOT	
RAMMAGE DOUD	
▼	$\overline{\Omega}$.
Class	3 Flammable liquids
Label	3
IMDG, IATA	A
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	I
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kem	
EMS Number:	F-E,S-D
Stowage Category	E
Transport in bulk according to Ann	ex II of
MARPOL73/78 and the IBC Code	Not applicable.



Printing date 01/16/2024

Reviewed on 12/06/2023

Trade name: Acetaldehyde Synthetic

(Continuation of page 8)
On passenger aircraft/rail: Forbidden
On cargo aircraft only: 30 L
1000 lbs, 454 kg
0
Code: E3
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 300 ml
UN 1089 ACETALDEHYDE, 3, I

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

• Section 313 (Specific toxic chemical listings): This product contains the following EPCRA section 313 chemicals subject to the Reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 (40 CFR 372): Acetaldehyde CAS 75-07-00

Substance is listed.

• TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is listed.

WARNING: Consuming this product can expose you to Acetaldehyde, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov/food.

Acetaldehyde CAS-no. 75-07-0 (98% by weight)

• Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

• Chemicals known to cause developmental toxicity:

Substance is not listed.

(Continued on page 10)

US



Printing date 01/16/2024

(Continuation of page 9)

Trade name: Acetaldehyde Synthetic

· Carcinogenic categories

· EPA (Environmental Protection Agency)

B2

· TLV (Threshold Limit Value)

A3

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is listed.

· GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labeling: Acetaldehyde
- · Hazard statements
- H224 Extremely flammable liquid and vapor.
- H302 Harmful if swallowed.
- H319 Causes serious eye irritation.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H335 May cause respiratory irritation.
- Precautionary statements
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

- Information about limitation of use: Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Continued on page 11)

ÚS



Printing date 01/16/2024

Reviewed on 12/06/2023

Trade name: Acetaldehyde Synthetic

Bepartment issuing SDS: Product Safety Department Contact: Product Safety Department product Safety Department product Safety Department / Last revision 01/16/2024 Abreviations and acronyme: ADR: Account relatif au transport International on transchandises dangereuses par route (European Agreement Concerning the mixed international Maritime Code for Dangerous Goods DOT: US Department of Transport International Onemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American CHES) CO: Valitie Organic Componition (USA) CO: Valitie Organic Componition (USA) CO: Valitie Organic Componition Context VPB: very Persistent and very Bloeaccumulative VICE: Very Persistent Advery Bloeaccumulative Persistent Advery Bloeacumulative VICE: Very Persistent Adve		(Continuation of page 10)
Product Safety Department productsafety@adv-bio.com Date of preparation / last revision 01/16/2024 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DDT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent MOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 2 Carrioogenicity 1B: Carcinogenicity – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 2 Carrioogenicity 1B: Carcinogenicity – Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3		roduct Safety Department
productsafety@adv-bio.com Date of preparation / last revision 01/16/2024 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent DBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health T.V: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2A Carcinogenicity 1B: Carcinogenicity – Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3		
 Date of preparation / last revision 01/16/2024 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL Recommended Exposure Limit REL Recommended Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Accute Toxicity - Oral 4: Acute toxicity – Category 4 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Germ Cell Mutagenicity - Category 1 Accute Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 		
Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Accute Toxicity - Oral 4: Acute toxicity – Category 2 Gern Cell Mutagenicity 2: Gern cell mutagenicity – Category 2 Carcinogenicity 1: Carcinogenicity – Category 1 Accute Toxicity - Single Exposur		
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent DD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Eye Irritation 24: Serious eye damage/eye irritation – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3		
International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent DD5: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Eye Inritation 2A: Serious eye damage/eye irritation – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Carcinogenicity 18: Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	Abbreviations and acronym	
IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport association IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Radium Rel: Recommended Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Carcinogenicity 18: Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	ADR: Accord relatif au transport inte	ernational des marchandises dangereuses par route (European Agreement Concerning the
DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Eye Irritation 2A: Serious eye damage/eye Irritation – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3		
EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent DD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	DOT: US Department of Transportation	ion
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	IATA: International Air Transport Ass	sociation
NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3		
HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3		
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Carcinogenicity 1B: Carcinogenicity – Category 1B Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	HMIS: Hazardous Materials Identifica	ation System (USA)
LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3		
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Carcinogenicity 1B: Carcinogenicity – Category 1B Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3		ent
vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Carcinogenicity 1B: Carcinogenicity – Category 1B Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	PBT: Persistent, Bioaccumulative an	nd Toxic
OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Carcinogenicity 1B: Carcinogenicity – Category 1B Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	vPvB: very Persistent and very Bioac	ccumulative
TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Carcinogenicity 1B: Carcinogenicity – Category 1B Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3		
PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Carcinogenicity 1B: Carcinogenicity – Category 1B Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3		n
REL: Recommended Exposure Limit Flammable Liquids 1: Flammable liquids – Category 1 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Carcinogenicity 1B: Carcinogenicity – Category 1B Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3		
Acute Toxicity - Oral 4: Acute toxicity – Category 4 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Carcinogenicity 1B: Carcinogenicity – Category 1B Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	REL: Recommended Exposure Limit	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Carcinogenicity 1B: Carcinogenicity – Category 1B Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3		
Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Carcinogenicity 1B: Carcinogenicity – Category 1B Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	Acute Toxicity - Oral 4: Acute toxicity	/ – Category 4 re/eve irritation – Category 24
Carcinogenicity 1B: Carcinogenicity – Category 1B Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	Germ Cell Mutagenicity 2: Germ cell	mutagenicity – Category 2
	Carcinogenicity 1B: Carcinogenicity -	– Category 1B
	Specific Target Organ Toxicity - Sing	
	0	