
US



Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 03/08/2024

Reviewed on 03/08/2024






Printing date 03/08/2024

Reviewed on 03/08/2024

Trade name: Acetoin Powder Synthetic



- · Chemical characterization: Substances
- CAS No. Description CAS: 23147-57-1 Acetoin Powder Alternative CAS number: 513-86-0

(Continued on page 3)

⁵⁻



Printing date 03/08/2024

(Continuation of page 2)

Trade name: Acetoin Powder Synthetic

- Identification number(s)
- EC number: 208-174-1

4 First-aid measures

- Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
 CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- Additional information
- Cool endangered receptacles with water spray.
- Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up: Use neutralizing agent.
 Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
 Protective Action Criteria for Chemicals
 PAC-1: Substance is not listed.

(Continued on page 4)

⁻ U



Printing date 03/08/2024

(Continuation of page 3)

Trade name: Acetoin Powder Synthetic

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

7 Handling and storage

· Handling:

- Precautions for safe handling Thorough dedusting.
 Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires:
 Keep ignition sources away Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Please refer to the product specification and/or Certificate of Analysis for product storage requirements. Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as a basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. **Protection of hands:**

m

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. (Continued on page 5)

US



Printing date 03/08/2024

Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Reviewed on 03/08/2024

Trade name: Acetoin Powder Synthetic

(Continuation of page 4) Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation • **Material of gloves** The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and General Information	Molecular Weight: 88.11 g/mol		
Appearance:			
Form:	Solid According to product specification According to product specification		
Color:			
Odor:			
Odor threshold:	Not determined.		
pH-value:	Not applicable.		
Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	148 °C (298.4 °F)		
Flash point:	45 °C (113 °F) Product is not flammable. Not determined.		
Flammability (solid, gaseous):			
Decomposition temperature:			
Ignition temperature:	Not determined.		
Danger of explosion:	Product is not explosive. However, formation of explosive vapor mixtures are possible.		
Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
Vapor pressure:	Not applicable.		
Density:	Not determined.		
Relative density	Not determined.		
Vapor density	Not applicable.		
Evaporation rate	Not applicable.		



Printing date 03/08/2024

Reviewed on 03/08/2024

Trade name: Acetoin Powder Synthetic

		(Continuation of page 5
· Solubility in / Miscibility with		
Water:	Soluble.	
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		$\overline{\alpha}$
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
VOC content:	0.00 %	
Solids content:	100.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: Exposure to heat and temperatures equivalent to cooking or higher may cause the release of diacetyl which may cause lung damage if repeatedly inhaled.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: Diacetyl
- · Additional information:

Exposure to heat and temperatures equivalent to cooking or higher may cause the release of diacetyl which may cause lung damage if repeatedly inhaled.

11 Toxicological information

- Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

CAS: 23147-57-1 Acetoin Powder

- Oral LD50 >50,000 mg/kg (rat)
- Dermal LD50 >50,000 mg/kg (rabbit)
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

• NTP (National Toxicology Program)

Substance is not listed.

(Continued on page 7)

US



Printing date 03/08/2024

Reviewed on 03/08/2024

Trade name: Acetoin Powder Synthetic

(Continuation of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1325
UN proper shipping name	
DOT	Flammable solids, organic, n.o.s. (Acetoin Powder)
IMDG, IATA	FLAMMABLE SOLID, ORGANIC, N.O.S. (Acetoi
	Powder)



Printing date 03/08/2024

Reviewed on 03/08/2024

Trade name: Acetoin Powder Synthetic (Continuation of page 7) · Transport hazard class(es) · DOT · Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives 4.1 · Label · IMDG, IATA 4.1 Flammable solids, self-reactive substances and · Class solid desensitised explosives 4.1 · Label · Packing group · DOT, IMDG, IATA ш · Environmental hazards: · Marine pollutant: No Special precautions for user Warning: Flammable solids, self-reactive substances and solid desensitised explosives · Hazard identification number (Kemler code): 40 · EMS Number: F-A,S-G Stowage Category В Segregation Code SG72 See 7.2.6.3.2. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT · Quantity limitations On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg ·IMDG · Limited quantities (LQ) 5 kg Code: E1 Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g · UN "Model Regulation": UN 1325 FLAMMABLE SOLID, ORGANIC, N.O.S. (ACETOIN POWDER), 4.1, III

(Continued on page 9)



Printing date 03/08/2024

Reviewed on 03/08/2024

Trade name: Acetoin Powder Synthetic

(Continuation of page 8)

15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture Sara Section 355 (extremely hazardous substances): Substance is not listed. Section 313 (Specific toxic chemical listings): Substance is not listed. TSCA (Toxic Substances Control Act): ACTIVE Hazardous Air Pollutants Substance is not listed. Proposition 65 Chemicals known to cause cancer: Substance is not listed.

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

• TLV (Threshold Limit Value)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

• **Hazard-determining components of labeling:** Acetoin Powder

- · Hazard statements
- H228 Flammable solid.



Printing date 03/08/2024

Reviewed on 03/08/2024

Trade name: Acetoin Powder Synthetic

H318 Causes serious eye damage.

(Continuation of page 9)

H373 May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.

Precautionary statements

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- Contact:

Product Safety Department

- productsafety@adv-bio.com
- Date of preparation / last revision 03/08/2024 / -

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flammable Solids 2: Flammable solids - Category 2 Eye Damage 1: Serious eye damage/eye irritation - Category 1 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2