

Printing date 01/16/2024

Reviewed on 01/10/2023



(Continued on page 2)

- US -



Printing date 01/16/2024

## Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Reviewed on 01/10/2023

#### Trade name: Methyl Caproate synthetic

<b>D</b> (1)	(Continuation of page 1)
• Precautionary	statements
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
F 303 F 30 F F 3	water/shower.
D400 - D005	
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
<ul> <li>Classification</li> </ul>	system:
<ul> <li>NFPA ratings (</li> </ul>	
Č,	
He	ealth = 0
Fi	re = 2
	eactivity = 0
· HMIS-ratings (	scale 0 - 4)
·····j- (	
HEALTH 0 H	Health = 0
FIRE 2	ire = 2
	Reactivity = 0
REACTIVITY	cacitivity – 0
· Other hazards	
•	T and vPvB assessment
<b>PBT:</b> Not applic	
· vPvB: Not appl	licable.
3 Compositio	n/information on ingredients

#### · Chemical characterization: Substances

- · CAS No. Description
- CAS: 106-70-7 Methyl hexanoate
- Identification number(s)
- EC number: 203-425-1

# 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Continued on page 3)



Printing date 01/16/2024

#### Trade name: Methyl Caproate synthetic

(Continuation of page 2)

#### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: Water with full jet

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## 6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

- Ensure adequate ventilation. Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- · PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:
- No special requirements.
- Please refer to the product specification and/or Certificate of Analysis for product storage requirements. Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Continued on page 4)

US



Printing date 01/16/2024

#### Reviewed on 01/10/2023

#### Trade name: Methyl Caproate synthetic

(Continuation of page 3)

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as a basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Information on basic physical and chemical properties			
General Information	Molecular Weight: 130.19 g/mol		
· Appearance:			
Form:	Liquid		
Color: · Odor:	According to product specification According to product specification		
· pH-value:	Not determined.		



Printing date 01/16/2024

#### Reviewed on 01/10/2023

#### Trade name: Methyl Caproate synthetic

	(Continuation of page 4	
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	-71 °C (-95.8 °F) 151 °C (303.8 °F)	
Flash point:	38 °C (100.4 °F)	
Flammability (solid, gaseous):	Flammable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Not determined.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapor pressure at 20 °C (68 °F):	3.7 hPa (2.8 mm Hg)	
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	0.885 g/cm³ (7.38533 lbs/gal) Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	t <b>er):</b> Not determined.	
<sup>·</sup> Viscosity: Dynamic: Kinematic: VOC content:	Not determined. Not determined. 0.00 % 0.0 g/l / 0.00 lb/gal	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

(Continued on page 6)



Printing date 01/16/2024

#### Reviewed on 01/10/2023

#### Trade name: Methyl Caproate synthetic

(Continuation of page 5)

Information on toxicological effects	
Acute toxicity:	
LD/LC50 values that are relevant for classification:	
CAS: 106-70-7 Methyl hexanoate	
Oral LD50 >5,000 mg/kg (rat)	
Primary irritant effect:	
on the skin: No irritant effect.	
on the eye: No irritating effect.	
Sensitization: No sensitizing effects known.	
Additional toxicological information:	
Carcinogenic categories	
IARC (International Agency for Research on Cancer)	
Substance is not listed.	
NTP (National Toxicology Program)	
Substance is not listed.	
OSHA-Ca (Occupational Safety & Health Administration)	
Substance is not listed.	

# 12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

## Waste treatment methods

- · Recommendation:
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Continued on page 7)



Printing date 01/16/2024

Reviewed on 01/10/2023

#### Trade name: Methyl Caproate synthetic

(Continuation of page 6)

• Uncleaned packagings:
 • Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN3272
UN proper shipping name	
DOT	Esters, n.o.s. (Methyl hexanoate)
IMDG, IATA	ESTERS, N.O.S. (Methyl hexanoate)
Transport hazard class(es)	
DOT	
Class	3 Flammable liquids
Label	3
IMDG, IATA	~
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-D
Stowage Category	A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ)	5L



Printing date 01/16/2024

Reviewed on 01/10/2023

## Trade name: Methyl Caproate synthetic

	(Continuation of page 7)
<ul> <li>Excepted quantities (EQ)</li> </ul>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3272 ESTERS, N.O.S. (METHYL HEXANOATE), 3, III

Ś	Safety, health and environmental regulations/legislation specific for the substance or mixture Sara
	Section 355 (extremely hazardous substances):
S	Substance is not listed.
	Section 313 (Specific toxic chemical listings):
S	Substance is not listed.
	TSCA (Toxic Substances Control Act):
ŀ	ACTIVE
ŀ	Hazardous Air Pollutants
S	Substance is not listed.
	Proposition 65
(	Chemicals known to cause cancer:
S	Substance is not listed.
(	Chemicals known to cause reproductive toxicity for females:
S	Substance is not listed.
(	Chemicals known to cause reproductive toxicity for males:
S	Substance is not listed.
(	Chemicals known to cause developmental toxicity:
S	Substance is not listed.
(	Carcinogenic categories
E	EPA (Environmental Protection Agency)
Substance is not listed.	Substance is not listed.
٦	TLV (Threshold Limit Value)
S	Substance is not listed.
ľ	NIOSH-Ca (National Institute for Occupational Safety and Health)
S	Substance is not listed.
F	<b>GHS label elements</b> Pictograms on label shall be in the shape of a square set at a point and shall include a black haz symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS).



Printing date 01/16/2024

Reviewed on 01/10/2023

## Trade name: Methyl Caproate synthetic

Hazard pictog	rams (Continuation of page 8)
GHS02	$\overline{\mathcal{O}}$
Signal word V	Varning
Hazard staten	nents
H226 Flammat	ble liquid and vapor.
Precautionary	statements
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safe	ety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Product Safety Department · Contact: Product Safety Department productsafety@adv-bio.com · Date of preparation / last revision 01/16/2024 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flammable Liquids 3: Flammable liquids – Category 3