

Safety Data Sheet

acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

1 Identification

· **Product identifier**

· **Trade name:** Furfuryl Alcohol Synthetic

· **CAS Number:**

98-00-0

· **Other means of identification**

· **Product number:** 2104

· **EC number:**

202-626-1

· **Index number:**

603-018-00-2

· **Application of the substance / the mixture** Flavoring Ingredients

· **Details of the supplier of the safety data sheet**

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

· **Manufacturer/Supplier:**

Advanced Biotech

10 Taft Road

Totowa, NJ 07512 USA

· **Information department:**

Product Safety Department

productsafety@adv-bio.com

· **Emergency telephone number:**

Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International)

Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS06 Skull and crossbones

Acute toxicity - oral 3

Acute toxicity - dermal 3

Acute toxicity - inhalation 2

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H330 Fatal if inhaled.



GHS08 Health hazard

Carcinogenicity 2

Specific target organ toxicity (repeated exposure) 2

H351 Suspected of causing cancer.

H373 May cause damage to the central nervous system, the kidneys, the liver, the respiratory system and the nasal tissue through prolonged or repeated exposure. Route of exposure: Inhalation.

(Continued on page 2)

Safety Data Sheet

acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Furfuryl Alcohol Synthetic

(Continuation of page 1)



GHS07

Skin irritation 2

Eye irritation 2A

Specific target organ toxicity (single exposure) 3

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Flammable liquids 4

H227 Combustible liquid.

GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS06



GHS07



GHS08

Signal word Danger

Hazard-determining components of labeling:

Furfuryl alcohol

Hazard statements

H227 Combustible liquid.

H301+H311 Toxic if swallowed or in contact with skin.

H330 Fatal if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H373 May cause damage to the central nervous system, the kidneys, the liver, the respiratory system and the nasal tissue through prolonged or repeated exposure. Route of exposure: Inhalation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P330 Rinse mouth.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P320 Specific treatment is urgent (see on this label).

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Continued on page 3)

Safety Data Sheet

acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Furfuryl Alcohol Synthetic

(Continuation of page 2)

- Information pertaining to particular dangers for man and environment:
- Classification system:
- NFPA ratings (scale 0 - 4)



Health = 2
Fire = 2
Reactivity = 0

- HMIS-ratings (scale 0 - 4)



Health = 2
Fire = 2
Reactivity = 0

- Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- Classification according to (d)(1)(ii) of § 1910.1200
The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.
- Hazards not otherwise classified
There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

- Chemical characterization: Substances
- CAS No. Description
CAS: 98-00-0 Furfuryl alcohol
- Identification number(s)
- EC number: 202-626-1
- Index number: 603-018-00-2

4 First-aid measures

- Description of first aid measures
- General information:
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
Remove breathing apparatus only after contaminated clothing have been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:
Supply fresh air or oxygen; call for doctor.
In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Most important symptoms and effects, both acute and delayed
No further relevant information available.

(Continued on page 4)

Safety Data Sheet

acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Furfuryl Alcohol Synthetic

(Continuation of page 3)

- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.
- **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

15 ppm

· **PAC-2:**

42 ppm

· **PAC-3:**

250 ppm

· **Reference to other sections**

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
Keep respiratory protective device available.

(Continued on page 5)

Safety Data Sheet

acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Furfuryl Alcohol Synthetic

(Continuation of page 4)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Please refer to the product specification and/or Certificate of Analysis for product storage requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

CAS: 98-00-0 Furfuryl alcohol

PEL	Long-term value: 200 mg/m ³ , 50 ppm
REL	Short-term value: 60 mg/m ³ , 15 ppm Long-term value: 40 mg/m ³ , 10 ppm Skin
TLV	Long-term value: 0.2 ppm Skin, A3

- **Additional information:** The lists that were valid during the creation were used as a basis.
- **Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

(Continued on page 6)

Safety Data Sheet

acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Furfuryl Alcohol Synthetic

(Continuation of page 5)

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information	Molecular Weight: 98.1 g/mol
· Physical state	Liquid
· Color:	According to product specification
· Odor:	According to product specification
· Odor threshold:	Not determined.
· Melting point/Melting range:	-31 °C (-23.8 °F)
· Boiling point/Boiling range:	170 °C (338 °F)
· Flammability:	Not applicable.
· Explosion limits:	
· Lower:	1.8 Vol %
· Upper:	16.3 Vol %
· Flash point:	65 °C (149 °F)
· Auto igniting:	390 °C (734 °F)
· Decomposition temperature:	Not determined.
· pH-value:	Not determined.
· Viscosity:	
· Kinematic:	Not determined.
· Dynamic:	Not determined.
· Solubility in / Miscibility with	
· Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Vapor pressure at 20 °C (68 °F):	0.53 hPa (0.4 mm Hg)
· Vapor pressure at 50 °C (122 °F):	4.5 hPa (3.4 mm Hg)
· Density at 20 °C (68 °F):	1.124-1.148 g/cm ³ (9.37978-9.58006 lbs/gal)
· Relative density	Not determined.
· Specific Gravity	1.124 - 1.148 @ 20 °C (34 - 34.1 @ 68 °F)
· Refractive Index	
· Vapor density	Not determined.
· Particle characteristics	Not applicable.

· Other information

· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Not determined.
· Danger of explosion:	Not determined.
· Organic solvents:	100.0 %
· VOC content:	100.00 %
	1,124-1,148 g/l / 9.38-9.58 lb/gal

(Continued on page 7)

Safety Data Sheet

acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Furfuryl Alcohol Synthetic

(Continuation of page 6)

- **Change in condition**
- **Evaporation rate** Not determined.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	160 mg/kg (mouse)
Dermal	LD50	400 mg/kg (rabbit)
Inhalative	LC50/4 h	1 mg/l (ATE)

CAS: 98-00-0 Furfuryl alcohol

Oral	LD50	250 mg/kg (ATE) 160 mg/kg (mouse)
Dermal	LD50	530 mg/kg (ATE) 400 mg/kg (rabbit)
Inhalative	LC50/4 h	1 mg/l (ATE)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Interactive effects** No interactive effects between components are known.
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

2B

- **NTP (National Toxicology Program)**

Substance is not listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

(Continued on page 8)

Safety Data Sheet

acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Furfuryl Alcohol Synthetic

(Continuation of page 7)

- **Alternative sources for toxicological information**
No non-standard sources for toxicological information where used.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Assessment by list): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|---|----------------------|
| · UN-Number | UN2874 |
| · DOT, IMDG, IATA | |
| · UN proper shipping name | Furfuryl alcohol |
| · DOT | FURFURYL ALCOHOL |
| · IMDG, IATA | |
| · Transport hazard class(es) | |
| · DOT | |
|  | |
| · Class | 6.1 Toxic substances |

(Continued on page 9)

Safety Data Sheet

acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Furfuryl Alcohol Synthetic

(Continuation of page 8)

· Label	6.1
· IMDG, IATA	
	
· Class	6.1 Toxic substances
· Label	6.1
· Packing group	
· DOT, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Special precautions for user	Warning: Toxic substances
· Hazard identification number (Kemler code):	60
· EMS Number:	F-A,S-A
· Stowage Category	A
· Segregation Code	SG17 Stow "separated from" class 5.1 SG35 Stow "separated from" SGG1-acids
· UN "Model Regulation":	UN 2874 FURFURYL ALCOHOL, 6.1, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is not listed.

(Continued on page 10)

Safety Data Sheet

acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Furfuryl Alcohol Synthetic

(Continuation of page 9)

· **Proposition 65**

· **Chemicals known to cause cancer:**

Substance is listed.

· **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity:**

Substance is not listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

Substance is not listed.

· **TLV (Threshold Limit Value)**

Substance is not listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

· **GHS label elements**

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS06 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Furfuryl alcohol

· **Hazard statements**

H227 Combustible liquid.

H301+H311 Toxic if swallowed or in contact with skin.

H330 Fatal if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H373 May cause damage to the central nervous system, the kidneys, the liver, the respiratory system and the nasal tissue through prolonged or repeated exposure. Route of exposure: Inhalation.

· **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P330 Rinse mouth.

(Continued on page 11)

Safety Data Sheet

acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Furfuryl Alcohol Synthetic

(Continuation of page 10)

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P320 Specific treatment is urgent (see on this label).
P361+P364 Take off immediately all contaminated clothing and wash it before reuse.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Product Safety Department

· **Contact:**

Product Safety Department
productsafety@adv-bio.com

· **Date of previous version** 12/05/2023

· **Date of preparation** 01/24/2025

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable liquids 4: Flammable liquids – Category 4

Acute toxicity - oral 3: Acute toxicity – Category 3

Acute toxicity - inhalation 2: Acute toxicity – Category 2

Skin irritation 2: Skin corrosion/irritation – Category 2

Eye irritation 2A: Serious eye damage/eye irritation – Category 2A

Carcinogenicity 2: Carcinogenicity – Category 2

Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3

Specific target organ toxicity (repeated exposure) 2: Specific target organ toxicity (repeated exposure) – Category 2