

Printing date 01/16/2024 Reviewed on 12/05/2023

1 Identification

· Product identifier

Trade name: Furfuryl Alcohol Synthetic

· Product number: 2104

• **CAS Number:** 98-00-0

· EC number: 202-626-1 · Index number:

603-018-00-2

· Application of the substance / the mixture Flavoring Ingredients

· Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Manufacturer/Supplier:

Advanced Biotech 10 Taft Road Totowa. NJ 07512 USA

Information department:

Product Safety Department productsafety@adv-bio.com

· Emergency telephone number:

Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International)

Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Toxicity - Oral 3 H301 Toxic if swallowed.

Acute Toxicity - Dermal 3 H311 Toxic in contact with skin.

Acute Toxicity - Inhalation 2 H330 Fatal if inhaled.



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.

Specific Target Organ Toxicity - Repeated Exposure H373 May cause damage to the central nervous

system, the kidneys, the liver, the respiratory system and the nasal tissue through prolonged or repeated exposure.

Route of exposure: Inhalation.

(Continued on page 2)



Printing date 01/16/2024 Reviewed on 12/05/2023

Trade name: Furfuryl Alcohol Synthetic

(Continuation of page 1)



Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

Flammable Liquids 4 H227 Combustible liquid.

· GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS06 GHS07 GHS08

· Signal word Danger

· Hazard-determining components of labeling:

Furfuryl alcohol

· Hazard statements

H227 Combustible liquid.

H301+H311 Toxic if swallowed or in contact with skin.

H330 Fatal if inhaled. H315 Causes skin irritation.

H319 Causes serious eye irritation.
H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H373 May cause damage to the central nervous system, the kidneys, the liver, the respiratory

system and the nasal tissue through prolonged or repeated exposure. Route of exposure: Inhalation.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P301+P310 If swallowed: Immediately call a poison center/doctor.

P330 Rinse mouth.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P320 Specific treatment is urgent (see on this label).

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

NFPA ratings (scale 0 - 4)



Health = 2 Fire = 2 Reactivity = 0

(Continuation of page 2)



Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024 Reviewed on 12/05/2023

Trade name: Furfuryl Alcohol Synthetic

· HMIS-ratings (scale 0 - 4)

Health = 2

FIRE 2
REACTIVITY 0

HEALTH

Fire = 2

Reactivity = 0

Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

CAS: 98-00-0 Furfuryl alcohol Identification number(s) EC number: 202-626-1 Index number: 603-018-00-2

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

(Continued on page 4)



Printing date 01/16/2024 Reviewed on 12/05/2023

Trade name: Furfuryl Alcohol Synthetic

(Continuation of page 3)

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
15 ppm	
· PAC-2:	
42 ppm	
· PAC-3:	
250 ppm	

7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

No special requirements.

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

HS



Printing date 01/16/2024 Reviewed on 12/05/2023

Trade name: Furfuryl Alcohol Synthetic

(Continuation of page 4)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

Components with limit values that require monitoring at the workplace:
--

CAS: 98-00-0 Furfuryl alcohol

PEL Long-term value: 200 mg/m³, 50 ppm REL Short-term value: 60 mg/m³, 15 ppm Long-term value: 40 mg/m³, 10 ppm

Skin

TLV Long-term value: 0.2 ppm

Skin, A3

- · Additional information: The lists that were valid during the creation were used as a basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles



Printing date 01/16/2024 Reviewed on 12/05/2023

Trade name: Furfuryl Alcohol Synthetic

(Continuation of page 5)

9 Physical	l and c	hemica	l proper	ties

· Information on basic physical and chemical properties

General Information Molecular Weight: 98.1 g/mol

· Appearance:

Form: Liquid

Color: According to product specification
Odor: According to product specification

· Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: -31 °C (-23.8 °F) Boiling point/Boiling range: 170 °C (338 °F)

· Flash point: 65 °C (149 °F)

· Flammability (solid, gaseous): Not applicable.

· Auto igniting: 390 °C (734 °F)

Decomposition temperature: Not determined.

· Ignition temperature: Not determined.

· Danger of explosion: Not determined.

· Explosion limits:

Lower: 1.8 Vol % Upper: 16.3 Vol %

• Vapor pressure at 20 °C (68 °F): 0.53 hPa (0.4 mm Hg)
• Vapor pressure at 50 °C (122 °F): 4.5 hPa (3.4 mm Hg)

• Density at 20 °C (68 °F): 1.124-1.148 g/cm³ (9.37978-9.58006 lbs/gal) • Specific Gravity 1.124 - 1.148 @ 20 °C (34 - 34.1 @ 68 °F)

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic: Not determined. Organic solvents: 100.0 %

VOC content: 100.00 %

1,124-1,148 g/l / 9.38-9.58 lb/gal

• Other information No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.



Printing date 01/16/2024 Reviewed on 12/05/2023

Trade name: Furfuryl Alcohol Synthetic

(Continuation of page 6)

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 v	LD/LC50 values that are relevant for classification:	
ATE (Acu	te Toxicity	/ Estimate)
Oral	LD50	160 mg/kg (mouse)
Dermal	LD50	400 mg/kg (rabbit)
Inhalative	LC50/4 h	1 mg/l (ATE)

CAS: 98-00-0 Furturyl alcohol		
Oral	LD50	250 mg/kg (ATE)
		160 mg/kg (mouse)
Dermal	LD50	530 mg/kg (ATE)
		400 mg/kg (rabbit)
Inhalative	LC50/4 h	1 mg/l (ATE)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:
- · Carcinogenic categories

•	C (International Agency for Research on Cancer)	

· NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Continued on page 8)



Printing date 01/16/2024 Reviewed on 12/05/2023

Trade name: Furfuryl Alcohol Synthetic

· Additional ecological information:

(Continuation of page 7)

· General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT, IMDG, IATA	UN2874
UN proper shipping name DOT IMDG, IATA	Furfuryl alcohol FURFURYL ALCOHOL
Transport hazard class(es)	/
DOT	
TOXIC	
Class Label	6.1 Toxic substances 6.1
· IMDG, IATA	
Class	6.1 Toxic substances
Label	6.1
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.



Printing date 01/16/2024 Reviewed on 12/05/2023

Trade name: Furfuryl Alcohol Synthetic

(Continuation of page 8)

· Special precautions for user Warning: Toxic substances

Hazard identification number (Kemler code): 60
 EMS Number: F-A,S-A
 Stowage Category A

• Segregation Code SG17 Stow "separated from" class 5.1

SG35 Stow "separated from" SGG1-acids

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· DOT

• Quantity limitations On passenger aircraft/rail: 60 L

On cargo aircraft only: 220 L

· IMDG

· Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 2874 FURFURYL ALCOHOL, 6.1, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

(Continued on page 10)



Printing date 01/16/2024 Reviewed on 12/05/2023

Trade name: Furfuryl Alcohol Synthetic

(Continuation of page 9)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms







GHS06 GHS07 GHS08

· Signal word Danger

Hazard-determining components of labeling:

Furfuryl alcohol

· Hazard statements

H227 Combustible liquid.

H301+H311 Toxic if swallowed or in contact with skin.

H330 Fatal if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.
 H351 Suspected of causing cancer.
 H335 May cause respiratory irritation.

H373 May cause damage to the central nervous system, the kidneys, the liver, the respiratory

system and the nasal tissue through prolonged or repeated exposure. Route of exposure:

Inhalation.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P301+P310 If swallowed: Immediately call a poison center/doctor.

P330 Rinse mouth.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P320 Specific treatment is urgent (see on this label).

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Printing date 01/16/2024 Reviewed on 12/05/2023

Trade name: Furfuryl Alcohol Synthetic

(Continuation of page 10)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- · Contact:

Product Safety Department productsafety@adv-bio.com

- · Date of preparation / last revision 01/16/2024
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 4: Flammable liquids – Category 4

Acute Toxicity - Oral 3: Acute toxicity - Category 3

Acute Toxicity - Inhalation 2: Acute toxicity - Category 2

Skin Irritation 2: Skin corrosion/irritation - Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Carcinogenicity 2: Carcinogenicity – Category 2

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2

us -